



**LANCASTER COUNTY
SOLID WASTE MANAGEMENT
AUTHORITY**

Unlocking the Energy of Innovation

January 4, 2013

Ms. Charlene Sauls; Regional Hydrogeologist
Pennsylvania Department of Environmental Protection
Bureau of Waste Management
909 Elmerton Avenue
Harrisburg, PA 17110-8200

REF: Private Water Supply
Quarterly Water Quality Analysis
Frey Farm Landfill; BWM Permit #101389

Dear Ms. Sauls:

As required by the Pennsylvania Department of Environmental Protection, the Lancaster County Solid Waste Management Authority (LCSWMA) continues the above referenced water quality monitoring program. Enclosed are the reports for the Fourth Quarter 2012 sampling event in electronic format (per the CD containing the file CWCG1112.csv; which should be compatible for importing the data into your LandLinks software).

The laboratory data was reviewed to analyze for changes or trends that may be apparent and as a quality assurance check of the information. In summary:

(A) General

- All of the seven (7) privately owned contiguous locations were sampled
- Laboratory reports for each of the seven (7) privately owned contiguous locations are included as pdf files on the CD

(B) VOCs

- There were no Form 52 volatile organic compounds (VOC) detects reported at any of the monitored locations with the single exception being a detect of 1,1-Dichloroethane at 0.57 (detection limit of 0.5 ug/l). We have had sporadic detects previously, though none have exceeded 0.8 ug/l. We will monitor this closely in upcoming sampling events.

www.lcswma.org

1299 HARRISBURG PIKE | PO BOX 4425 | LANCASTER, PA 17604
PHONE: 717-397-9958 | FAX: 717-397-9973





Private Water Supply
Quarterly Water Quality Analysis
January 4, 2013
Page 2 of 2

(C) Water Quality Indicators

- All monitored parameters at the seven (7) sampled locations were generally typical of historical and/or seasonal results. The apparent anomalous Total Organic Halide result at the CWCGSMIW location reported last quarter (23.9 ug/l) would have been the first detect in 88 sampling events; this quarter the result was "not detected". Additionally, location CWCGHILW had a TOC detect of 1.1 mg/l during the Second Quarter where all previous sampling events (86) had been "not detected"; both Third and Fourth Quarter results were reported as "not detected". Location CWCGSCHW had an ammonia-nitrogen detect of 0.42 mg/l in the Second Quarter where all previous sampling events; both Third and Fourth Quarter results were reported as "not detected". These locations and parameters will be monitored closely during upcoming sampling events.

LCSWMA will continue to sample, review and report this information on a quarterly basis with our next sampling currently scheduled to occur in February 2013. Feel free to call if you have any questions or require additional information in any regard.

Sincerely,

Brooks K. Norris
Senior Manager, Technical Services

Enclosures

cc: Bob Zorbaugh, Bob Eshbach, Emily Kauffman
John Spang (PaDEP w/Forms as pdf)
Ed Rawski (PaDEP)
Randy Weiss (PaDEP)



Date Prepared/Revised 01/04/2013
DEP USE ONLY
Date Received

FORM 52
MUNICIPAL WASTE LANDFILL
PRIVATE WATER SUPPLY
QUARTERLY AND ANNUAL WATER QUALITY ANALYSES

This form must be fully and accurately completed. All required information must be typed or legibly printed in the spaces provided. If additional space is necessary, identify each attached sheet as Form 52, reference the item number and identify the date prepared. The "date prepared/revised" on any attached sheets needs to match the "date prepared/revised" on this page.

General Reference: Act 101 Section 1103	
SECTION A. SITE IDENTIFIER	
Applicant/permittee:	Lancaster County Solid Waste Manage
Site Name:	Creswell Landfill
Facility ID (as issued by DEP):	101389
SECTION B. PRIVATE WATER SUPPLY INFORMATION	
INDICATE THE LATITUDE AND LONGITUDE TO THE NEAREST ONE TENTH OF A SECOND (DE° MM' SS.S")	
Facility Name:	Creswell Landfill
County:	Lancaster County
Township or Municipality:	Manor Township
Landowner Name:	CHRIS & ELIZABETH BECK
Address:	3125 River Road
Phone No.:	
Sampling Point:	Latitude: 39° 57' 11.6" Longitude: 76° 26' 5.4"
Depth to Water Level:	ft. Measured from: <input checked="" type="checkbox"/> Land Surface <input type="checkbox"/> TOC
Casing Stick Up:	ft. Elevation of Water Level: _____ ft./MSL
Total Well Depth:	ft.
Sampling Depth:	ft. Sampling Method: <input type="checkbox"/> Pumped <input type="checkbox"/> Bailed
Well Purged:	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Well Volumes Purged: _____
Sample Field Filtered (must be 0.45 micron)?:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No
Sample Date:(mm/dd/yy)	11/30/2012 Sample Collection Time: 11:52 AM
Laboratory(ies) Performing Analysis	ALS Environmental
(include address and phone number)	34 Dogwood Lane Middletown, PA 17057 (717) 944-5541
Lab Accreditation Number(s)	22-293
Lab Analysis Date	12/20/2012
Were any holding times exceeded?:	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> If yes, please explain in comments field.
Comments:	

FORM 52
MUNICIPAL WASTE LANDFILL
PRIVATE WATER SUPPLY
QUARTERLY WATER QUALITY ANALYSES

Facility I.D. Number

101389

Monitoring Point I.D. No.

PS CWCGBCKW

Sample Date

11/30/2012

1. Inorganics (Enter all data in mg/l except as noted)

PARAMETER	VALUE	ANALYSIS METHOD NUMBER
AMMONIA-NITROGEN	0.1 ND	SM 4500D
BICARBONATE	15	SM 2321
CALCIUM, TOTAL	14.8	EPA 200.7
CALCIUM, DISSOLVED	15.3	EPA 200.7
COD (CHEMICAL OXYGEN DEMAND)	15 ND	EPA 410.4
CHLORIDE	79.8	EPA 300
FLUORIDE	0.2 ND	EPA 300
IRON, TOTAL (ug/l)	30 ND	EPA 200.7
IRON, DISSOLVED (ug/l)	60 ND	EPA 200.7
MAGNESIUM, TOTAL	9.4	EPA 200.7
MAGNESIUM, DISSOLVED	9.3	EPA 200.7
MANGANESE, TOTAL (ug/l)	93	EPA 200.7
MANGANESE, DISSOLVED (ug/l)	98	EPA 200.7
NITRATE-NITROGEN	10.2	EPA 300

T Please indicate detection limit if analyte is not detected.

FORM 52
MUNICIPAL WASTE LANDFILL
PRIVATE WATER SUPPLY
QUARTERLY WATER QUALITY ANALYSES

Facility I.D. Number

101389

Monitoring Point I.D. No.

PS CWCGBCKW

Sample Date

11/30/2012

1. Inorganics, continued (Enter all data in mg/l except as noted)

PARAMETER	VALUE	ANALYSIS METHOD NUMBER
NITRITE-NITROGEN	0.2 ND	EPA 300
pH-FIELD (SU)	5.42	FIELD
pH-LAB (SU)	5.97	SM 4500B
POTASSIUM, TOTAL	3.5	EPA 200.7
POTASSIUM, DISSOLVED	4	EPA 200.7
SODIUM, TOTAL	36.1	EPA 200.7
SODIUM, DISSOLVED	39.4	EPA 200.7
SPEC. COND., FIELD (umhos/cm)	448	FIELD
SPEC. COND., LAB (umhos/cm)	421	EPA 120.1
SULFATE	5.1	EPA 300
ALKALINITY	15	SM 2320B
TDS (TOTAL DISSOLVED SOLIDS)	250	SM 2540C
TOC (TOTAL ORGANIC CARBON)	1.3	SM 5310B
TOTAL PHENOLICS (ug/l)	10 ND	EPA 420.4
TURBIDITY (NTU)	0.13	SM 2130B

T Please indicate detection limit if analyte is not detected.

FORM 52
MUNICIPAL WASTE LANDFILL
PRIVATE WATER SUPPLY
QUARTERLY WATER QUALITY ANALYSES

Facility I.D. Number

101389

Monitoring Point I.D. No.

PS CWCGBCKW

Sample Date

11/30/2012

2. Organics (Enter all data in ug/l)

PARAMETER	VALUE	ANALYSIS METHOD NUMBER
BENZENE	0.5 ND	EPA 524.2
1,2-DIBROMOETHANE (EDB) (ETHYLENE	0.5 ND	EPA 524.2
1,1-DICHLOROETHANE	0.5 ND	EPA 524.2
1,1-DICHLOROETHENE	0.5 ND	EPA 524.2
1,2-DICHLOROETHANE	0.5 ND	EPA 524.2
cis 1,2-DICHLOROETHENE	0.5 ND	EPA 524.2
trans 1,2-DICHLOROETHENE	0.5 ND	EPA 524.2
ETHYLBENZENE	0.5 ND	EPA 524.2
METHYLENE CHLORIDE	0.5 ND	EPA 524.2
TETRACHLOROETHENE	0.5 ND	EPA 524.2
TOLUENE	0.5 ND	EPA 524.2
1,1,1-TRICHLOROETHANE	0.5 ND	EPA 524.2
TRICHLOROETHENE	0.5 ND	EPA 524.2
TRICHLOROFLUOROMETHANE	0.5 ND	EPA 524.2
VINYL CHLORIDE	0.5 ND	EPA 524.2
XYLENES (TOTAL)	1.5 ND	EPA 524.2

T Please indicate detection limit if analyte is not detected.



Date Prepared/Revised 01/04/2013
DEP USE ONLY
Date Received

FORM 52
MUNICIPAL WASTE LANDFILL
PRIVATE WATER SUPPLY
QUARTERLY AND ANNUAL WATER QUALITY ANALYSES

This form must be fully and accurately completed. All required information must be typed or legibly printed in the spaces provided. If additional space is necessary, identify each attached sheet as Form 52, reference the item number and identify the date prepared. The "date prepared/revised" on any attached sheets needs to match the "date prepared/revised" on this page.

General Reference: Act 101 Section 1103	
SECTION A. SITE IDENTIFIER	
Applicant/permittee:	Lancaster County Solid Waste Manage
Site Name:	Creswell Landfill
Facility ID (as issued by DEP):	101389
SECTION B. PRIVATE WATER SUPPLY INFORMATION	
INDICATE THE LATITUDE AND LONGITUDE TO THE NEAREST ONE TENTH OF A SECOND (DE° MM' SS.S")	
Facility Name:	Creswell Landfill
County:	Lancaster County
Township or Municipality:	Manor Township
Landowner Name:	BRIAN BYERS
Address:	3088 River Road
Phone No.:	
Sampling Point:	Latitude: 39° 57' 21" Longitude: 76° 26' 7.1"
Depth to Water Level:	ft. Measured from: <input checked="" type="checkbox"/> Land Surface <input type="checkbox"/> TOC
Casing Stick Up:	ft. Elevation of Water Level: _____ ft./MSL
Total Well Depth:	ft.
Sampling Depth:	ft. Sampling Method: <input type="checkbox"/> Pumped <input type="checkbox"/> Bailed
Well Purged:	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Well Volumes Purged: _____
Sample Field Filtered (must be 0.45 micron)?:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No
Sample Date:(mm/dd/yy)	11/30/2012 Sample Collection Time: 11:38 AM
Laboratory(ies) Performing Analysis	ALS Environmental
(include address and phone number)	34 Dogwood Lane Middletown, PA 17057 (717) 944-5541
Lab Accreditation Number(s)	22-293
Lab Analysis Date	12/13/2012
Were any holding times exceeded?:	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> If yes, please explain in comments field.
Comments:	

FORM 52
MUNICIPAL WASTE LANDFILL
PRIVATE WATER SUPPLY
QUARTERLY WATER QUALITY ANALYSES

Facility I.D. Number

101389

Monitoring Point I.D. No.

PS CWCGFELW

Sample Date

11/30/2012

1. Inorganics (Enter all data in mg/l except as noted)

PARAMETER	VALUE	ANALYSIS METHOD NUMBER
AMMONIA-NITROGEN	0.1 ND	SM 4500D
BICARBONATE	17	SM 2321
CALCIUM, TOTAL	28.7	EPA 200.7
CALCIUM, DISSOLVED	29.6	EPA 200.7
COD (CHEMICAL OXYGEN DEMAND)	15 ND	EPA 410.4
CHLORIDE	57.8	EPA 300
FLUORIDE	0.2 ND	EPA 300
IRON, TOTAL (ug/l)	30 ND	EPA 200.7
IRON, DISSOLVED (ug/l)	60 ND	EPA 200.7
MAGNESIUM, TOTAL	10.7	EPA 200.7
MAGNESIUM, DISSOLVED	10.3	EPA 200.7
MANGANESE, TOTAL (ug/l)	62	EPA 200.7
MANGANESE, DISSOLVED (ug/l)	64	EPA 200.7
NITRATE-NITROGEN	12.9	EPA 300

T Please indicate detection limit if analyte is not detected.

FORM 52
MUNICIPAL WASTE LANDFILL
PRIVATE WATER SUPPLY
QUARTERLY WATER QUALITY ANALYSES

Facility I.D. Number

101389

Monitoring Point I.D. No.

PS CWCGFELW

Sample Date

11/30/2012

1. Inorganics, continued (Enter all data in mg/l except as noted)

PARAMETER	VALUE	ANALYSIS METHOD NUMBER
NITRITE-NITROGEN	0.2 ND	EPA 300
pH-FIELD (SU)	5.26	FIELD
pH-LAB (SU)	6.02	SM 4500B
POTASSIUM, TOTAL	2.3	EPA 200.7
POTASSIUM, DISSOLVED	2.6	EPA 200.7
SODIUM, TOTAL	22.2	EPA 200.7
SODIUM, DISSOLVED	23.8	EPA 200.7
SPEC. COND., FIELD (umhos/cm)	433	FIELD
SPEC. COND., LAB (umhos/cm)	419	EPA 120.1
SULFATE	29.4	EPA 300
ALKALINITY	17	SM 2320B
TDS (TOTAL DISSOLVED SOLIDS)	271	SM 2540C
TOC (TOTAL ORGANIC CARBON)	1.4	SM 5310B
TOTAL PHENOLICS (ug/l)	10 ND	EPA 420.4
TURBIDITY (NTU)	0.61	SM 2130B

T Please indicate detection limit if analyte is not detected.

FORM 52
MUNICIPAL WASTE LANDFILL
PRIVATE WATER SUPPLY
QUARTERLY WATER QUALITY ANALYSES

Facility I.D. Number

101389

Monitoring Point I.D. No.

PS CWCGFELW

Sample Date

11/30/2012

2. Organics (Enter all data in ug/l)

PARAMETER	VALUE	ANALYSIS METHOD NUMBER
BENZENE	0.5 ND	EPA 524.2
1,2-DIBROMOETHANE (EDB) (ETHYLENE	0.5 ND	EPA 524.2
1,1-DICHLOROETHANE	0.5 ND	EPA 524.2
1,1-DICHLOROETHENE	0.5 ND	EPA 524.2
1,2-DICHLOROETHANE	0.5 ND	EPA 524.2
cis 1,2-DICHLOROETHENE	0.5 ND	EPA 524.2
trans 1,2-DICHLOROETHENE	0.5 ND	EPA 524.2
ETHYLBENZENE	0.5 ND	EPA 524.2
METHYLENE CHLORIDE	0.5 ND	EPA 524.2
TETRACHLOROETHENE	0.5 ND	EPA 524.2
TOLUENE	0.5 ND	EPA 524.2
1,1,1-TRICHLOROETHANE	0.5 ND	EPA 524.2
TRICHLOROETHENE	0.5 ND	EPA 524.2
TRICHLOROFLUOROMETHANE	0.5 ND	EPA 524.2
VINYL CHLORIDE	0.5 ND	EPA 524.2
XYLENES (TOTAL)	1.5 ND	EPA 524.2

T Please indicate detection limit if analyte is not detected.



Date Prepared/Revised 01/04/2013
DEP USE ONLY
Date Received

**FORM 52
MUNICIPAL WASTE LANDFILL
PRIVATE WATER SUPPLY
QUARTERLY AND ANNUAL WATER QUALITY ANALYSES**

This form must be fully and accurately completed. All required information must be typed or legibly printed in the spaces provided. If additional space is necessary, identify each attached sheet as Form 52, reference the item number and identify the date prepared. The "date prepared/revised" on any attached sheets needs to match the "date prepared/revised" on this page.

General Reference: Act 101 Section 1103	
SECTION A. SITE IDENTIFIER	
Applicant/permittee:	Lancaster County Solid Waste Manage
Site Name:	Creswell Landfill
Facility ID (as issued by DEP):	101389
SECTION B. PRIVATE WATER SUPPLY INFORMATION	
INDICATE THE LATITUDE AND LONGITUDE TO THE NEAREST ONE TENTH OF A SECOND (DE° MM' SS.S")	
Facility Name:	Creswell Landfill
County:	Lancaster County
Township or Municipality:	Manor Township
Landowner Name:	DAVID C. & PATRICIA S. HILL
Address:	3106 River Road
Phone No.:	
Sampling Point:	Latitude: 39° 57' 17.27" Longitude: 76° 26' 5.6"
Depth to Water Level:	ft. Measured from: <input checked="" type="checkbox"/> Land Surface <input type="checkbox"/> TOC
Casing Stick Up:	ft. Elevation of Water Level: _____ ft./MSL
Total Well Depth:	ft.
Sampling Depth:	ft. Sampling Method: <input type="checkbox"/> Pumped <input type="checkbox"/> Bailed
Well Purged:	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Well Volumes Purged: _____
Sample Field Filtered (must be 0.45 micron)?:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No
Sample Date:(mm/dd/yy)	11/30/2012 Sample Collection Time: 11:45 AM
Laboratory(ies) Performing Analysis	ALS Environmental
(include address and phone number)	34 Dogwood Lane Middletown, PA 17057 (717) 944-5541
Lab Accreditation Number(s)	22-293
Lab Analysis Date	12/17/2012
Were any holding times exceeded?:	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> If yes, please explain in comments field.
Comments:	

FORM 52
MUNICIPAL WASTE LANDFILL
PRIVATE WATER SUPPLY
QUARTERLY WATER QUALITY ANALYSES

Facility I.D. Number

101389

Monitoring Point I.D. No.

PS CWCGHILW

Sample Date

11/30/2012

1. Inorganics (Enter all data in mg/l except as noted)

PARAMETER	VALUE	ANALYSIS METHOD NUMBER
AMMONIA-NITROGEN	0.1 ND	SM 4500D
BICARBONATE	130	SM 2321
CALCIUM, TOTAL	22.7	EPA 200.7
CALCIUM, DISSOLVED	14.7	EPA 200.7
COD (CHEMICAL OXYGEN DEMAND)	15 ND	EPA 410.4
CHLORIDE	47	EPA 300
FLUORIDE	0.2 ND	EPA 300
IRON, TOTAL (ug/l)	30 ND	EPA 200.7
IRON, DISSOLVED (ug/l)	60 ND	EPA 200.7
MAGNESIUM, TOTAL	29.6	EPA 200.7
MAGNESIUM, DISSOLVED	11.1	EPA 200.7
MANGANESE, TOTAL (ug/l)	6.1	EPA 200.7
MANGANESE, DISSOLVED (ug/l)	55	EPA 200.7
NITRATE-NITROGEN	13.9	EPA 300

T Please indicate detection limit if analyte is not detected.

FORM 52
MUNICIPAL WASTE LANDFILL
PRIVATE WATER SUPPLY
QUARTERLY WATER QUALITY ANALYSES

Facility I.D. Number

101389

Monitoring Point I.D. No.

PS CWCGHILW

Sample Date

11/30/2012

1. Inorganics, continued (Enter all data in mg/l except as noted)

PARAMETER	VALUE	ANALYSIS METHOD NUMBER
NITRITE-NITROGEN	0.2 ND	EPA 300
pH-FIELD (SU)	5.34	FIELD
pH-LAB (SU)	7.9	SM 4500B
POTASSIUM, TOTAL	1.3	EPA 200.7
POTASSIUM, DISSOLVED	2.2	EPA 200.7
SODIUM, TOTAL	27.9	EPA 200.7
SODIUM, DISSOLVED	8	EPA 200.7
SPEC. COND., FIELD (umhos/cm)	93	FIELD
SPEC. COND., LAB (umhos/cm)	524	EPA 120.1
SULFATE	6	EPA 300
ALKALINITY	130	SM 2320B
TDS (TOTAL DISSOLVED SOLIDS)	297	SM 2540C
TOC (TOTAL ORGANIC CARBON)	1 ND	SM 5310B
TOTAL PHENOLICS (ug/l)	10 ND	EPA 420.4
TURBIDITY (NTU)	2.27	SM 2130B

T Please indicate detection limit if analyte is not detected.

FORM 52
MUNICIPAL WASTE LANDFILL
PRIVATE WATER SUPPLY
QUARTERLY WATER QUALITY ANALYSES

Facility I.D. Number

101389

Monitoring Point I.D. No.

PS CWCGHILW

Sample Date

11/30/2012

2. Organics (Enter all data in ug/l)

PARAMETER	VALUE	ANALYSIS METHOD NUMBER
BENZENE	0.5 ND	EPA 524.2
1,2-DIBROMOETHANE (EDB) (ETHYLENE	0.5 ND	EPA 524.2
1,1-DICHLOROETHANE	0.57	EPA 524.2
1,1-DICHLOROETHENE	0.5 ND	EPA 524.2
1,2-DICHLOROETHANE	0.5 ND	EPA 524.2
cis 1,2-DICHLOROETHENE	0.5 ND	EPA 524.2
trans 1,2-DICHLOROETHENE	0.5 ND	EPA 524.2
ETHYLBENZENE	0.5 ND	EPA 524.2
METHYLENE CHLORIDE	0.5 ND	EPA 524.2
TETRACHLOROETHENE	0.5 ND	EPA 524.2
TOLUENE	0.5 ND	EPA 524.2
1,1,1-TRICHLOROETHANE	0.5 ND	EPA 524.2
TRICHLOROETHENE	0.5 ND	EPA 524.2
TRICHLOROFLUOROMETHANE	0.5 ND	EPA 524.2
VINYL CHLORIDE	0.5 ND	EPA 524.2
XYLENES (TOTAL)	1.5 ND	EPA 524.2

T Please indicate detection limit if analyte is not detected.



Date Prepared/Revised
01/04/2013

DEP USE ONLY

Date Received

FORM 52
MUNICIPAL WASTE LANDFILL
PRIVATE WATER SUPPLY
QUARTERLY AND ANNUAL WATER QUALITY ANALYSES

This form must be fully and accurately completed. All required information must be typed or legibly printed in the spaces provided. If additional space is necessary, identify each attached sheet as Form 52, reference the item number and identify the date prepared. The "date prepared/revised" on any attached sheets needs to match the "date prepared/revised" on this page.

General Reference: Act 101 Section 1103

SECTION A. SITE IDENTIFIER

Applicant/permittee: Lancaster County Solid Waste Manage

Site Name: Creswell Landfill

Facility ID (as issued by DEP): 101389

SECTION B. PRIVATE WATER SUPPLY INFORMATION

INDICATE THE LATITUDE AND LONGITUDE TO THE NEAREST ONE TENTH OF A SECOND (DE° MM' SS.S")

Facility Name: Creswell Landfill

County: Lancaster County

Township or Municipality: Manor Township

Landowner Name: LARRY & ANN KIRCHNER

Address: 3100 River Road

Phone No.:

Sampling Point: Latitude: 39° 57' 17.9" Longitude: 76° 26' 6.28"

Depth to Water Level: _____ ft.

Measured from: Land Surface TOC

Casing Stick Up: _____ ft.

Elevation of Water Level: _____ ft./MSL

Total Well Depth: _____ ft.

Sampling Depth: _____ ft.

Sampling Method: Pumped Bailed

Well Purged: Yes No

Well Volumes Purged: _____

Sample Field Filtered (must be 0.45 micron): Yes No

Sample Date:(mm/dd/yy) 11/30/2012

Sample Collection Time: 11:45 AM

Laboratory(ies) Performing Analysis ALS Environmental

(include address and phone number)

34 Dogwood Lane

Middletown, PA 17057

(717) 944-5541

Lab Accreditation Number(s)

22-293

Lab Analysis Date

12/13/2012

Were any holding times exceeded?: Yes No If yes, please explain in comments field.

Comments:

FORM 52
MUNICIPAL WASTE LANDFILL
PRIVATE WATER SUPPLY
QUARTERLY WATER QUALITY ANALYSES

Facility I.D. Number

101389

Monitoring Point I.D. No.

PS CWCGKIRW

Sample Date

11/30/2012

1. Inorganics (Enter all data in mg/l except as noted)

PARAMETER	VALUE	ANALYSIS METHOD NUMBER
AMMONIA-NITROGEN	0.1 ND	SM 4500D
BICARBONATE	16	SM 2321
CALCIUM, TOTAL	18.5	EPA 200.7
CALCIUM, DISSOLVED	18.8	EPA 200.7
COD (CHEMICAL OXYGEN DEMAND)	15 ND	EPA 410.4
CHLORIDE	48.6	EPA 300
FLUORIDE	0.2 ND	EPA 300
IRON, TOTAL (ug/l)	30 ND	EPA 200.7
IRON, DISSOLVED (ug/l)	60 ND	EPA 200.7
MAGNESIUM, TOTAL	8.3	EPA 200.7
MAGNESIUM, DISSOLVED	8.2	EPA 200.7
MANGANESE, TOTAL (ug/l)	7.7	EPA 200.7
MANGANESE, DISSOLVED (ug/l)	8.5	EPA 200.7
NITRATE-NITROGEN	6.2	EPA 300

T Please indicate detection limit if analyte is not detected.

FORM 52
MUNICIPAL WASTE LANDFILL
PRIVATE WATER SUPPLY
QUARTERLY WATER QUALITY ANALYSES

Facility I.D. Number

101389

Monitoring Point I.D. No.

PS CWCGKIRW

Sample Date

11/30/2012

1. Inorganics, continued (Enter all data in mg/l except as noted)

PARAMETER	VALUE	ANALYSIS METHOD NUMBER
NITRITE-NITROGEN	0.2 ND	EPA 300
pH-FIELD (SU)	5.35	FIELD
pH-LAB (SU)	5.94	SM 4500B
POTASSIUM, TOTAL	1.5	EPA 200.7
POTASSIUM, DISSOLVED	1.7	EPA 200.7
SODIUM, TOTAL	12.9	EPA 200.7
SODIUM, DISSOLVED	13.6	EPA 200.7
SPEC. COND., FIELD (umhos/cm)	300	FIELD
SPEC. COND., LAB (umhos/cm)	259	EPA 120.1
SULFATE	8.4	EPA 300
ALKALINITY	16	SM 2320B
TDS (TOTAL DISSOLVED SOLIDS)	212	SM 2540C
TOC (TOTAL ORGANIC CARBON)	1 ND	SM 5310B
TOTAL PHENOLICS (ug/l)	10 ND	EPA 420.4
TURBIDITY (NTU)	0.11	SM 2130B

T Please indicate detection limit if analyte is not detected.

FORM 52
MUNICIPAL WASTE LANDFILL
PRIVATE WATER SUPPLY
QUARTERLY WATER QUALITY ANALYSES

Facility I.D. Number

101389

Monitoring Point I.D. No.

PS CWCGKIRW

Sample Date

11/30/2012

2. Organics (Enter all data in ug/l)

PARAMETER	VALUE	ANALYSIS METHOD NUMBER
BENZENE	0.5 ND	EPA 524.2
1,2-DIBROMOETHANE (EDB) (ETHYLENE	0.5 ND	EPA 524.2
1,1-DICHLOROETHANE	0.5 ND	EPA 524.2
1,1-DICHLOROETHENE	0.5 ND	EPA 524.2
1,2-DICHLOROETHANE	0.5 ND	EPA 524.2
cis 1,2-DICHLOROETHENE	0.5 ND	EPA 524.2
trans 1,2-DICHLOROETHENE	0.5 ND	EPA 524.2
ETHYLBENZENE	0.5 ND	EPA 524.2
METHYLENE CHLORIDE	0.5 ND	EPA 524.2
TETRACHLOROETHENE	0.5 ND	EPA 524.2
TOLUENE	0.5 ND	EPA 524.2
1,1,1-TRICHLOROETHANE	0.5 ND	EPA 524.2
TRICHLOROETHENE	0.5 ND	EPA 524.2
TRICHLOROFLUOROMETHANE	0.5 ND	EPA 524.2
VINYL CHLORIDE	0.5 ND	EPA 524.2
XYLENES (TOTAL)	1.5 ND	EPA 524.2

T Please indicate detection limit if analyte is not detected.



Date Prepared/Revised 01/04/2013
DEP USE ONLY
Date Received

FORM 52
MUNICIPAL WASTE LANDFILL
PRIVATE WATER SUPPLY
QUARTERLY AND ANNUAL WATER QUALITY ANALYSES

This form must be fully and accurately completed. All required information must be typed or legibly printed in the spaces provided. If additional space is necessary, identify each attached sheet as Form 52, reference the item number and identify the date prepared. The "date prepared/revised" on any attached sheets needs to match the "date prepared/revised" on this page.

General Reference: Act 101 Section 1103	
SECTION A. SITE IDENTIFIER	
Applicant/permittee:	Lancaster County Solid Waste Manage
Site Name:	Creswell Landfill
Facility ID (as issued by DEP):	101389
SECTION B. PRIVATE WATER SUPPLY INFORMATION	
INDICATE THE LATITUDE AND LONGITUDE TO THE NEAREST ONE TENTH OF A SECOND (DE° MM' SS.S")	
Facility Name:	Creswell Landfill
County:	Lancaster County
Township or Municipality:	Manor Township
Landowner Name:	GERALD E., SR & JUDITH MILLE
Address:	3052 River Road
Phone No.:	
Sampling Point:	Latitude: 39° 57' 29.85" Longitude: 76° 26' 11.45"
Depth to Water Level:	ft. Measured from: <input checked="" type="checkbox"/> Land Surface <input type="checkbox"/> TOC
Casing Stick Up:	ft. Elevation of Water Level: _____ ft./MSL
Total Well Depth:	ft.
Sampling Depth:	ft. Sampling Method: <input type="checkbox"/> Pumped <input type="checkbox"/> Bailed
Well Purged:	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Well Volumes Purged: _____
Sample Field Filtered (must be 0.45 micron)?:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No
Sample Date:(mm/dd/yy)	11/30/2012 Sample Collection Time: 11:10 AM
Laboratory(ies) Performing Analysis	ALS Environmental
(include address and phone number)	34 Dogwood Lane Middletown, PA 17057 (717) 944-5541
Lab Accreditation Number(s)	22-293
Lab Analysis Date	12/13/2012
Were any holding times exceeded?:	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> If yes, please explain in comments field.
Comments:	

FORM 52
MUNICIPAL WASTE LANDFILL
PRIVATE WATER SUPPLY
QUARTERLY WATER QUALITY ANALYSES

Facility I.D. Number

101389

Monitoring Point I.D. No.

PS CWCGMILW

Sample Date

11/30/2012

1. Inorganics (Enter all data in mg/l except as noted)

PARAMETER	VALUE	ANALYSIS METHOD NUMBER
AMMONIA-NITROGEN	0.1 ND	SM 4500D
BICARBONATE	5 ND	SM 2321
CALCIUM, TOTAL	14.2	EPA 200.7
CALCIUM, DISSOLVED	23.6	EPA 200.7
COD (CHEMICAL OXYGEN DEMAND)	15 ND	EPA 410.4
CHLORIDE	21	EPA 300
FLUORIDE	0.2 ND	EPA 300
IRON, TOTAL (ug/l)	30 ND	EPA 200.7
IRON, DISSOLVED (ug/l)	60 ND	EPA 200.7
MAGNESIUM, TOTAL	10.9	EPA 200.7
MAGNESIUM, DISSOLVED	32.6	EPA 200.7
MANGANESE, TOTAL (ug/l)	52	EPA 200.7
MANGANESE, DISSOLVED (ug/l)	7.3	EPA 200.7
NITRATE-NITROGEN	19.9	EPA 300

T Please indicate detection limit if analyte is not detected.

FORM 52
MUNICIPAL WASTE LANDFILL
PRIVATE WATER SUPPLY
QUARTERLY WATER QUALITY ANALYSES

Facility I.D. Number

101389

Monitoring Point I.D. No.

PS CWCGMILW

Sample Date

11/30/2012

1. Inorganics, continued (Enter all data in mg/l except as noted)

PARAMETER	VALUE	ANALYSIS METHOD NUMBER
NITRITE-NITROGEN	0.2 ND	EPA 300
pH-FIELD (SU)	9.14	FIELD
pH-LAB (SU)	5.62	SM 4500B
POTASSIUM, TOTAL	1.8	EPA 200.7
POTASSIUM, DISSOLVED	1.5	EPA 200.7
SODIUM, TOTAL	6.8	EPA 200.7
SODIUM, DISSOLVED	29.9	EPA 200.7
SPEC. COND., FIELD (umhos/cm)	496	FIELD
SPEC. COND., LAB (umhos/cm)	232	EPA 120.1
SULFATE	2.4	EPA 300
ALKALINITY	5 ND	SM 2320B
TDS (TOTAL DISSOLVED SOLIDS)	179	SM 2540C
TOC (TOTAL ORGANIC CARBON)	1 ND	SM 5310B
TOTAL PHENOLICS (ug/l)	10 ND	EPA 420.4
TURBIDITY (NTU)	0.41	SM 2130B

T Please indicate detection limit if analyte is not detected.

FORM 52
MUNICIPAL WASTE LANDFILL
PRIVATE WATER SUPPLY
QUARTERLY WATER QUALITY ANALYSES

Facility I.D. Number

101389

Monitoring Point I.D. No.

PS CWCGMILW

Sample Date

11/30/2012

2. Organics (Enter all data in ug/l)

PARAMETER	VALUE	ANALYSIS METHOD NUMBER
BENZENE	0.5 ND	EPA 524.2
1,2-DIBROMOETHANE (EDB) (ETHYLENE	0.5 ND	EPA 524.2
1,1-DICHLOROETHANE	0.5 ND	EPA 524.2
1,1-DICHLOROETHENE	0.5 ND	EPA 524.2
1,2-DICHLOROETHANE	0.5 ND	EPA 524.2
cis 1,2-DICHLOROETHENE	0.5 ND	EPA 524.2
trans 1,2-DICHLOROETHENE	0.5 ND	EPA 524.2
ETHYLBENZENE	0.5 ND	EPA 524.2
METHYLENE CHLORIDE	0.5 ND	EPA 524.2
TETRACHLOROETHENE	0.5 ND	EPA 524.2
TOLUENE	0.5 ND	EPA 524.2
1,1,1-TRICHLOROETHANE	0.5 ND	EPA 524.2
TRICHLOROETHENE	0.5 ND	EPA 524.2
TRICHLOROFLUOROMETHANE	0.5 ND	EPA 524.2
VINYL CHLORIDE	0.5 ND	EPA 524.2
XYLENES (TOTAL)	1.5 ND	EPA 524.2

T Please indicate detection limit if analyte is not detected.



Date Prepared/Revised 01/04/2013
DEP USE ONLY
Date Received

**FORM 52
MUNICIPAL WASTE LANDFILL
PRIVATE WATER SUPPLY
QUARTERLY AND ANNUAL WATER QUALITY ANALYSES**

This form must be fully and accurately completed. All required information must be typed or legibly printed in the spaces provided. If additional space is necessary, identify each attached sheet as Form 52, reference the item number and identify the date prepared. The "date prepared/revised" on any attached sheets needs to match the "date prepared/revised" on this page.

General Reference: Act 101 Section 1103	
SECTION A. SITE IDENTIFIER	
Applicant/permittee:	Lancaster County Solid Waste Manage
Site Name:	Creswell Landfill
Facility ID (as issued by DEP):	101389
SECTION B. PRIVATE WATER SUPPLY INFORMATION	
INDICATE THE LATITUDE AND LONGITUDE TO THE NEAREST ONE TENTH OF A SECOND (D ^o MM' SS.S")	
Facility Name:	Creswell Landfill
County:	Lancaster County
Township or Municipality:	Manor Township
Landowner Name:	MR. BRIAN SENSENICH
Address:	3076 River Road
Phone No.:	
Sampling Point:	Latitude: 39 ^o 57' 28.2" Longitude: 76 ^o 26' 11.1"
Depth to Water Level:	ft. Measured from: <input checked="" type="checkbox"/> Land Surface <input type="checkbox"/> TOC
Casing Stick Up:	ft. Elevation of Water Level: ft./MSL
Total Well Depth:	ft.
Sampling Depth:	ft. Sampling Method: <input type="checkbox"/> Pumped <input type="checkbox"/> Bailed
Well Purged:	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Well Volumes Purged:
Sample Field Filtered (must be 0.45 micron)?:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No
Sample Date:(mm/dd/yy)	11/30/2012 Sample Collection Time: 11:14 AM
Laboratory(ies) Performing Analysis	ALS Environmental
(include address and phone number)	34 Dogwood Lane Middletown, PA 17057 (717) 944-5541
Lab Accreditation Number(s)	22-293
Lab Analysis Date	12/13/2012
Were any holding times exceeded?:	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> If yes, please explain in comments field.
Comments:	

FORM 52
MUNICIPAL WASTE LANDFILL
PRIVATE WATER SUPPLY
QUARTERLY WATER QUALITY ANALYSES

Facility I.D. Number

101389

Monitoring Point I.D. No.

PS CWCGSCHW

Sample Date

11/30/2012

1. Inorganics (Enter all data in mg/l except as noted)

PARAMETER	VALUE	ANALYSIS METHOD NUMBER
AMMONIA-NITROGEN	0.1 ND	SM 4500D
BICARBONATE	12	SM 2321
CALCIUM, TOTAL	13.3	EPA 200.7
CALCIUM, DISSOLVED	14.3	EPA 200.7
COD (CHEMICAL OXYGEN DEMAND)	15 ND	EPA 410.4
CHLORIDE	44.4	EPA 300
FLUORIDE	0.2 ND	EPA 300
IRON, TOTAL (ug/l)	30 ND	EPA 200.7
IRON, DISSOLVED (ug/l)	60 ND	EPA 200.7
MAGNESIUM, TOTAL	8.8	EPA 200.7
MAGNESIUM, DISSOLVED	8.7	EPA 200.7
MANGANESE, TOTAL (ug/l)	160	EPA 200.7
MANGANESE, DISSOLVED (ug/l)	170	EPA 200.7
NITRATE-NITROGEN	10.8	EPA 300

T Please indicate detection limit if analyte is not detected.

FORM 52
MUNICIPAL WASTE LANDFILL
PRIVATE WATER SUPPLY
QUARTERLY WATER QUALITY ANALYSES

Facility I.D. Number

101389

Monitoring Point I.D. No.

PS CWCGSCHW

Sample Date

11/30/2012

1. Inorganics, continued (Enter all data in mg/l except as noted)

PARAMETER	VALUE	ANALYSIS METHOD NUMBER
NITRITE-NITROGEN	0.2 ND	EPA 300
pH-FIELD (SU)	5.07	FIELD
pH-LAB (SU)	5.87	SM 4500B
POTASSIUM, TOTAL	2.6	EPA 200.7
POTASSIUM, DISSOLVED	3	EPA 200.7
SODIUM, TOTAL	18.8	EPA 200.7
SODIUM, DISSOLVED	21.1	EPA 200.7
SPEC. COND., FIELD (umhos/cm)	321	FIELD
SPEC. COND., LAB (umhos/cm)	276	EPA 120.1
SULFATE	10.4	EPA 300
ALKALINITY	12	SM 2320B
TDS (TOTAL DISSOLVED SOLIDS)	182	SM 2540C
TOC (TOTAL ORGANIC CARBON)	1.2	SM 5310B
TOTAL PHENOLICS (ug/l)	10 ND	EPA 420.4
TURBIDITY (NTU)	0.1 ND	SM 2130B

T Please indicate detection limit if analyte is not detected.

FORM 52
MUNICIPAL WASTE LANDFILL
PRIVATE WATER SUPPLY
QUARTERLY WATER QUALITY ANALYSES

Facility I.D. Number

101389

Monitoring Point I.D. No.

PS CWC GSCHW

Sample Date

11/30/2012

2. Organics (Enter all data in ug/l)

PARAMETER	VALUE	ANALYSIS METHOD NUMBER
BENZENE	0.5 ND	EPA 524.2
1,2-DIBROMOETHANE (EDB) (ETHYLENE	0.5 ND	EPA 524.2
1,1-DICHLOROETHANE	0.5 ND	EPA 524.2
1,1-DICHLOROETHENE	0.5 ND	EPA 524.2
1,2-DICHLOROETHANE	0.5 ND	EPA 524.2
cis 1,2-DICHLOROETHENE	0.5 ND	EPA 524.2
trans 1,2-DICHLOROETHENE	0.5 ND	EPA 524.2
ETHYLBENZENE	0.5 ND	EPA 524.2
METHYLENE CHLORIDE	0.5 ND	EPA 524.2
TETRACHLOROETHENE	0.5 ND	EPA 524.2
TOLUENE	0.5 ND	EPA 524.2
1,1,1-TRICHLOROETHANE	0.5 ND	EPA 524.2
TRICHLOROETHENE	0.5 ND	EPA 524.2
TRICHLOROFLUOROMETHANE	0.5 ND	EPA 524.2
VINYL CHLORIDE	0.5 ND	EPA 524.2
XYLENES (TOTAL)	1.5 ND	EPA 524.2

T Please indicate detection limit if analyte is not detected.



Date Prepared/Revised 01/04/2013
DEP USE ONLY
Date Received

FORM 52 MUNICIPAL WASTE LANDFILL PRIVATE WATER SUPPLY QUARTERLY AND ANNUAL WATER QUALITY ANALYSES

This form must be fully and accurately completed. All required information must be typed or legibly printed in the spaces provided. If additional space is necessary, identify each attached sheet as Form 52, reference the item number and identify the date prepared. The "date prepared/revised" on any attached sheets needs to match the "date prepared/revised" on this page.

General Reference: Act 101 Section 1103	
SECTION A. SITE IDENTIFIER	
Applicant/permittee:	Lancaster County Solid Waste Manage
Site Name:	Creswell Landfill
Facility ID (as issued by DEP):	101389
SECTION B. PRIVATE WATER SUPPLY INFORMATION	
INDICATE THE LATITUDE AND LONGITUDE TO THE NEAREST ONE TENTH OF A SECOND (DE° MM' SS.S")	
Facility Name:	Creswell Landfill
County:	Lancaster County
Township or Municipality:	Manor Township
Landowner Name:	NELSON L. & NANCY E. SMITH
Address:	3044 River Road
Phone No.:	
Sampling Point:	Latitude: 39° 57' 30.85" Longitude: 76° 26' 11.25"
Depth to Water Level:	ft. Measured from: <input checked="" type="checkbox"/> Land Surface <input type="checkbox"/> TOC
Casing Stick Up:	ft. Elevation of Water Level: _____ ft./MSL
Total Well Depth:	ft.
Sampling Depth:	ft. Sampling Method: <input type="checkbox"/> Pumped <input type="checkbox"/> Bailed
Well Purged:	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Well Volumes Purged: _____
Sample Field Filtered (must be 0.45 micron)?:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No
Sample Date:(mm/dd/yy)	11/30/2012 Sample Collection Time: 11:05 AM
Laboratory(ies) Performing Analysis	ALS Environmental
(include address and phone number)	34 Dogwood Lane Middletown, PA 17057 (717) 944-5541
Lab Accreditation Number(s)	22-293
Lab Analysis Date	12/13/2012
Were any holding times exceeded?:	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> If yes, please explain in comments field.
Comments:	

FORM 52
MUNICIPAL WASTE LANDFILL
PRIVATE WATER SUPPLY
QUARTERLY WATER QUALITY ANALYSES

Facility I.D. Number

101389

Monitoring Point I.D. No.

PS CWCGSMIW

Sample Date

11/30/2012

1. Inorganics (Enter all data in mg/l except as noted)

PARAMETER	VALUE	ANALYSIS METHOD NUMBER
AMMONIA-NITROGEN	0.1 ND	SM 4500D
BICARBONATE	21	SM 2321
CALCIUM, TOTAL	16.7	EPA 200.7
CALCIUM, DISSOLVED	18.1	EPA 200.7
COD (CHEMICAL OXYGEN DEMAND)	15 ND	EPA 410.4
CHLORIDE	18.7	EPA 300
FLUORIDE	0.2 ND	EPA 300
IRON, TOTAL (ug/l)	30 ND	EPA 200.7
IRON, DISSOLVED (ug/l)	60 ND	EPA 200.7
MAGNESIUM, TOTAL	10.8	EPA 200.7
MAGNESIUM, DISSOLVED	10.8	EPA 200.7
MANGANESE, TOTAL (ug/l)	10	EPA 200.7
MANGANESE, DISSOLVED (ug/l)	11	EPA 200.7
NITRATE-NITROGEN	20.2	EPA 300

T Please indicate detection limit if analyte is not detected.

FORM 52
MUNICIPAL WASTE LANDFILL
PRIVATE WATER SUPPLY
QUARTERLY WATER QUALITY ANALYSES

Facility I.D. Number

101389

Monitoring Point I.D. No.

PS CWCGSMIW

Sample Date

11/30/2012

1. Inorganics, continued (Enter all data in mg/l except as noted)

PARAMETER	VALUE	ANALYSIS METHOD NUMBER
NITRITE-NITROGEN	0.2 ND	EPA 300
pH-FIELD (SU)	5.66	FIELD
pH-LAB (SU)	6.52	SM 4500B
POTASSIUM, TOTAL	1.8	EPA 200.7
POTASSIUM, DISSOLVED	2.1	EPA 200.7
SODIUM, TOTAL	9	EPA 200.7
SODIUM, DISSOLVED	10	EPA 200.7
SPEC. COND., FIELD (umhos/cm)	289	FIELD
SPEC. COND., LAB (umhos/cm)	256	EPA 120.1
SULFATE	2 ND	EPA 300
ALKALINITY	21	SM 2320B
TDS (TOTAL DISSOLVED SOLIDS)	188	SM 2540C
TOC (TOTAL ORGANIC CARBON)	2.1	SM 5310B
TOTAL PHENOLICS (ug/l)	10 ND	EPA 420.4
TURBIDITY (NTU)	0.15	SM 2130B

T Please indicate detection limit if analyte is not detected.

FORM 52
MUNICIPAL WASTE LANDFILL
PRIVATE WATER SUPPLY
QUARTERLY WATER QUALITY ANALYSES

Facility I.D. Number

101389

Monitoring Point I.D. No.

PS CWCGSMIW

Sample Date

11/30/2012

2. Organics (Enter all data in ug/l)

PARAMETER	VALUE	ANALYSIS METHOD NUMBER
BENZENE	0.5 ND	EPA 524.2
1,2-DIBROMOETHANE (EDB) (ETHYLENE	0.5 ND	EPA 524.2
1,1-DICHLOROETHANE	0.5 ND	EPA 524.2
1,1-DICHLOROETHENE	0.5 ND	EPA 524.2
1,2-DICHLOROETHANE	0.5 ND	EPA 524.2
cis 1,2-DICHLOROETHENE	0.5 ND	EPA 524.2
trans 1,2-DICHLOROETHENE	0.5 ND	EPA 524.2
ETHYLBENZENE	0.5 ND	EPA 524.2
METHYLENE CHLORIDE	0.5 ND	EPA 524.2
TETRACHLOROETHENE	0.5 ND	EPA 524.2
TOLUENE	0.5 ND	EPA 524.2
1,1,1-TRICHLOROETHANE	0.5 ND	EPA 524.2
TRICHLOROETHENE	0.5 ND	EPA 524.2
TRICHLOROFLUOROMETHANE	0.5 ND	EPA 524.2
VINYL CHLORIDE	0.5 ND	EPA 524.2
XYLENES (TOTAL)	1.5 ND	EPA 524.2

T Please indicate detection limit if analyte is not detected.