

April 8, 2020

Ms. Kelly Kinkaid PG; Licensed Professional Geologist

Pennsylvania Department of Environmental Protection
Bureau of Waste Management
909 Elmerton Avenue
Harrisburg, PA 17110-8200

REF: 4th Quarter 2019 Form 19, 50 and 52 Submittal
Frey Farm Landfill; BWM Permit #101389

Dear Ms. Kinkaid:

In accordance with the Municipal Waste Management Regulations, the Lancaster County Solid Waste Management Authority (LCSWMA) continues the above-referenced monitoring program.

LCSWMA provided the 4th Quarter 2019 data on January 9, 2020 to ARM Group and then ARM Group has provided an analysis for the groundwater, leachate, and contiguous landowners data. ARM Group's report is attached to this submittal.

Groundwater:

In accordance with the Municipal Waste Management Regulations, the Lancaster County Solid Waste Management Authority (LCSWMA) continues the above-referenced monitoring program.

Attached are the Forms 19, laboratory reports, and data export excel file for uploading the data into your LandLinks Access database.

Leachate:

In accordance with both the Pennsylvania Municipal Waste Management and the Federal Subtitle D Regulations, the Lancaster County Solid Waste Management Authority (LCSWMA) continues to complete the above referenced monitoring program. Enclosed is the Department's Form 50 - "Municipal Waste Landfill Leachate Analysis" for the quarterly monitoring period.

- LCSWMA continues to monitor the Form 50 parameters from location FFLEINFS. This location is the leachate collection system for the Frey Farm Landfill and represents "raw" leachate characteristics for the facility, as collected from the six (6) landfill cells.
- As indicated on the Form 50, the primary leachate collection and secondary detection systems encompass approximately 93 acres of drainage area.

- At DEP's request, we have included analyses of the four (4) secondary individual detection zone discharges with an individual Form 50 for each.
- Included on the CD are files which contains the FFLEINFS data in a compatible format for your LandLinks software. The CD also contains a pdf file of the laboratory results and the Form 50.

In accordance with Section 273.255(d)(1)(2) and (3) of the Municipal Waste Management Regulations, the Lancaster County Solid Waste Management Authority (LCSWMA) is providing this secondary flow report.

The 4th Quarter Frey Farm Landfill (FFLF) secondary flow was noted at 1.81 gallons per day per acre (gpdpa); which is below the regulatory limit of 100 gpdpa. The 4th Quarter secondary flow was 0.80% of the primary flow, which is below the regulatory 10% (maximum). Table 1 indicates this quarter's weekly flow information for the six (6) operational cells at the FFLF, cells 2 and 4 continue to indicate no secondary flow present.

- Consistent with all previous monitoring events, LCSWMA remains well below the secondary leachate flow threshold (100-gpdpa)

Contiguous Landowners:

Attached are the Forms 52, laboratory reports, and a data export excel file for uploading the data into your LandLinks Access database.

Please do not hesitate in contacting me if you have any questions or concerns at dbrown@lcswma.org.

Respectfully submitted,



Daniel A. Brown
Environmental Compliance Manager

Enclosures

Cc: LCSWMA: Environmental, John Ridinger, Aaron Rice
PA DEP: Ed Rawski, Randy Weiss



ARM Group LLC

Engineers and Scientists

April 7, 2020

Mr. Daniel Brown
Environmental Compliance Manager
Lancaster County Solid Waste
Management Authority
1299 Harrisburg Pike
PO Box 4425
Lancaster, PA 17604

Re: LCSWMA Frey Farm Landfill
Permit No. 101389
Manor Township
Lancaster County, Pennsylvania
Third Quarter 2019 Water Quality Data Review
ARM Project 190783

Dear Mr. Brown:

ARM Group LLC (ARM) has prepared this assessment at the request of the Lancaster County Solid Waste Management Authority (LCSWMA) to provide an evaluation of the Fourth Quarter 2019 water quality monitoring results for Frey Farm Landfill (FFLF). As part of this evaluation, ARM reviewed the historic and Fourth Quarter 2019 laboratory analytical results for the sampled upgradient and downgradient Form 19 groundwater monitoring wells, Form 50 leachate collection and detection zones, and Form 52 contiguous private wells.

The groundwater and leachate samples collected by LCSWMA during the Fourth Quarter 2019 were analyzed for quarterly Form 19, Form 50, and Form 52 parameters, as applicable. The following narrative provides a summary of noteworthy observations of the results for the Fourth Quarter of 2019, as well as a general discussion of recent data trends.

Background/Upgradient Parameter Concentrations

To determine if the concentration of a given parameter at each groundwater monitoring location is elevated compared to the background/upgradient concentration, ARM calculated the 95% upper prediction limits (UPLs) using historical data from the upgradient well, FFMP002W (MP-2), using laboratory analytical results provided by LCSWMA from the First Quarter 2009 through the most recent quarter (Fourth Quarter 2019).

The UPL approach is used to predict the upper limit of possible future values based on a background data set. A 95% UPL established from background data represents the upper limit which will predict if an independently obtained future sample result exceeds background levels with 95% confidence. If the concentration of a given parameter in a downgradient well exceeds its established UPL, this represents a statistically significant exceedance of background groundwater quality.

To calculate the UPLs, ARM first applied the Dixon's and Rosner's Tests for outliers in ChemStat® statistical analysis software (version 6.3.0.2, Starpoint Software, Inc., ©1996-2013) to identify potential historical anomalous concentrations in MP-2. The Dixon's Test applies to populations of 3-25 values, and the Rosner's Test is valid for populations of more than 25 values. ARM identified 44 statistical outliers at a 95% significance level in the historical dataset which did not appear to be part of a long-term concentration trend. No outliers were identified from the Fourth Quarter 2019 analytical results.

The most appropriate method of calculating a UPL varies according to the distribution of each dataset. After removing outliers, ARM assessed the remaining historical MP-2 concentration data for each parameter to determine the best fitting statistical distribution (i.e., normal, lognormal, gamma or no distribution) at a 95% significance level using the EPA's ProUCL statistical analysis software (version 5.1.002, EPA, 2015). ARM then used ProUCL to calculate the 95% UPLs for each parameter, which are summarized in the enclosed **Attachment 1**. The exported ProUCL statistical calculation sheets are included in the enclosed **Attachment 2**.

For pH, a one-sided UPL is not appropriate because of the double-sided nature of this parameter. ARM assessed the downgradient pH data by investigating time-series concentration plots for identifiable trends and comparing the Fourth Quarter 2019 results to the historical range of concentrations in both the sampled well and the upgradient well.

The Interstate Technology and Regulatory Council (ITRC) recommends that a UPL should only be applied for background populations of at least 8-10 observations. Use of smaller populations containing either fewer measurements or multiple non-detections can result in skewed datasets and statistically flawed UPL calculations.

The background population is less than 8 for all volatile organic compounds (VOCs), chemical oxygen demand (COD), and total phenolics because of a historical lack of detections in MP-2. A background level could therefore not be accurately calculated for these parameters, which are labeled with asterisks in the enclosed **Attachment 1**. ARM substituted the laboratory reporting detection limit for the statistical background standard when assessing these parameters in the downgradient wells due to their historical absence in the upgradient groundwater.

The attached **Table 1** summarizes the background exceedances in the downgradient Form 19 wells during the Fourth Quarter 2019. The attached **Table 2** summarizes the background exceedances in the downgradient Form 52 wells during the Fourth Quarter 2019. Background exceedances shown in **Tables 1 and 2** denote a statistically significant increase of concentrations relative to those observed historically in the upgradient well MP-2. Close attention should be paid to results from the monitoring locations with noted water quality changes during future



sampling events to evaluate the presence of any positive or negative trends for the parameters of concern.

Individual Form 19 Well Summary

- MP-2 – No parameters are above the statistical background level in this upgradient well for the Fourth Quarter 2019, indicating that groundwater quality appears relatively stable upgradient of the site. Alkalinity, ammonia-N, calcium, manganese, potassium, sodium, specific conductance (SpC), total dissolved solids (TDS), and total organic carbon (TOC) concentrations increased rapidly in 2012 to historical high levels. All these parameters have returned to apparently stable, long-term trends in line with historical average levels since 2014. pH has fluctuated over a range of approximately 0.5 unit over the past several years but appears to have a steady long-term trend. All other Form 19 analytical parameters appear to be stable and within historical concentration ranges.
- MP-5 – Parameters above background in this well include ammonia-N, calcium, chloride, magnesium, sodium, SpC, TDS, and total organic carbon (TOC). Concentrations of these parameters historically appeared stable until an increase in 2018. These concentrations have decreased over the past five quarters and now generally appear in line with the historical averages. pH appears to mimic the trend observed in the upgradient well at levels approximately 0.6 unit higher, on average, while fluctuating over a slightly wider range.
- MP-15 – Magnesium is above background in this well and appears to be increasing in concentration since early 2018. pH appears to mimic the trend observed in the upgradient well at levels approximately 0.7 unit higher, on average, while fluctuating over a slightly wider range.
- MP-16 – Chloride, magnesium, and sodium levels are above background in this well. Concentrations of these parameters appear to have a long-term stable trend with short-term fluctuations. pH appears to mimic the trend observed in the upgradient well at levels approximately 0.8 unit higher than background, on average.
- MP-17 – Parameters above background in this well include calcium, chloride, magnesium, manganese, sodium, SpC, TDS, and TOC. Concentrations of most of these parameters appear to be increasing over time. Two instances of apparent rapid increases in concentration occurred during 2012 and 2016. After both events, these parameter levels have generally appeared to stabilize. pH appears to mimic the trend observed in the upgradient well at levels approximately 0.8 unit higher than background.
- MP-18 – Parameters above background in this well include chloride, magnesium, manganese, sodium, SpC, and TOC. Concentrations of these parameters appeared to spike during the First Quarter 2018 sampling event but have since returned to near historical average levels. pH appears to mimic the trend observed in the upgradient well at levels approximately 0.5 unit higher, on average.



- MP-19 – Chloride is above background in this well and appears to be increasing slowly in concentration over time. pH appears to mimic the trend observed in the upgradient well at levels approximately 1.6 units higher, on average.
- MP-25 – Chloride and magnesium levels are above background in this well. Concentrations of these parameters appear to be fluctuating rapidly and increasing slowly over time. pH appears to be increasing slowly since 2016 and is currently approximately 1.3 units higher than background.
- MP-28 – Parameters above background in this well include chloride, magnesium, sodium, TDS, and TOC. Chloride, sodium, and TDS concentrations appear to be elevated yet stable over time. Magnesium and TOC concentrations appear to be decreasing as a long-term trend with occasional fluctuations. pH appears to mimic the trend observed in the upgradient well at levels approximately 0.6 unit higher, on average, while fluctuating over a slightly wider range.
- MP-29 – Chloride levels are above background in this well and appear to fluctuate between 20-160 mg/L in a seasonal pattern, but there does not appear to be a long-term increasing or decreasing trend. pH appears to mimic the trend observed in the upgradient well at levels approximately 0.5 unit higher, on average.
- MP-2DW – Parameters above background in this well include ammonia-N, calcium, chloride, iron, magnesium, manganese, sodium, SpC, TDS, and turbidity. These parameter concentrations appear to have increased between the Third Quarter 2017 and Fourth Quarter 2018 sampling events. They generally appear to be following a decreasing trend during subsequent quarters. pH appears to mimic the trend observed in the upgradient well at levels approximately 2.2 units higher, on average.
- MP-2SW – Parameters above background in this well include chloride, iron, sodium, SpC, TDS, TOC, and turbidity. Chloride, sodium, SpC, TDS levels appear to be decreasing over time. Iron, TOC, and turbidity appear to be increasing over time with occasional fluctuations. pH appears to mimic the trend observed in the upgradient well at levels approximately 0.8 unit higher, on average.
- MP-31 – Parameters above background in this well include iron, manganese, and turbidity. These parameter concentrations appear to be increasing slowly since the First Quarter 2018 sampling event. pH appears to mimic the trend observed in the upgradient well at levels approximately 2.1 units higher, on average, while fluctuating over a wider range.
- MP-32 – Parameters above background in this well include ammonia-N, iron, manganese, and turbidity. These parameter concentrations appear to be fluctuating rapidly but do not appear to show a long-term increasing or decreasing trend. pH appears to mimic the trend observed in the upgradient well at levels approximately 1.8 units higher, on average, while fluctuating over a wider range.



- MP-33 – Parameters above background in this well include ammonia-N, chloride, iron, manganese, and turbidity. These parameter concentrations appear to be fluctuating but do not appear to show a long-term increasing or decreasing trend. pH appears to mimic the trend observed in the upgradient well at levels approximately 0.9 unit higher, on average.
- MP-3A – Magnesium levels are above background in this well but appear to be steady long-term. pH appears to be increasing slowly over time and is currently approximately 0.8 units higher than background.
- MP-4A – Parameters above background in this well include alkalinity (bicarbonate and total), calcium, chloride, magnesium, sodium, SpC, and TDS. All these parameter concentrations appear to be either stable over time or decreasing. Calcium and TDS levels appear to be fluctuating rapidly within their long-term trends. pH appears to mimic the trend observed in the upgradient well at levels approximately 1.9 units higher, on average, while fluctuating over a slightly wider range.
- MP-26R – Parameters above background in this well include chloride, magnesium, manganese, sodium, SpC, sulfate, TDS, and TOC. Most of these parameters appear to be increasing slowly since 2014. Sulfate and TOC appear to be fluctuating rapidly but not increasing long-term. pH appears to mimic the trend observed in the upgradient well at levels approximately 0.4 unit higher, on average.
- MP-30R – Parameters above background in this well include chloride, iron, magnesium, manganese, sodium, SpC, TDS, TOC, and turbidity. These parameter concentrations appear to be fluctuating across a relatively wide range of values with no apparent long-term trends. pH appears to mimic the trend observed in the upgradient well at levels approximately 0.6 unit higher, on average, while fluctuating over a wider range.

Parameters not noted above are either at or below background levels. Overall, the groundwater quality at FFLF appears to be stable. Most parameters noted as being elevated above background levels do not appear to be increasing over time. Several parameters appear to be fluctuating but do not show an apparent long-term increasing or decreasing trend. ARM will continue to closely assess the noted parameters with increasing trends to see if any changes to the trends occur over time.



Form 50 Leachate Zone Summary

ARM reviewed the historic and Fourth Quarter 2019 laboratory analytical results for sample location FFLEINFS (grab samples collected from the combined flow from FFLF's primary leachate collection lines) and four (4) manholes which represent the secondary leachate detection zones (FFMH01SS, FFMH03SS, FFMH05SS, and FFMH06SS).

Leachate flows in the primary and secondary zones appear to be generally stable over time apart from occasional fluctuations. Flows from the secondary zones appear to fluctuate seasonally, with the highest flows generally occurring in the first quarter and the lowest flows generally occurring in the third quarter.

Form 50 VOC Detections and Apparent Trends

2-butanone (MEK), 4-methyl-2-pentanone (MIK), acetone, methylene chloride, and toluene have historically been present in FFLEINFS, but none of these VOC concentrations appear to be increasing over time.

1,1-dichloroethane, 1,4-dichlorobenzene, acetone, benzene, cis-1,2-dichloroethene, ethylbenzene, and xylenes have historically been present at low levels in FFMH01SS. 1,4-dichlorobenzene levels appear to be very slowly increasing over time, and the other noted VOC concentrations appear to be stable or decreasing.

Acetone has historically been present at levels between approximately 10-30 µg/l in FFMH03SS and FFMH05SS, although concentrations do not appear to be increasing over time.

Other Form 50 Detections and Apparent Trends

Ammonia-N, barium, chloride, iron, pH, potassium, sodium, and TOC levels appear to be increasing long-term at FFLEINFS and FFMH01SS. COD, nitrate-N, SpC, sulfate, TDS, and TOC appear to be decreasing at FFMH05SS. Alkalinity, calcium, magnesium, and manganese concentrations fluctuate across a wide range of values in the historical leachate results, but no long-term trends are apparent for these parameters. ARM will continue to closely assess the noted parameters with increasing trends to see if any changes to the trends occur over time.

Form 50 MCL Exceedances and Form 19 Subtitle D Parameter Analysis

Form 19 groundwater monitoring wells are subject to additional analysis of Subtitle D parameters at the next annual sampling event if secondary leachate samples collected from an upgradient cell are found to exceed the primary maximum contaminant limit (MCL) of a regulated compound. For the Fourth Quarter 2019, the analysis for the secondary leachate sample collected from FFMH01SS resulted in MCL exceedances for barium and cadmium. FFMH03SS had MCL exceedances for cadmium and nitrate-N. FFMH06SS had an MCL exceedance for cadmium. All downgradient wells should therefore be sampled for Subtitle D Form 19 parameters at the next annual sampling event.



Form 52 Contiguous Private Wells Summary

ARM reviewed the historic and Fourth Quarter 2019 groundwater monitoring results for ten (10) contiguous privately-owned wells. Samples collected from these wells were analyzed for Form 52 parameters. The attached **Table 2** summarizes the background exceedances in the downgradient Form 52 wells during the Fourth Quarter 2019. Background exceedances shown in **Table 2** denote a statistically significant increase of concentrations relative to those observed historically in the upgradient well MP-2.

- 3044RIVERRD – Parameters above background in this well include total iron, total magnesium, methylene chloride, and dissolved potassium. Iron levels fluctuate in an apparently seasonal pattern and appear to generally trend toward an increase since 2017. Magnesium and potassium levels appear to be stable and not increasing over time. pH appears to mimic the trend observed in the upgradient well at levels approximately 0.6 unit higher, on average, while fluctuating over a slightly wider range. Methylene chloride was detected at 1.2 µg/L in this well. This is the first detection according to the historical analytical data and represents potential laboratory contamination. ARM will closely assess future results to confirm if this is an anomalous result.
- 3052RIVERRD – Dissolved potassium is above background in this well but appears to be stable long-term. pH appears to be slowly increasing since 2017 and is currently approximately 0.6 unit higher than background.
- 3056RIVERRD – Parameters above background in this well include total and dissolved magnesium and dissolved potassium. Concentrations of both parameters appear to be stable and not increasing over time. pH appears to mimic the trend observed in the upgradient well at levels approximately 0.1 unit higher, on average, while fluctuating over a slightly wider range.
- 3060RIVERRD – Dissolved potassium is above background in this well but appears to be stable long-term. pH appears to mimic the trend observed in the upgradient well at levels approximately 0.1 unit lower, on average, while fluctuating over a slightly wider range.
- 3076RIVERRD – Parameters above background in this well include chloride, dissolved potassium, and total and dissolved sodium. Chloride and sodium levels appear to be stable and not increasing over time. Potassium levels appear to be trending toward an increase since the First Quarter 2019. pH appears to mimic the trend observed in the upgradient well at levels approximately 0.2 unit higher, on average.
- 3079RIVERRD – Parameters above background in this well include chloride, total manganese, and dissolved potassium. Chloride levels fluctuate in an apparently seasonal manner but do not appear to be trending toward an increase over time. Manganese levels appear to be trending toward a long-term increase since approximately 2015. Potassium levels appear to be trending toward an increase since the First Quarter 2019. pH appears to be slowly increasing since 2017 and is currently approximately 1.2 units higher than background.



- 3088RIVERRD – Parameters above background in this well include chloride, dissolved potassium, total and dissolved sodium, SpC, and TDS. Chloride, SpC, and TDS levels appear to be steadily increasing over time since 2013. Potassium levels appear to be stable and not increasing over time. Sodium levels increased rapidly during 2013 and appear to still be increasing slowly over the subsequent years. There appears to be a seasonal fluctuation pattern in the chloride, sodium, and SpC levels, indicating that road salt application may be influencing these parameter concentration increases. pH appears to mimic the trend observed in the upgradient well at levels approximately 1.5 units higher, on average, while fluctuating over a slightly wider range.
- 3100RIVERRD – Parameters above background in this well include chloride and dissolved potassium. Concentrations of both parameters appear to be stable and not increasing over time. pH appears to mimic the trend observed in the upgradient well at levels approximately 0.4 unit higher, on average.
- 3106RIVERRD – Parameters above background in this well include dissolved calcium, chloride, total and dissolved magnesium, dissolved potassium, total and dissolved sodium, and SpC. Concentrations of all these parameters appear to be trending toward an increase since the First Quarter 2019. Since late 2015, pH appears to mimic the trend observed in the upgradient well at levels approximately 1.0 unit higher, on average.
- 3125RIVERRD – Parameters above background in this well include total and bicarbonate alkalinity, chloride, dissolved potassium, total and dissolved sodium, SpC, and TDS. Chloride levels fluctuate in an apparently seasonal manner but do not appear to be trending toward an increase over time. Sodium, SpC, and TDS levels appear to be decreasing since the Second Quarter 2018. Total and bicarbonate alkalinity and potassium levels increased during the Second, Third, and Fourth Quarters 2018 and remain elevated above background levels. pH also appears to be increasing since early 2018 and is currently approximately 2.2 units higher than background.

Form 52 parameters not noted above are either at or below background levels. ARM will continue to assess the noted apparent trends in the Form 52 results to see if any changes in the trends develop.



Closing

If you have any questions regarding this water quality data evaluation, please contact the undersigned at 717-533-8600. ARM sincerely appreciates the opportunity to assist LCSWMA with its assessment of quarterly water quality data collected at FFLF.

Sincerely,
ARM Group LLC



Ryan Brandon
Project Hydrogeologist II



Scott Wendling, P.G.
Vice President, Sr. Project Manager

Enclosed: Tables 1-2
 Attachments 1-2



A R M G r o u p L L C



Table 1. LCSWMA Frey Farm Landfill Form 19 Groundwater Monitoring Well Background Standard Comparisons - 4th Quarter 2019

Notes:

Gray text indicates a parameter non-detection.

Shaded text indicates a background standard exceedance.

* Reporting limit substituted for background standard due to lack of historical detections in the upgradient well.

Table 2. LCSWMA Frey Farm Landfill Form 52 Groundwater Monitoring Well Background Standard Comparisons - 4th Quarter 2019

Parameter	FFLF Background Standard	Units	3044 RIVER RD	3052 RIVER RD	3056 RIVER RD	3060 RIVER RD	3076 RIVER RD	3079 RIVER RD	3088 RIVER RD	3100 RIVER RD	3106 RIVER RD	3125 RIVER RD
ALKALINITY	145.8	mg/L	13	10	6	7	11	33	107	22	12	229
AMMONIA-NITROGEN	0.311	mg/L						0.21				
BICARBONATE ALKALINITY	140.5	mg/L	13	10	6	7	11	33	107	22	12	229
CALCIUM, DISSOLVED	28.22	mg/L	13.5	16.5	11.0	9.6	13.9	9.0	0.3	12.3	30.1	7.80
CALCIUM, TOTAL	73.42	mg/L	14.2	16.5	10.9	9.3	15.1	9.5	0.66	13.6	30.6	8.20
CHLORIDE	30.9	mg/L	20.5	20.6	23.9	17.2	46.4	31.8	237	38.2	155	73.6
IRON, TOTAL	0.183	mg/L	0.53								0.040	0.04
MAGNESIUM, DISSOLVED	10.84	mg/L	10.2	8.4	12.9	10.4	8.2	5.3	0.14	6.1	20.1	0.97
MAGNESIUM, TOTAL	10.15	mg/L	10.3	8.2	12.5	9.7	8.5	5.4	0.24	6.2	19.1	0.96
MANGANESE, DISSOLVED	0.531	mg/L	0.020	0.030	0.090	0.110	0.210	0.410		0.010	0.060	0.0079
MANGANESE, TOTAL	0.33	mg/L	0.020	0.030	0.080	0.090	0.190	0.360		0.010	0.050	0.0062
METHYLENE CHLORIDE	1*	µg/L	1.2*									
NITRATE-NITROGEN	28.76	mg/L	17.7	17.5	18.7	14.3	10.0		6.1	3.3	14.2	5.6
pH-LAB	NA	S.U.	6.04	5.89	5.79	5.98	5.75	6.48	6.90	6.11	5.93	7.48
POTASSIUM, DISSOLVED	1.685	mg/L	2.0	2.1	2.4	2.5	4.5	3.0	4.1	2.4	3.1	5.6
POTASSIUM, TOTAL	10.49	mg/L	1.9	1.9	2.4	2.5	4.3	2.3	3.5	1.7	2.8	4.9
SODIUM, DISSOLVED	21.81	mg/L	9.0	8.1	8.2	9.2	24.3	14.2	207	17.5	57.1	138
SODIUM, TOTAL	22.2	mg/L	8.8	8.5	8.3	8.7	24.7	13.6	207	17.6	58.7	139
SPEC. COND., LAB	575.3	µmhos/cm	213	207	220	204	271	174	1,060	200	676	660
SULFATE	59.53	mg/L				8.8	12.3	15.6	2.6	10.8	5.4	9.8
TDS (TOT. DISSOLVED SOLIDS)	337	mg/L	180	166	188	162	198	120	508	144	226	404
TOC (TOTAL ORGANIC CARBON)	1.065	mg/L	0.62	0.57	0.52						0.51	
TURBIDITY	1.747	NTU		0.31							0.11	

Notes:

Blank cells indicate parameter not detected by laboratory.

Shaded text indicates exceedance of a FFLF statistical background standard.

*Methylene chloride has not been detected in any Form 52 results since 2Q 2013. This is a common laboratory contaminant. Future results will be closely monitored to confirm if this is an anomalous result.

ATTACHMENT 1

BACKGROUND UPPER PREDICTION LIMITS

A R M G r o u p L L C



LCSWMA Frey Farm Landfill 4th Quarter 2019 - Background Upper Prediction Limits (MP-2)			
Parameter	Distribution	Upper Prediction Limit	Unit
1,1,1-Trichloroethane	NA	1*	µg/L
1,1-Dichloroethane	NA	1*	µg/L
1,1-Dichloroethene	NA	1*	µg/L
1,2-Dibromoethane	NA	1*	µg/L
1,2-Dichloroethane	NA	1*	µg/L
Alkalinity	No Distribution	145.8	mg/L
Ammonia-Nitrogen	Normal	0.311	mg/L
Benzene	NA	1*	µg/L
Bicarbonate Alkalinity	No Distribution	140.5	mg/L
Calcium, Dissolved	Normal	28.22	mg/L
Calcium, Total	No Distribution	73.42	mg/L
Chloride	Normal	30.90	mg/L
Cis 1,2-Dichloroethene	NA	1*	µg/L
Chemical Oxygen Demand	NA	15*	mg/L
Ethylbenzene	NA	1*	µg/L
Fluoride	No Distribution	0.50	mg/L
Iron, Dissolved	NA	0.066*	mg/L
Iron, Total	Lognormal	0.183	mg/L
Magnesium, Dissolved	Normal	10.84	mg/L
Magnesium, Total	Normal	10.15	mg/L
Manganese, Dissolved	Gamma	0.531	mg/L
Manganese, Total	Lognormal	0.330	mg/L
Methylene Chloride	NA	1*	µg/L
Nitrate-Nitrogen	No Distribution	28.76	mg/L
pH-Lab	NA	None**	S.U.
Potassium, Dissolved	Normal	1.685	mg/L
Potassium, Total	No Distribution	10.49	mg/L
Sodium, Dissolved	Normal	21.81	mg/L
Sodium, Total	Normal	22.2	mg/L
Spec. Cond., Lab	No Distribution	575.3	µmhos/cm
Sulfate	No Distribution	59.53	mg/L
Total Dissolved Solids	Normal	337	mg/L
Tetrachloroethene	NA	1*	µg/L
Total Organic Carbon	Normal	1.065	mg/L
Toluene	NA	1*	µg/L
Total Phenolics	NA	0.005*	mg/L
Trans 1,2-Dichloroethene	NA	1*	µg/L
Trichloroethene	NA	1*	µg/L
Turbidity	Lognormal	1.747	NTU
Vinyl Chloride	NA	1*	µg/L
Total Xylenes	NA	3*	µg/L

Notes:

"NA" denotes parameter not detected or not enough detections in MP-2 over course of historical data to develop tolerance limits.

* Reporting limit substituted for background standard due to lack of historical detections.

** One-sided background standards are not appropriate for pH. Other analysis used in report.

ATTACHMENT 2

STATISTICAL CALCULATION SHEETS

A R M G r o u p L L C



	A	B	C	D	E	F	G	H	I	J	K	L	
51	1,1-DICHLOROETHENE (ug/L)												
52													
53	General Statistics												
54	Total Number of Observations	44										Number of Missing Observations	0
55	Number of Distinct Observations	1											
56	Number of Detects	0										Number of Non-Detects	44
57	Number of Distinct Detects	0										Number of Distinct Non-Detects	1
58	Minimum Detect	N/A										Minimum Non-Detect	1
59	Maximum Detect	N/A										Maximum Non-Detect	1
60	Variance Detected	N/A										Percent Non-Detects	100%
61	Mean Detected	N/A										SD Detected	N/A
62	Mean of Detected Logged Data	N/A										SD of Detected Logged Data	N/A
63													
64	Warning: All observations are Non-Detects (NDs), therefore all statistics and estimates should also be NDs!												
65	Specifically, sample mean, UCLs, UPLs, and other statistics are also NDs lying below the largest detection limit!												
66	The Project Team may decide to use alternative site specific values to estimate environmental parameters (e.g., EPC, BTV).												
67													
68	The data set for variable 1,1-DICHLOROETHENE (ug/L) was not processed!												
69													
70													
71	1,2-DIBROMOETHANE (ug/L)												
72													
73	General Statistics												
74	Total Number of Observations	44										Number of Missing Observations	0
75	Number of Distinct Observations	1											
76	Number of Detects	0										Number of Non-Detects	44
77	Number of Distinct Detects	0										Number of Distinct Non-Detects	1
78	Minimum Detect	N/A										Minimum Non-Detect	1
79	Maximum Detect	N/A										Maximum Non-Detect	1
80	Variance Detected	N/A										Percent Non-Detects	100%
81	Mean Detected	N/A										SD Detected	N/A
82	Mean of Detected Logged Data	N/A										SD of Detected Logged Data	N/A
83													
84	Warning: All observations are Non-Detects (NDs), therefore all statistics and estimates should also be NDs!												
85	Specifically, sample mean, UCLs, UPLs, and other statistics are also NDs lying below the largest detection limit!												
86	The Project Team may decide to use alternative site specific values to estimate environmental parameters (e.g., EPC, BTV).												
87													
88	The data set for variable 1,2-DIBROMOETHANE (ug/L) was not processed!												
89													
90													
91	1,2-DICHLOROETHANE												
92													
93	General Statistics												
94	Total Number of Observations	44										Number of Missing Observations	0
95	Number of Distinct Observations	1											
96	Number of Detects	0										Number of Non-Detects	44
97	Number of Distinct Detects	0										Number of Distinct Non-Detects	1
98	Minimum Detect	N/A										Minimum Non-Detect	1
99	Maximum Detect	N/A										Maximum Non-Detect	1
100	Variance Detected	N/A										Percent Non-Detects	100%

	A	B	C	D	E	F	G	H	I	J	K	L																
101	Mean Detected			N/A		SD Detected			N/A																			
102	Mean of Detected Logged Data			N/A		SD of Detected Logged Data			N/A																			
103																												
104	Warning: All observations are Non-Detects (NDs), therefore all statistics and estimates should also be NDs!																											
105	Specifically, sample mean, UCLs, UPLs, and other statistics are also NDs lying below the largest detection limit!																											
106	The Project Team may decide to use alternative site specific values to estimate environmental parameters (e.g., EPC, BTV).																											
107																												
108	The data set for variable 1,2-DICHLOROETHANE was not processed!																											
109																												
110																												
111	ALKALINITY (mg/L)																											
112																												
113	General Statistics																											
114	Total Number of Observations			43		Number of Missing Observations			0																			
115	Number of Distinct Observations			14																								
116	Number of Detects			20		Number of Non-Detects			23																			
117	Number of Distinct Detects			14		Number of Distinct Non-Detects			1																			
118	Minimum Detect			5		Minimum Non-Detect			5																			
119	Maximum Detect			182		Maximum Non-Detect			5																			
120	Variance Detected			3029		Percent Non-Detects			53.49%																			
121	Mean Detected			42.2		SD Detected			55.03																			
122	Mean of Detected Logged Data			2.904		SD of Detected Logged Data			1.329																			
123																												
124	Critical Values for Background Threshold Values (BTVs)																											
125	Tolerance Factor K (For UTL)			2.097		d2max (for USL)			2.897																			
126																												
127	Normal GOF Test on Detects Only																											
128	Shapiro Wilk Test Statistic			0.725		Shapiro Wilk GOF Test																						
129	5% Shapiro Wilk Critical Value			0.905		Data Not Normal at 5% Significance Level																						
130	Lilliefors Test Statistic			0.283		Lilliefors GOF Test																						
131	5% Lilliefors Critical Value			0.192		Data Not Normal at 5% Significance Level																						
132	Data Not Normal at 5% Significance Level																											
133																												
134	Kaplan Meier (KM) Background Statistics Assuming Normal Distribution																											
135	KM Mean			22.3		KM SD			41.02																			
136	95% UTL95% Coverage			108.3		95% KM UPL (t)			92.09																			
137	90% KM Percentile (z)			74.87		95% KM Percentile (z)			89.77																			
138	99% KM Percentile (z)			117.7		95% KM USL			141.1																			
139																												
140	DL/2 Substitution Background Statistics Assuming Normal Distribution																											
141	Mean			20.97		SD			42.09																			
142	95% UTL95% Coverage			109.2		95% UPL (t)			92.58																			
143	90% Percentile (z)			74.9		95% Percentile (z)			90.2																			
144	99% Percentile (z)			118.9		95% USL			142.9																			
145	DL/2 is not a recommended method. DL/2 provided for comparisons and historical reasons																											
146																												
147	Gamma GOF Tests on Detected Observations Only																											
148	A-D Test Statistic			1.479		Anderson-Darling GOF Test																						
149	5% A-D Critical Value			0.782		Data Not Gamma Distributed at 5% Significance Level																						
150	K-S Test Statistic			0.263		Kolmogorov-Smirnov GOF																						

	A	B	C	D	E	F	G	H	I	J	K	L
151				5% K-S Critical Value	0.202	Data Not Gamma Distributed at 5% Significance Level						
152				Data Not Gamma Distributed at 5% Significance Level								
153												
154				Gamma Statistics on Detected Data Only								
155				k hat (MLE)	0.718			k star (bias corrected MLE)	0.644			
156				Theta hat (MLE)	58.77			Theta star (bias corrected MLE)	65.56			
157				nu hat (MLE)	28.72			nu star (bias corrected)	25.75			
158				MLE Mean (bias corrected)	42.2							
159				MLE Sd (bias corrected)	52.6			95% Percentile of Chisquare (2kstar)	4.516			
160												
161				Gamma ROS Statistics using Imputed Non-Detects								
162				GROS may not be used when data set has > 50% NDs with many tied observations at multiple DLs								
163				GROS may not be used when kstar of detects is small such as <1.0, especially when the sample size is small (e.g., <15-20)								
164				For such situations, GROS method may yield incorrect values of UCLs and BTVs								
165				This is especially true when the sample size is small.								
166				For gamma distributed detected data, BTVs and UCLs may be computed using gamma distribution on KM estimates								
167				Minimum	0.01			Mean	19.63			
168				Maximum	182			Median	0.01			
169				SD	42.7			CV	2.175			
170				k hat (MLE)	0.183			k star (bias corrected MLE)	0.185			
171				Theta hat (MLE)	107.6			Theta star (bias corrected MLE)	106			
172				nu hat (MLE)	15.7			nu star (bias corrected)	15.93			
173				MLE Mean (bias corrected)	19.63			MLE Sd (bias corrected)	45.61			
174				95% Percentile of Chisquare (2kstar)	1.947			90% Percentile	59.28			
175				95% Percentile	103.1			99% Percentile	225.4			
176				The following statistics are computed using Gamma ROS Statistics on Imputed Data								
177				Upper Limits using Wilson Hilferty (WH) and Hawkins Wixley (HW) Methods								
178					WH	HW				WH	HW	
179	95% Approx. Gamma UTL with 95% Coverage			118.6	140			95% Approx. Gamma UPL	77.44		82.53	
180				95% Gamma USL	241.6	341.8						
181												
182				Estimates of Gamma Parameters using KM Estimates								
183				Mean (KM)	22.3			SD (KM)	41.02			
184				Variance (KM)	1682			SE of Mean (KM)	6.418			
185				k hat (KM)	0.296			k star (KM)	0.291			
186				nu hat (KM)	25.42			nu star (KM)	24.98			
187				theta hat (KM)	75.44			theta star (KM)	76.77			
188				80% gamma percentile (KM)	33.92			90% gamma percentile (KM)	66.02			
189				95% gamma percentile (KM)	103.1			99% gamma percentile (KM)	199.8			
190												
191				The following statistics are computed using gamma distribution and KM estimates								
192				Upper Limits using Wilson Hilferty (WH) and Hawkins Wixley (HW) Methods								
193					WH	HW				WH	HW	
194	95% Approx. Gamma UTL with 95% Coverage			94.75	93.35			95% Approx. Gamma UPL	70.24		67.31	
195				95% KM Gamma Percentile	67.13	64.09		95% Gamma USL	160.4		168.3	
196												
197				Lognormal GOF Test on Detected Observations Only								
198				Shapiro Wilk Test Statistic	0.844			Shapiro Wilk GOF Test				
199				5% Shapiro Wilk Critical Value	0.905			Data Not Lognormal at 5% Significance Level				
200				Lilliefors Test Statistic	0.225			Lilliefors GOF Test				

	A	B	C	D	E	F	G	H	I	J	K	L
201					5% Lilliefors Critical Value	0.192		Data Not Lognormal at 5% Significance Level				
202								Data Not Lognormal at 5% Significance Level				
203												
204								Background Lognormal ROS Statistics Assuming Lognormal Distribution Using Imputed Non-Detects				
205					Mean in Original Scale	20.05			Mean in Log Scale	0.874		
206					SD in Original Scale	42.51			SD in Log Scale	2.337		
207					95% UTL95% Coverage	322			95% BCA UTL95% Coverage	175.1		
208					95% Bootstrap (%) UTL95% Coverage	179.2			95% UPL (t)	127.7		
209					90% Percentile (z)	47.88			95% Percentile (z)	111.9		
210					99% Percentile (z)	550.1			95% USL	2087		
211												
212								Statistics using KM estimates on Logged Data and Assuming Lognormal Distribution				
213					KM Mean of Logged Data	2.211			95% KM UTL (Lognormal)95% Coverage	90.55		
214					KM SD of Logged Data	1.094			95% KM UPL (Lognormal)	58.73		
215					95% KM Percentile Lognormal (z)	55.2			95% KM USL (Lognormal)	217.2		
216								Background DL/2 Statistics Assuming Lognormal Distribution				
217					Mean in Original Scale	20.97			Mean in Log Scale	1.841		
218					SD in Original Scale	42.09			SD in Log Scale	1.343		
219					95% UTL95% Coverage	105.4			95% UPL (t)	61.96		
220					90% Percentile (z)	35.25			95% Percentile (z)	57.43		
221					99% Percentile (z)	143.5			95% USL	308.8		
222								DL/2 is not a Recommended Method. DL/2 provided for comparisons and historical reasons.				
223												
224								Nonparametric Distribution Free Background Statistics				
225								Data do not follow a Discernible Distribution (0.05)				
226												
227								Nonparametric Upper Limits for BTVs(no distinction made between detects and nondetects)				
228					Order of Statistic, r	43			95% UTL with95% Coverage	182		
229					Approx, f used to compute achieved CC	2.263			Approximate Actual Confidence Coefficient achieved by UTL	0.89		
230					Approximate Sample Size needed to achieve specified CC	59			95% UPL	145.8		
231					95% USL	182			95% KM Chebyshev UPL	203.2		
232												
233								Note: The use of USL tends to yield a conservative estimate of BTV, especially when the sample size starts exceeding 20.				
234								Therefore, one may use USL to estimate a BTV only when the data set represents a background data set free of outliers				
235								and consists of observations collected from clean unimpacted locations.				
236								The use of USL tends to provide a balance between false positives and false negatives provided the data				
237								represents a background data set and when many onsite observations need to be compared with the BTV.				
238												
239												
240					AMMONIA-NITROGEN (mg/L)							
241												
242								General Statistics				
243					Total Number of Observations	44			Number of Missing Observations	0		
244					Number of Distinct Observations	7						
245					Number of Detects	7			Number of Non-Detects	37		
246					Number of Distinct Detects	7			Number of Distinct Non-Detects	1		
247					Minimum Detect	0.1			Minimum Non-Detect	0.1		
248					Maximum Detect	0.63			Maximum Non-Detect	0.1		
249					Variance Detected	0.0395			Percent Non-Detects	84.09%		
250					Mean Detected	0.304			SD Detected	0.199		

	A	B	C	D	E	F	G	H	I	J	K	L
251					Mean of Detected Logged Data	-1.389				SD of Detected Logged Data	0.699	
252	Critical Values for Background Threshold Values (BTVs)											
253					Tolerance Factor K (For UTL)	2.091			d2max (for USL)	2.906		
254	Normal GOF Test on Detects Only											
255					Shapiro Wilk Test Statistic	0.904			Shapiro Wilk GOF Test			
256					5% Shapiro Wilk Critical Value	0.803			Detected Data appear Normal at 5% Significance Level			
257					Lilliefors Test Statistic	0.254			Lilliefors GOF Test			
258					5% Lilliefors Critical Value	0.304			Detected Data appear Normal at 5% Significance Level			
259	Detected Data appear Normal at 5% Significance Level											
260												
261	Kaplan Meier (KM) Background Statistics Assuming Normal Distribution											
262					KM Mean	0.133			KM SD	0.105		
263					95% UTL95% Coverage	0.351			95% KM UPL (t)	0.311		
264					90% KM Percentile (z)	0.267			95% KM Percentile (z)	0.305		
265					99% KM Percentile (z)	0.376			95% KM USL	0.437		
266	DL/2 Substitution Background Statistics Assuming Normal Distribution											
267					Mean	0.0905			SD	0.12		
268					95% UTL95% Coverage	0.341			95% UPL (t)	0.294		
269					90% Percentile (z)	0.244			95% Percentile (z)	0.288		
270					99% Percentile (z)	0.369			95% USL	0.439		
271	DL/2 is not a recommended method. DL/2 provided for comparisons and historical reasons											
272												
273	Gamma GOF Tests on Detected Observations Only											
274					A-D Test Statistic	0.319			Anderson-Darling GOF Test			
275					5% A-D Critical Value	0.713			Detected data appear Gamma Distributed at 5% Significance Level			
276					K-S Test Statistic	0.212			Kolmogorov-Smirnov GOF			
277					5% K-S Critical Value	0.314			Detected data appear Gamma Distributed at 5% Significance Level			
278	Detected data appear Gamma Distributed at 5% Significance Level											
279												
280	Gamma Statistics on Detected Data Only											
281					k hat (MLE)	2.665			k star (bias corrected MLE)	1.618		
282					Theta hat (MLE)	0.114			Theta star (bias corrected MLE)	0.188		
283					nu hat (MLE)	37.3			nu star (bias corrected)	22.65		
284					MLE Mean (bias corrected)	0.304						
285					MLE Sd (bias corrected)	0.239			95% Percentile of Chisquare (2kstar)	8.22		
286	Gamma ROS Statistics using Imputed Non-Detects											
287												
288												
289												
290												
291	GROS may not be used when data set has > 50% NDs with many tied observations at multiple DLs											
292												
293	GROS may not be used when kstar of detects is small such as <1.0, especially when the sample size is small (e.g., <15-20)											
294												
295	For such situations, GROS method may yield incorrect values of UCLs and BTVs											
296												
297	This is especially true when the sample size is small.											
298												
299	For gamma distributed detected data, BTVs and UCLs may be computed using gamma distribution on KM estimates											
300												
301	Minimum											
302						0.01			Mean	0.0568		
303	Maximum											
304						0.63			Median	0.01		
305	SD											
306						0.132			CV	2.319		
307	k hat (MLE)											
308						0.516			k star (bias corrected MLE)	0.496		
309	Theta hat (MLE)											
310						0.11			Theta star (bias corrected MLE)	0.115		

	A	B	C	D	E	F	G	H	I	J	K	L
301					nu hat (MLE)	45.39				nu star (bias corrected)		43.63
302					MLE Mean (bias corrected)	0.0568				MLE Sd (bias corrected)		0.0807
303					95% Percentile of Chisquare (2kstar)	3.82				90% Percentile		0.154
304					95% Percentile	0.219				99% Percentile		0.379
305	The following statistics are computed using Gamma ROS Statistics on Imputed Data											
306	Upper Limits using Wilson Hilferty (WH) and Hawkins Wixley (HW) Methods											
307					WH	HW				WH		HW
308	95% Approx. Gamma UTL with 95% Coverage				0.256	0.246			95% Approx. Gamma UPL	0.185		0.171
309					95% Gamma USL	0.46	0.475					
310												
311	Estimates of Gamma Parameters using KM Estimates											
312					Mean (KM)	0.133			SD (KM)		0.105	
313					Variance (KM)	0.011			SE of Mean (KM)		0.0171	
314					k hat (KM)	1.601			k star (KM)		1.507	
315					nu hat (KM)	140.9			nu star (KM)		132.6	
316					theta hat (KM)	0.0828			theta star (KM)		0.0879	
317					80% gamma percentile (KM)	0.205			90% gamma percentile (KM)		0.276	
318					95% gamma percentile (KM)	0.345			99% gamma percentile (KM)		0.5	
319												
320	The following statistics are computed using gamma distribution and KM estimates											
321	Upper Limits using Wilson Hilferty (WH) and Hawkins Wixley (HW) Methods											
322					WH	HW			WH		HW	
323	95% Approx. Gamma UTL with 95% Coverage				0.303	0.297			95% Approx. Gamma UPL	0.26		0.254
324					95% KM Gamma Percentile	0.255	0.249		95% Gamma USL	0.408		0.405
325												
326	Lognormal GOF Test on Detected Observations Only											
327					Shapiro Wilk Test Statistic	0.935			Shapiro Wilk GOF Test			
328					5% Shapiro Wilk Critical Value	0.803			Detected Data appear Lognormal at 5% Significance Level			
329					Lilliefors Test Statistic	0.19			Lilliefors GOF Test			
330					5% Lilliefors Critical Value	0.304			Detected Data appear Lognormal at 5% Significance Level			
331	Detected Data appear Lognormal at 5% Significance Level											
332												
333	Background Lognormal ROS Statistics Assuming Lognormal Distribution Using Imputed Non-Detects											
334					Mean in Original Scale	0.0637			Mean in Log Scale		-4.267	
335					SD in Original Scale	0.131			SD in Log Scale		1.863	
336					95% UTL95% Coverage	0.69			95% BCA UTL95% Coverage		0.597	
337					95% Bootstrap (%) UTL95% Coverage	0.605			95% UPL (t)		0.333	
338					90% Percentile (z)	0.153			95% Percentile (z)		0.301	
339					99% Percentile (z)	1.07			95% USL		3.154	
340												
341	Statistics using KM estimates on Logged Data and Assuming Lognormal Distribution											
342					KM Mean of Logged Data	-2.157			95% KM UTL (Lognormal)95% Coverage		0.28	
343					KM SD of Logged Data	0.422			95% KM UPL (Lognormal)		0.237	
344					95% KM Percentile Lognormal (z)	0.232			95% KM USL (Lognormal)		0.394	
345												
346	Background DL/2 Statistics Assuming Lognormal Distribution											
347					Mean in Original Scale	0.0905			Mean in Log Scale		-2.74	
348					SD in Original Scale	0.12			SD in Log Scale		0.649	
349					95% UTL95% Coverage	0.251			95% UPL (t)		0.195	
350					90% Percentile (z)	0.148			95% Percentile (z)		0.188	

	A	B	C	D	E	F	G	H	I	J	K	L			
351					99% Percentile (z)	0.292					95% USL	0.426			
352	DL/2 is not a Recommended Method. DL/2 provided for comparisons and historical reasons.														
353															
354	Nonparametric Distribution Free Background Statistics														
355	Data appear to follow a Discernible Distribution at 5% Significance Level														
356															
357	Nonparametric Upper Limits for BTVs(no distinction made between detects and nondetects)														
358	Order of Statistic, r			44		95% UTL with 95% Coverage			0.63						
359	Approx, f used to compute achieved CC			2.316		Approximate Actual Confidence Coefficient achieved by UTL			0.895						
360	Approximate Sample Size needed to achieve specified CC			59		95% UPL			0.448						
361	95% USL			0.63		95% KM Chebyshev UPL			0.594						
362															
363	Note: The use of USL tends to yield a conservative estimate of BTV, especially when the sample size starts exceeding 20.														
364	Therefore, one may use USL to estimate a BTV only when the data set represents a background data set free of outliers														
365	and consists of observations collected from clean unimpacted locations.														
366	The use of USL tends to provide a balance between false positives and false negatives provided the data														
367	represents a background data set and when many onsite observations need to be compared with the BTV.														
368															
369	BENZENE (ug/L)														
370															
371	General Statistics														
372	Total Number of Observations			44		Number of Missing Observations			0						
373	Number of Distinct Observations			1											
374	Number of Detects			0		Number of Non-Detects			44						
375	Number of Distinct Detects			0		Number of Distinct Non-Detects			1						
376	Minimum Detect			N/A		Minimum Non-Detect			1						
377	Maximum Detect			N/A		Maximum Non-Detect			1						
378	Variance Detected			N/A		Percent Non-Detects			100%						
379	Mean Detected			N/A		SD Detected			N/A						
380	Mean of Detected Logged Data			N/A		SD of Detected Logged Data			N/A						
381															
382	Warning: All observations are Non-Detects (NDs), therefore all statistics and estimates should also be NDs!														
383	Specifically, sample mean, UCLs, UPLs, and other statistics are also NDs lying below the largest detection limit!														
384	The Project Team may decide to use alternative site specific values to estimate environmental parameters (e.g., EPC, BTV).														
385															
386	The data set for variable BENZENE (ug/L) was not processed!														
387															
388															
389	BICARBONATE ALKALINITY (mg/L)														
390															
391	General Statistics														
392	Total Number of Observations			44		Number of Missing Observations			0						
393	Number of Distinct Observations			14											
394	Number of Detects			20		Number of Non-Detects			24						
395	Number of Distinct Detects			14		Number of Distinct Non-Detects			1						
396	Minimum Detect			5		Minimum Non-Detect			5						
397	Maximum Detect			182		Maximum Non-Detect			5						
398	Variance Detected			2624		Percent Non-Detects			54.55%						
399	Mean Detected			36.65		SD Detected			51.23						
400	Mean of Detected Logged Data			2.823		SD of Detected Logged Data			1.241						

	A	B	C	D	E	F	G	H	I	J	K	L
401												
402	Critical Values for Background Threshold Values (BTVs)											
403	Tolerance Factor K (For UTL)	2.091								d2max (for USL)	2.906	
404	Normal GOF Test on Detects Only											
405	Shapiro Wilk Test Statistic	0.673										
406			Shapiro Wilk GOF Test									
407	5% Shapiro Wilk Critical Value	0.905										
408	Lilliefors Test Statistic	0.268										
409	5% Lilliefors Critical Value	0.192										
410	Data Not Normal at 5% Significance Level											
411												
412	Kaplan Meier (KM) Background Statistics Assuming Normal Distribution											
413	KM Mean	19.39									KM SD	37.17
414	95% UTL95% Coverage	97.11									95% KM UPL (t)	82.58
415	90% KM Percentile (z)	67.02									95% KM Percentile (z)	80.52
416	99% KM Percentile (z)	105.9									95% KM USL	127.4
417												
418	DL/2 Substitution Background Statistics Assuming Normal Distribution											
419	Mean	18.02									SD	38.15
420	95% UTL95% Coverage	97.79									95% UPL (t)	82.88
421	90% Percentile (z)	66.91									95% Percentile (z)	80.77
422	99% Percentile (z)	106.8									95% USL	128.9
423	DL/2 is not a recommended method. DL/2 provided for comparisons and historical reasons											
424												
425	Gamma GOF Tests on Detected Observations Only											
426	A-D Test Statistic	1.343										
427	5% A-D Critical Value	0.779										
428	K-S Test Statistic	0.251										
429	5% K-S Critical Value	0.201										
430	Data Not Gamma Distributed at 5% Significance Level											
431												
432	Gamma Statistics on Detected Data Only											
433	k hat (MLE)	0.767									k star (bias corrected MLE)	0.685
434	Theta hat (MLE)	47.81									Theta star (bias corrected MLE)	53.51
435	nu hat (MLE)	30.66									nu star (bias corrected)	27.4
436	MLE Mean (bias corrected)	36.65										
437	MLE Sd (bias corrected)	44.28									95% Percentile of Chisquare (2kstar)	4.699
438												
439	Gamma ROS Statistics using Imputed Non-Detects											
440	GROS may not be used when data set has > 50% NDs with many tied observations at multiple DLs											
441	GROS may not be used when kstar of detects is small such as <1.0, especially when the sample size is small (e.g., <15-20)											
442	For such situations, GROS method may yield incorrect values of UCLs and BTVs											
443	This is especially true when the sample size is small.											
444	For gamma distributed detected data, BTVs and UCLs may be computed using gamma distribution on KM estimates											
445	Minimum	0.01									Mean	16.66
446	Maximum	182									Median	0.01
447	SD	38.73									CV	2.324
448	k hat (MLE)	0.184									k star (bias corrected MLE)	0.187
449	Theta hat (MLE)	90.39									Theta star (bias corrected MLE)	89.14
450	nu hat (MLE)	16.22									nu star (bias corrected)	16.45

	A	B	C	D	E	F	G	H	I	J	K	L								
451	MLE Mean (bias corrected)					16.66	MLE Sd (bias corrected)													
452	95% Percentile of Chisquare (2kstar)					1.96	90% Percentile													
453	95% Percentile					87.35	99% Percentile													
454	The following statistics are computed using Gamma ROS Statistics on Imputed Data																			
455	Upper Limits using Wilson Hilferty (WH) and Hawkins Wixley (HW) Methods																			
456				WH	HW					WH	HW									
457	95% Approx. Gamma UTL with 95% Coverage			99.14	116.5	95% Approx. Gamma UPL				65.08	69.18									
458	95% Gamma USL			204.5	288.8															
459																				
460	Estimates of Gamma Parameters using KM Estimates																			
461	Mean (KM)			19.39	SD (KM)				37.17											
462	Variance (KM)			1382	SE of Mean (KM)				5.749											
463	k hat (KM)			0.272	k star (KM)				0.269											
464	nu hat (KM)			23.94	nu star (KM)				23.64											
465	theta hat (KM)			71.26	theta star (KM)				72.16											
466	80% gamma percentile (KM)			28.84	90% gamma percentile (KM)				57.85											
467	95% gamma percentile (KM)			91.82	99% gamma percentile (KM)				181.4											
468																				
469	The following statistics are computed using gamma distribution and KM estimates																			
470	Upper Limits using Wilson Hilferty (WH) and Hawkins Wixley (HW) Methods																			
471				WH	HW					WH	HW									
472	95% Approx. Gamma UTL with 95% Coverage			78.6	76.73	95% Approx. Gamma UPL				59.07	56.31									
473	95% KM Gamma Percentile			56.61	53.8	95% Gamma USL				132.3	136.6									
474																				
475	Lognormal GOF Test on Detected Observations Only																			
476	Shapiro Wilk Test Statistic			0.864	Shapiro Wilk GOF Test															
477	5% Shapiro Wilk Critical Value			0.905	Data Not Lognormal at 5% Significance Level															
478	Lilliefors Test Statistic			0.212	Lilliefors GOF Test															
479	5% Lilliefors Critical Value			0.192	Data Not Lognormal at 5% Significance Level															
480	Data Not Lognormal at 5% Significance Level																			
481																				
482	Background Lognormal ROS Statistics Assuming Lognormal Distribution Using Imputed Non-Detects																			
483	Mean in Original Scale			17.11	Mean in Log Scale				0.847											
484	SD in Original Scale			38.54	SD in Log Scale				2.226											
485	95% UTL95% Coverage			244.9	95% BCA UTL95% Coverage				161.6											
486	95% Bootstrap (%) UTL95% Coverage			177.8	95% UPL (t)				102.6											
487	90% Percentile (z)			40.41	95% Percentile (z)				90.72											
488	99% Percentile (z)			413.5	95% USL				1503											
489																				
490	Statistics using KM estimates on Logged Data and Assuming Lognormal Distribution																			
491	KM Mean of Logged Data			2.161	95% KM UTL (Lognormal)95% Coverage				72.48											
492	KM SD of Logged Data			1.015	95% KM UPL (Lognormal)				48.74											
493	95% KM Percentile Lognormal (z)			46.08	95% KM USL (Lognormal)				165.8											
494																				
495	Background DL/2 Statistics Assuming Lognormal Distribution																			
496	Mean in Original Scale			18.02	Mean in Log Scale				1.783											
497	SD in Original Scale			38.15	SD in Log Scale				1.266											
498	95% UTL95% Coverage			83.94	95% UPL (t)				51.17											
499	90% Percentile (z)			30.12	95% Percentile (z)				47.72											
500	99% Percentile (z)			113.1	95% USL				235.6											

	A	B	C	D	E	F	G	H	I	J	K	L				
551	Gamma Statistics															
552				k hat (MLE)	71.14				k star (bias corrected MLE)	49.87						
553				Theta hat (MLE)	0.321				Theta star (bias corrected MLE)	0.458						
554				nu hat (MLE)	1423				nu star (bias corrected)	997.4						
555				MLE Mean (bias corrected)	22.83				MLE Sd (bias corrected)	3.233						
556																
557	Background Statistics Assuming Gamma Distribution															
558	95% Wilson Hilmerty (WH) Approx. Gamma UPL			28.64					90% Percentile	27.06						
559	95% Hawkins Wixley (HW) Approx. Gamma UPL			28.7					95% Percentile	28.39						
560	95% WH Approx. Gamma UTL with 95% Coverage			32.05					99% Percentile	31.02						
561	95% HW Approx. Gamma UTL with 95% Coverage			32.21												
562	95% WH USL			29.49					95% HW USL	29.58						
563																
564	Lognormal GOF Test															
565	Shapiro Wilk Test Statistic			0.933					Shapiro Wilk Lognormal GOF Test							
566	5% Shapiro Wilk Critical Value			0.842					Data appear Lognormal at 5% Significance Level							
567	Lilliefors Test Statistic			0.186					Lilliefors Lognormal GOF Test							
568	5% Lilliefors Critical Value			0.262					Data appear Lognormal at 5% Significance Level							
569	Data appear Lognormal at 5% Significance Level															
570																
571	Background Statistics assuming Lognormal Distribution															
572	95% UTL with 95% Coverage			32.75					90% Percentile (z)	26.65						
573	95% UPL (t)			28.9					95% Percentile (z)	27.91						
574	95% USL			29.84					99% Percentile (z)	30.42						
575																
576	Nonparametric Distribution Free Background Statistics															
577	Data appear Normal at 5% Significance Level															
578																
579	Nonparametric Upper Limits for Background Threshold Values															
580	Order of Statistic, r			10					95% UTL with 95% Coverage	26.6						
581	Approx, f used to compute achieved CC			0.526					Approximate Actual Confidence Coefficient achieved by UTL	0.401						
582									Approximate Sample Size needed to achieve specified CC	59						
583	95% Percentile Bootstrap UTL with 95% Coverage			26.6					95% BCA Bootstrap UTL with 95% Coverage	26.6						
584	95% UPL			26.6					90% Percentile	26.15						
585	90% Chebyshev UPL			31.65					95% Percentile	26.38						
586	95% Chebyshev UPL			35.64					99% Percentile	26.56						
587	95% USL			26.6												
588																
589	Note: The use of USL tends to yield a conservative estimate of BTV, especially when the sample size starts exceeding 20.															
590	Therefore, one may use USL to estimate a BTV only when the data set represents a background data set free of outliers															
591	and consists of observations collected from clean unimpacted locations.															
592	The use of USL tends to provide a balance between false positives and false negatives provided the data															
593	represents a background data set and when many onsite observations need to be compared with the BTV.															
594																
595	CALCIUM, TOTAL (mg/L)															
596																
597	General Statistics															
598	Total Number of Observations			43					Number of Distinct Observations	37						
599	Minimum			18.9					First Quartile	21.25						
600	Second Largest			74.7					Median	23.1						

	A	B	C	D	E	F	G	H	I	J	K	L	
601					Maximum	93				Third Quartile		25.25	
602					Mean	28.04				SD		15.39	
603					Coefficient of Variation	0.549				Skewness		3.073	
604					Mean of logged Data	3.25				SD of logged Data		0.36	
605													
606					Critical Values for Background Threshold Values (BTVs)								
607					Tolerance Factor K (For UTL)	2.097				d2max (for USL)		2.897	
608													
609					Normal GOF Test								
610					Shapiro Wilk Test Statistic	0.536				Shapiro Wilk GOF Test			
611					5% Shapiro Wilk Critical Value	0.943				Data Not Normal at 5% Significance Level			
612					Lilliefors Test Statistic	0.354				Lilliefors GOF Test			
613					5% Lilliefors Critical Value	0.134				Data Not Normal at 5% Significance Level			
614					Data Not Normal at 5% Significance Level								
615													
616					Background Statistics Assuming Normal Distribution								
617					95% UTL with 95% Coverage	60.31				90% Percentile (z)		47.76	
618					95% UPL (t)	54.22				95% Percentile (z)		53.35	
619					95% USL	72.61				99% Percentile (z)		63.83	
620													
621					Gamma GOF Test								
622					A-D Test Statistic	6.173				Anderson-Darling Gamma GOF Test			
623					5% A-D Critical Value	0.752				Data Not Gamma Distributed at 5% Significance Level			
624					K-S Test Statistic	0.315				Kolmogorov-Smirnov Gamma GOF Test			
625					5% K-S Critical Value	0.135				Data Not Gamma Distributed at 5% Significance Level			
626					Data Not Gamma Distributed at 5% Significance Level								
627													
628					Gamma Statistics								
629					k hat (MLE)	6.164				k star (bias corrected MLE)		5.749	
630					Theta hat (MLE)	4.549				Theta star (bias corrected MLE)		4.877	
631					nu hat (MLE)	530.1				nu star (bias corrected)		494.4	
632					MLE Mean (bias corrected)	28.04				MLE Sd (bias corrected)		11.69	
633													
634					Background Statistics Assuming Gamma Distribution								
635					95% Wilson Hilmerty (WH) Approx. Gamma UPL	49.67				90% Percentile		43.68	
636					95% Hawkins Wixley (HW) Approx. Gamma UPL	49.13				95% Percentile		49.62	
637					95% WH Approx. Gamma UTL with 95% Coverage	56.55				99% Percentile		62.11	
638					95% HW Approx. Gamma UTL with 95% Coverage	56.11							
639					95% WH USL	72.33				95% HW USL		72.45	
640													
641					Lognormal GOF Test								
642					Shapiro Wilk Test Statistic	0.676				Shapiro Wilk Lognormal GOF Test			
643					5% Shapiro Wilk Critical Value	0.943				Data Not Lognormal at 5% Significance Level			
644					Lilliefors Test Statistic	0.284				Lilliefors Lognormal GOF Test			
645					5% Lilliefors Critical Value	0.134				Data Not Lognormal at 5% Significance Level			
646					Data Not Lognormal at 5% Significance Level								
647													
648					Background Statistics assuming Lognormal Distribution								
649					95% UTL with 95% Coverage	54.85				90% Percentile (z)		40.91	
650					95% UPL (t)	47.57				95% Percentile (z)		46.62	

	A	B	C	D	E	F	G	H	I	J	K	L	
751						General Statistics							
752					Total Number of Observations	44				Number of Missing Observations		0	
753					Number of Distinct Observations	1							
754					Number of Detects	0				Number of Non-Detects		44	
755					Number of Distinct Detects	0				Number of Distinct Non-Detects		1	
756					Minimum Detect	N/A				Minimum Non-Detect		1	
757					Maximum Detect	N/A				Maximum Non-Detect		1	
758					Variance Detected	N/A				Percent Non-Detects		100%	
759					Mean Detected	N/A				SD Detected		N/A	
760					Mean of Detected Logged Data	N/A				SD of Detected Logged Data		N/A	
761													
762					Warning: All observations are Non-Detects (NDs), therefore all statistics and estimates should also be NDs!								
763					Specifically, sample mean, UCLs, UPLs, and other statistics are also NDs lying below the largest detection limit!								
764					The Project Team may decide to use alternative site specific values to estimate environmental parameters (e.g., EPC, BTV).								
765													
766					The data set for variable CIS 1,2-DICHLOROETHENE (ug/L) was not processed!								
767													
768													
769					Chemical Oxygen Demand (mg/L)								
770													
771					General Statistics								
772					Total Number of Observations	43				Number of Missing Observations		0	
773					Number of Distinct Observations	3							
774					Number of Detects	0				Number of Non-Detects		43	
775					Number of Distinct Detects	0				Number of Distinct Non-Detects		3	
776					Minimum Detect	N/A				Minimum Non-Detect		5	
777					Maximum Detect	N/A				Maximum Non-Detect		15	
778					Variance Detected	N/A				Percent Non-Detects		100%	
779					Mean Detected	N/A				SD Detected		N/A	
780					Mean of Detected Logged Data	N/A				SD of Detected Logged Data		N/A	
781													
782					Warning: All observations are Non-Detects (NDs), therefore all statistics and estimates should also be NDs!								
783					Specifically, sample mean, UCLs, UPLs, and other statistics are also NDs lying below the largest detection limit!								
784					The Project Team may decide to use alternative site specific values to estimate environmental parameters (e.g., EPC, BTV).								
785													
786					The data set for variable Chemical Oxygen Demand (mg/L) was not processed!								
787													
788													
789					ETHYLBENZENE (mg/L)								
790													
791					General Statistics								
792					Total Number of Observations	44				Number of Missing Observations		0	
793					Number of Distinct Observations	1							
794					Number of Detects	0				Number of Non-Detects		44	
795					Number of Distinct Detects	0				Number of Distinct Non-Detects		1	
796					Minimum Detect	N/A				Minimum Non-Detect		1	
797					Maximum Detect	N/A				Maximum Non-Detect		1	
798					Variance Detected	N/A				Percent Non-Detects		100%	
799					Mean Detected	N/A				SD Detected		N/A	
800					Mean of Detected Logged Data	N/A				SD of Detected Logged Data		N/A	

	A	B	C	D	E	F	G	H	I	J	K	L
851												
852	Gamma Statistics on Detected Data Only											
853					k hat (MLE)	18.4					k star (bias corrected MLE)	14.76
854					Theta hat (MLE)	0.00852					Theta star (bias corrected MLE)	0.0106
855					nu hat (MLE)	551.9					nu star (bias corrected)	442.9
856					MLE Mean (bias corrected)	0.157						
857					MLE Sd (bias corrected)	0.0408					95% Percentile of Chisquare (2kstar)	43.19
858												
859	Gamma ROS Statistics using Imputed Non-Detects											
860	GROS may not be used when data set has > 50% NDs with many tied observations at multiple DLs											
861	GROS may not be used when kstar of detects is small such as <1.0, especially when the sample size is small (e.g., <15-20)											
862	For such situations, GROS method may yield incorrect values of UCLs and BTVs											
863	This is especially true when the sample size is small.											
864	For gamma distributed detected data, BTVs and UCLs may be computed using gamma distribution on KM estimates											
865					Minimum	0.0924					Mean	0.145
866					Maximum	0.24					Median	0.139
867					SD	0.0322					CV	0.222
868					k hat (MLE)	22.32					k star (bias corrected MLE)	20.77
869					Theta hat (MLE)	0.00651					Theta star (bias corrected MLE)	0.00699
870					nu hat (MLE)	1919					nu star (bias corrected)	1787
871					MLE Mean (bias corrected)	0.145					MLE Sd (bias corrected)	0.0319
872					95% Percentile of Chisquare (2kstar)	57.59					90% Percentile	0.187
873					95% Percentile	0.201					99% Percentile	0.229
874	The following statistics are computed using Gamma ROS Statistics on Imputed Data											
875	Upper Limits using Wilson Hilferty (WH) and Hawkins Wixley (HW) Methods											
876					WH	HW					WH	HW
877	95% Approx. Gamma UTL with 95% Coverage				0.218	0.219					95% Approx. Gamma UPL	0.202
878					95% Gamma USL	0.252	0.254					
879												
880	Estimates of Gamma Parameters using KM Estimates											
881					Mean (KM)	0.143					SD (KM)	0.0303
882					Variance (KM)	9.1799E-4					SE of Mean (KM)	0.00599
883					k hat (KM)	22.41					k star (KM)	20.86
884					nu hat (KM)	1927					nu star (KM)	1794
885					theta hat (KM)	0.0064					theta star (KM)	0.00688
886					80% gamma percentile (KM)	0.169					90% gamma percentile (KM)	0.185
887					95% gamma percentile (KM)	0.199					99% gamma percentile (KM)	0.226
888												
889	The following statistics are computed using gamma distribution and KM estimates											
890	Upper Limits using Wilson Hilferty (WH) and Hawkins Wixley (HW) Methods											
891					WH	HW					WH	HW
892	95% Approx. Gamma UTL with 95% Coverage				0.207	0.207					95% Approx. Gamma UPL	0.193
893					95% KM Gamma Percentile	0.191	0.191				95% Gamma USL	0.236
894												
895	Lognormal GOF Test on Detected Observations Only											
896					Shapiro Wilk Test Statistic	0.828					Shapiro Wilk GOF Test	
897					5% Shapiro Wilk Critical Value	0.881					Data Not Lognormal at 5% Significance Level	
898					Lilliefors Test Statistic	0.24					Lilliefors GOF Test	
899					5% Lilliefors Critical Value	0.22					Data Not Lognormal at 5% Significance Level	
900											Data Not Lognormal at 5% Significance Level	

	A	B	C	D	E	F	G	H	I	J	K	L
1101						Normal GOF Test						
1102					Shapiro Wilk Test Statistic	0.955			Shapiro Wilk GOF Test			
1103					5% Shapiro Wilk Critical Value	0.85			Data appear Normal at 5% Significance Level			
1104					Lilliefors Test Statistic	0.151			Lilliefors GOF Test			
1105					5% Lilliefors Critical Value	0.251			Data appear Normal at 5% Significance Level			
1106					Data appear Normal at 5% Significance Level							
1107												
1108					Background Statistics Assuming Normal Distribution							
1109				95% UTL with	95% Coverage	11.64				90% Percentile (z)		10.3
1110					95% UPL (t)	10.84				95% Percentile (z)		10.62
1111					95% USL	11.13				99% Percentile (z)		11.21
1112												
1113					Gamma GOF Test							
1114					A-D Test Statistic	0.371			Anderson-Darling Gamma GOF Test			
1115					5% A-D Critical Value	0.726			Detected data appear Gamma Distributed at 5% Significance Level			
1116					K-S Test Statistic	0.153			Kolmogorov-Smirnov Gamma GOF Test			
1117					5% K-S Critical Value	0.254			Detected data appear Gamma Distributed at 5% Significance Level			
1118				Detected data appear Gamma Distributed at 5% Significance Level								
1119												
1120				Gamma Statistics								
1121				k hat (MLE)	118.4				90% Percentile (z)			86.19
1122				Theta hat (MLE)	0.0776				Theta star (bias corrected MLE)			0.107
1123				nu hat (MLE)	2605				nu star (bias corrected)			1896
1124				MLE Mean (bias corrected)	9.191				MLE Sd (bias corrected)			0.99
1125												
1126				Background Statistics Assuming Gamma Distribution								
1127				95% Wilson Hilferty (WH) Approx. Gamma UPL	10.94				90% Percentile (z)			10.48
1128				95% Hawkins Wixley (HW) Approx. Gamma UPL	10.96				95% Percentile (z)			10.88
1129				95% WH Approx. Gamma UTL with	95% Coverage	11.89			99% Percentile (z)			11.65
1130				95% HW Approx. Gamma UTL with	95% Coverage	11.92						
1131					95% WH USL	11.29			95% HW USL			11.31
1132												
1133				Lognormal GOF Test								
1134				Shapiro Wilk Test Statistic	0.938				Shapiro Wilk Lognormal GOF Test			
1135				5% Shapiro Wilk Critical Value	0.85				Data appear Lognormal at 5% Significance Level			
1136				Lilliefors Test Statistic	0.159				Lilliefors Lognormal GOF Test			
1137				5% Lilliefors Critical Value	0.251				Data appear Lognormal at 5% Significance Level			
1138				Data appear Lognormal at 5% Significance Level								
1139												
1140				Background Statistics assuming Lognormal Distribution								
1141				95% UTL with	95% Coverage	12.04			90% Percentile (z)			10.37
1142					95% UPL (t)	11.01			95% Percentile (z)			10.74
1143					95% USL	11.38			99% Percentile (z)			11.48
1144												
1145				Nonparametric Distribution Free Background Statistics								
1146				Data appear Normal at 5% Significance Level								
1147												
1148				Nonparametric Upper Limits for Background Threshold Values								
1149				Order of Statistic, r	11				95% UTL with	95% Coverage		10.7
1150				Approx, f used to compute achieved CC	0.579				Approximate Actual Confidence Coefficient achieved by UTL			0.431

	A	B	C	D	E	F	G	H	I	J	K	L
1151												Approximate Sample Size needed to achieve specified CC 59
1152				95% Percentile Bootstrap UTL with 95% Coverage		10.7			95% BCA Bootstrap UTL with 95% Coverage			10.7
1153					95% UPL	10.7				90% Percentile		9.8
1154					90% Chebyshev UPL	11.91				95% Percentile		10.25
1155					95% Chebyshev UPL	13.15				99% Percentile		10.61
1156					95% USL	10.7						
1157												
1158												Note: The use of USL tends to yield a conservative estimate of BTV, especially when the sample size starts exceeding 20.
1159												Therefore, one may use USL to estimate a BTV only when the data set represents a background data set free of outliers
1160												and consists of observations collected from clean unimpacted locations.
1161												The use of USL tends to provide a balance between false positives and false negatives provided the data
1162												represents a background data set and when many onsite observations need to be compared with the BTV.
1163												
1164												MAGNESIUM, TOTAL (mg/L)
1165												
1166												General Statistics
1167					Total Number of Observations	41				Number of Distinct Observations		21
1168					Minimum	7.6				First Quartile		8.5
1169					Second Largest	10.4				Median		9
1170					Maximum	10.6				Third Quartile		9.5
1171					Mean	8.998				SD		0.678
1172					Coefficient of Variation	0.0754				Skewness		0.163
1173					Mean of logged Data	2.194				SD of logged Data		0.0754
1174												
1175												Critical Values for Background Threshold Values (BTVs)
1176					Tolerance Factor K (For UTL)	2.11				d2max (for USL)		2.878
1177												
1178												Normal GOF Test
1179					Shapiro Wilk Test Statistic	0.981				Shapiro Wilk GOF Test		
1180					5% Shapiro Wilk Critical Value	0.941				Data appear Normal at 5% Significance Level		
1181					Lilliefors Test Statistic	0.0854				Lilliefors GOF Test		
1182					5% Lilliefors Critical Value	0.137				Data appear Normal at 5% Significance Level		
1183												Data appear Normal at 5% Significance Level
1184												
1185												Background Statistics Assuming Normal Distribution
1186					95% UTL with 95% Coverage	10.43				90% Percentile (z)		9.867
1187					95% UPL (t)	10.15				95% Percentile (z)		10.11
1188					95% USL	10.95				99% Percentile (z)		10.58
1189												
1190												Gamma GOF Test
1191					A-D Test Statistic	0.243				Anderson-Darling Gamma GOF Test		
1192					5% A-D Critical Value	0.747				Detected data appear Gamma Distributed at 5% Significance Level		
1193					K-S Test Statistic	0.0851				Kolmogorov-Smirnov Gamma GOF Test		
1194					5% K-S Critical Value	0.137				Detected data appear Gamma Distributed at 5% Significance Level		
1195												Detected data appear Gamma Distributed at 5% Significance Level
1196												
1197												Gamma Statistics
1198					k hat (MLE)	180.5				k star (bias corrected MLE)		167.3
1199					Theta hat (MLE)	0.0498				Theta star (bias corrected MLE)		0.0538
1200					nu hat (MLE)	14802				nu star (bias corrected)		13720

	A	B	C	D	E	F	G	H	I	J	K	L
1201				MLE Mean (bias corrected)	8.998				MLE Sd (bias corrected)	0.696		
1202												
1203												
1204												
1205												
1206												
1207												
1208												
1209												
1210												
1211												
1212												
1213												
1214												
1215												
1216												
1217												
1218												
1219												
1220												
1221												
1222												
1223												
1224												
1225												
1226												
1227												
1228												
1229												
1230												
1231												
1232												
1233												
1234												
1235												
1236												
1237												
1238												
1239												
1240												
1241				MANGANESE, DISSOLVED (mg/L)								
1242												
1243				General Statistics								
1244				Total Number of Observations	11				Number of Distinct Observations	8		
1245				Minimum	0.11				First Quartile	0.245		
1246				Second Largest	0.32				Median	0.26		
1247				Maximum	0.57				Third Quartile	0.31		
1248				Mean	0.287				SD	0.111		
1249				Coefficient of Variation	0.386				Skewness	1.494		
1250				Mean of logged Data	-1.313				SD of logged Data	0.388		

	A	B	C	D	E	F	G	H	I	J	K	L									
1351	Gamma Statistics																				
1352				k hat (MLE)	94.86				k star (bias corrected MLE)	86.75											
1353				Theta hat (MLE)	0.00293				Theta star (bias corrected MLE)	0.0032											
1354				nu hat (MLE)	6640				nu star (bias corrected)	6072											
1355				MLE Mean (bias corrected)	0.278				MLE Sd (bias corrected)	0.0298											
1356	Background Statistics Assuming Gamma Distribution																				
1357				95% Wilson Hilmerty (WH) Approx. Gamma UPL	0.33				90% Percentile	0.317											
1358				95% Hawkins Wixley (HW) Approx. Gamma UPL	0.33				95% Percentile	0.329											
1359				95% WH Approx. Gamma UTL with 95% Coverage	0.344				99% Percentile	0.352											
1360				95% HW Approx. Gamma UTL with 95% Coverage	0.345																
1361				95% WH USL	0.366				95% HW USL	0.367											
1362	Lognormal GOF Test																				
1363				Shapiro Wilk Test Statistic	0.937				Shapiro Wilk Lognormal GOF Test												
1364				5% Shapiro Wilk Critical Value	0.934				Data appear Lognormal at 5% Significance Level												
1365				Lilliefors Test Statistic	0.153				Lilliefors Lognormal GOF Test												
1366				5% Lilliefors Critical Value	0.148				Data Not Lognormal at 5% Significance Level												
1367	Data appear Approximate Lognormal at 5% Significance Level																				
1368	Background Statistics assuming Lognormal Distribution																				
1369				95% UTL with 95% Coverage	0.346				90% Percentile (z)	0.316											
1370				95% UPL (t)	0.33				95% Percentile (z)	0.328											
1371				95% USL	0.37				99% Percentile (z)	0.352											
1372	Nonparametric Distribution Free Background Statistics																				
1373				Data appear Approximate Lognormal at 5% Significance Level																	
1374	Nonparametric Upper Limits for Background Threshold Values																				
1375				Order of Statistic, r	35				95% UTL with 95% Coverage	0.34											
1376				Approx, f used to compute achieved CC	1.842				Approximate Actual Confidence Coefficient achieved by UTL												
1377									Approximate Sample Size needed to achieve specified CC												
1378				95% Percentile Bootstrap UTL with 95% Coverage	0.34				95% BCA Bootstrap UTL with 95% Coverage	0.33											
1379				95% UPL	0.332				90% Percentile	0.33											
1380				90% Chebyshev UPL	0.367				95% Percentile	0.33											
1381				95% Chebyshev UPL	0.408				99% Percentile	0.337											
1382				95% USL	0.34																
1383	Note: The use of USL tends to yield a conservative estimate of BTV, especially when the sample size starts exceeding 20.																				
1384				Therefore, one may use USL to estimate a BTV only when the data set represents a background data set free of outliers																	
1385				and consists of observations collected from clean unimpacted locations.																	
1386				The use of USL tends to provide a balance between false positives and false negatives provided the data																	
1387				represents a background data set and when many onsite observations need to be compared with the BTV.																	
1388	METHYLENE CHLORIDE (ug/L)																				
1389	General Statistics																				
1390				Total Number of Observations	44				Number of Missing Observations	0											
1391				Number of Distinct Observations	1																
1392				Number of Detects	0				Number of Non-Detects	44											

	A	B	C	D	E	F	G	H	I	J	K	L
1401					Number of Distinct Detects	0				Number of Distinct Non-Detects	1	
1402					Minimum Detect	N/A				Minimum Non-Detect	1	
1403					Maximum Detect	N/A				Maximum Non-Detect	1	
1404					Variance Detected	N/A				Percent Non-Detects	100%	
1405					Mean Detected	N/A				SD Detected	N/A	
1406					Mean of Detected Logged Data	N/A				SD of Detected Logged Data	N/A	
1407												
1408												Warning: All observations are Non-Detects (NDs), therefore all statistics and estimates should also be NDs!
1409												Specifically, sample mean, UCLs, UPLs, and other statistics are also NDs lying below the largest detection limit!
1410												The Project Team may decide to use alternative site specific values to estimate environmental parameters (e.g., EPC, BTV).
1411												
1412												The data set for variable METHYLENE CHLORIDE (ug/L) was not processed!
1413												
1414												
1415												NITRATE-NITROGEN (mg/L)
1416												
1417												General Statistics
1418					Total Number of Observations	43				Number of Distinct Observations	35	
1419					Minimum	4.9				First Quartile	19.6	
1420					Second Largest	29				Median	22.5	
1421					Maximum	31.7				Third Quartile	25.9	
1422					Mean	21.09				SD	6.478	
1423					Coefficient of Variation	0.307				Skewness	-0.993	
1424					Mean of logged Data	2.98				SD of logged Data	0.42	
1425												
1426												Critical Values for Background Threshold Values (BTVs)
1427					Tolerance Factor K (For UTL)	2.097				d2max (for USL)	2.897	
1428												
1429												Normal GOF Test
1430					Shapiro Wilk Test Statistic	0.892				Shapiro Wilk GOF Test		
1431					5% Shapiro Wilk Critical Value	0.943				Data Not Normal at 5% Significance Level		
1432					Lilliefors Test Statistic	0.179				Lilliefors GOF Test		
1433					5% Lilliefors Critical Value	0.134				Data Not Normal at 5% Significance Level		
1434												Data Not Normal at 5% Significance Level
1435												
1436												Background Statistics Assuming Normal Distribution
1437					95% UTL with 95% Coverage	34.68				90% Percentile (z)	29.39	
1438					95% UPL (t)	32.11				95% Percentile (z)	31.75	
1439					95% USL	39.86				99% Percentile (z)	36.16	
1440												
1441												Gamma GOF Test
1442					A-D Test Statistic	2.953				Anderson-Darling Gamma GOF Test		
1443					5% A-D Critical Value	0.75				Data Not Gamma Distributed at 5% Significance Level		
1444					K-S Test Statistic	0.236				Kolmogorov-Smirnov Gamma GOF Test		
1445					5% K-S Critical Value	0.135				Data Not Gamma Distributed at 5% Significance Level		
1446												Data Not Gamma Distributed at 5% Significance Level
1447												
1448												Gamma Statistics
1449					k hat (MLE)	7.433				k star (bias corrected MLE)	6.93	
1450					Theta hat (MLE)	2.838				Theta star (bias corrected MLE)	3.044	

	A	B	C	D	E	F	G	H	I	J	K	L
1451					nu hat (MLE)	639.2				nu star (bias corrected)		596
1452					MLE Mean (bias corrected)	21.09				MLE Sd (bias corrected)		8.013
1453	Background Statistics Assuming Gamma Distribution											
1455				95% Wilson Hilmerty (WH) Approx. Gamma UPL	36.06				90% Percentile		31.79	
1456				95% Hawkins Wixley (HW) Approx. Gamma UPL	36.89				95% Percentile		35.76	
1457				95% WH Approx. Gamma UTL with 95% Coverage	40.66				99% Percentile		44.04	
1458				95% HW Approx. Gamma UTL with 95% Coverage	41.96							
1459				95% WH USL	51.1				95% HW USL		53.81	
1460	Lognormal GOF Test											
1461				Shapiro Wilk Test Statistic	0.783				Shapiro Wilk Lognormal GOF Test			
1462				5% Shapiro Wilk Critical Value	0.943				Data Not Lognormal at 5% Significance Level			
1463				Lilliefors Test Statistic	0.259				Lilliefors Lognormal GOF Test			
1464				5% Lilliefors Critical Value	0.134				Data Not Lognormal at 5% Significance Level			
1465	Data Not Lognormal at 5% Significance Level											
1466	Background Statistics assuming Lognormal Distribution											
1467				95% UTL with 95% Coverage	47.54				90% Percentile (z)		33.74	
1468				95% UPL (t)	40.25				95% Percentile (z)		39.31	
1469				95% USL	66.53				99% Percentile (z)		52.35	
1470	Nonparametric Distribution Free Background Statistics											
1471				Data do not follow a Discernible Distribution (0.05)								
1472	Nonparametric Upper Limits for Background Threshold Values											
1473				Order of Statistic, r	43			95% UTL with 95% Coverage		31.7		
1474				Approx, f used to compute achieved CC	2.263			Approximate Actual Confidence Coefficient achieved by UTL		0.89		
1475								Approximate Sample Size needed to achieve specified CC		59		
1476				95% Percentile Bootstrap UTL with 95% Coverage	31.43			95% BCA Bootstrap UTL with 95% Coverage		31.31		
1477				95% UPL	28.76				90% Percentile		26.7	
1478				90% Chebyshev UPL	40.75				95% Percentile		27.73	
1479				95% Chebyshev UPL	49.66				99% Percentile		30.57	
1480				95% USL	31.7							
1481	Note: The use of USL tends to yield a conservative estimate of BTV, especially when the sample size starts exceeding 20.											
1482				Therefore, one may use USL to estimate a BTV only when the data set represents a background data set free of outliers								
1483				and consists of observations collected from clean unimpacted locations.								
1484				The use of USL tends to provide a balance between false positives and false negatives provided the data								
1485				represents a background data set and when many onsite observations need to be compared with the BTV.								
1486	pH-FIELD (SU)											
1487				General Statistics								
1488				Total Number of Observations	42			Number of Distinct Observations		36		
1489				Minimum	3.91			First Quartile		4.553		
1490				Second Largest	6.38			Median		4.7		
1491				Maximum	6.55			Third Quartile		5.143		
1492				Mean	4.938			SD		0.568		
1493				Coefficient of Variation	0.115			Skewness		1.14		

	A	B	C	D	E	F	G	H	I	J	K	L
1501					Mean of logged Data	1.591				SD of logged Data	0.11	
1502												
Critical Values for Background Threshold Values (BTVs)												
1503												
1504					Tolerance Factor K (For UTL)	2.104				d2max (for USL)	2.887	
1505												
1506							Normal GOF Test					
1507					Shapiro Wilk Test Statistic	0.847				Shapiro Wilk GOF Test		
1508					5% Shapiro Wilk Critical Value	0.942				Data Not Normal at 5% Significance Level		
1509					Lilliefors Test Statistic	0.188				Lilliefors GOF Test		
1510					5% Lilliefors Critical Value	0.135				Data Not Normal at 5% Significance Level		
1511							Data Not Normal at 5% Significance Level					
1512												
1513							Background Statistics Assuming Normal Distribution					
1514					95% UTL with 95% Coverage	6.134				90% Percentile (z)	5.666	
1515					95% UPL (t)	5.906				95% Percentile (z)	5.873	
1516					95% USL	6.579				99% Percentile (z)	6.26	
1517												
1518							Gamma GOF Test					
1519					A-D Test Statistic	1.752				Anderson-Darling Gamma GOF Test		
1520					5% A-D Critical Value	0.747				Data Not Gamma Distributed at 5% Significance Level		
1521					K-S Test Statistic	0.186				Kolmogorov-Smirnov Gamma GOF Test		
1522					5% K-S Critical Value	0.136				Data Not Gamma Distributed at 5% Significance Level		
1523							Data Not Gamma Distributed at 5% Significance Level					
1524												
1525							Gamma Statistics					
1526					k hat (MLE)	82.67				k star (bias corrected MLE)	76.78	
1527					Theta hat (MLE)	0.0597				Theta star (bias corrected MLE)	0.0643	
1528					nu hat (MLE)	6944				nu star (bias corrected)	6449	
1529					MLE Mean (bias corrected)	4.938				MLE Sd (bias corrected)	0.564	
1530												
1531							Background Statistics Assuming Gamma Distribution					
1532					95% Wilson Hilferty (WH) Approx. Gamma UPL	5.912				90% Percentile	5.673	
1533					95% Hawkins Wixley (HW) Approx. Gamma UPL	5.913				95% Percentile	5.9	
1534					95% WH Approx. Gamma UTL with 95% Coverage	6.164				99% Percentile	6.343	
1535					95% HW Approx. Gamma UTL with 95% Coverage	6.168						
1536					95% WH USL	6.677				95% HW USL	6.691	
1537												
1538							Lognormal GOF Test					
1539					Shapiro Wilk Test Statistic	0.87				Shapiro Wilk Lognormal GOF Test		
1540					5% Shapiro Wilk Critical Value	0.942				Data Not Lognormal at 5% Significance Level		
1541					Lilliefors Test Statistic	0.182				Lilliefors Lognormal GOF Test		
1542					5% Lilliefors Critical Value	0.135				Data Not Lognormal at 5% Significance Level		
1543							Data Not Lognormal at 5% Significance Level					
1544												
1545							Background Statistics assuming Lognormal Distribution					
1546					95% UTL with 95% Coverage	6.183				90% Percentile (z)	5.65	
1547					95% UPL (t)	5.917				95% Percentile (z)	5.879	
1548					95% USL	6.739				99% Percentile (z)	6.336	
1549												
1550							Nonparametric Distribution Free Background Statistics					

	A	B	C	D	E	F	G	H	I	J	K	L	
1651					Second Largest	1.6				Median	1.2		
1652					Maximum	1.6				Third Quartile	1.375		
1653					Mean	1.245				SD	0.229		
1654					Coefficient of Variation	0.184				Skewness	0.54		
1655					Mean of logged Data	0.204				SD of logged Data	0.181		
1656													
1657					Critical Values for Background Threshold Values (BTVs)								
1658					Tolerance Factor K (For UTL)	2.911				d2max (for USL)	2.176		
1659													
1660					Normal GOF Test								
1661					Shapiro Wilk Test Statistic	0.92				Shapiro Wilk GOF Test			
1662					5% Shapiro Wilk Critical Value	0.842				Data appear Normal at 5% Significance Level			
1663					Lilliefors Test Statistic	0.178				Lilliefors GOF Test			
1664					5% Lilliefors Critical Value	0.262				Data appear Normal at 5% Significance Level			
1665					Data appear Normal at 5% Significance Level								
1666													
1667					Background Statistics Assuming Normal Distribution								
1668					95% UTL with 95% Coverage	1.912				90% Percentile (z)	1.539		
1669						95% UPL (t)	1.685			95% Percentile (z)	1.622		
1670						95% USL	1.743			99% Percentile (z)	1.778		
1671													
1672					Gamma GOF Test								
1673					A-D Test Statistic	0.306				Anderson-Darling Gamma GOF Test			
1674					5% A-D Critical Value	0.724				Detected data appear Gamma Distributed at 5% Significance Level			
1675					K-S Test Statistic	0.162				Kolmogorov-Smirnov Gamma GOF Test			
1676					5% K-S Critical Value	0.266				Detected data appear Gamma Distributed at 5% Significance Level			
1677					Detected data appear Gamma Distributed at 5% Significance Level								
1678													
1679					Gamma Statistics								
1680					k hat (MLE)	33.83				k star (bias corrected MLE)	23.75		
1681					Theta hat (MLE)	0.0368				Theta star (bias corrected MLE)	0.0524		
1682					nu hat (MLE)	676.5				nu star (bias corrected)	474.9		
1683					MLE Mean (bias corrected)	1.245				MLE Sd (bias corrected)	0.255		
1684													
1685					Background Statistics Assuming Gamma Distribution								
1686					95% Wilson Hilferty (WH) Approx. Gamma UPL	1.716				90% Percentile	1.582		
1687					95% Hawkins Wixley (HW) Approx. Gamma UPL	1.721				95% Percentile	1.693		
1688					95% WH Approx. Gamma UTL with 95% Coverage	2.007				99% Percentile	1.915		
1689					95% HW Approx. Gamma UTL with 95% Coverage	2.023							
1690						95% WH USL	1.788			95% HW USL	1.795		
1691													
1692					Lognormal GOF Test								
1693					Shapiro Wilk Test Statistic	0.941				Shapiro Wilk Lognormal GOF Test			
1694					5% Shapiro Wilk Critical Value	0.842				Data appear Lognormal at 5% Significance Level			
1695					Lilliefors Test Statistic	0.148				Lilliefors Lognormal GOF Test			
1696					5% Lilliefors Critical Value	0.262				Data appear Lognormal at 5% Significance Level			
1697					Data appear Lognormal at 5% Significance Level								
1698													
1699					Background Statistics assuming Lognormal Distribution								
1700					95% UTL with 95% Coverage	2.076				90% Percentile (z)	1.546		

	A	B	C	D	E	F	G	H	I	J	K	L
1851	SODIUM, TOTAL (mg/L)											
1852												
1853	General Statistics											
1854	Total Number of Observations	40					Number of Distinct Observations	30				
1855	Minimum	13.7					First Quartile	14.48				
1856	Second Largest	22.3					Median	15.7				
1857	Maximum	24					Third Quartile	18.35				
1858	Mean	16.6					SD	2.507				
1859	Coefficient of Variation	0.151					Skewness	1.08				
1860	Mean of logged Data	2.799					SD of logged Data	0.143				
1861												
1862	Critical Values for Background Threshold Values (BTVs)											
1863	Tolerance Factor K (For UTL)	2.117					d2max (for USL)	2.868				
1864												
1865	Normal GOF Test											
1866	Shapiro Wilk Test Statistic	0.876					Shapiro Wilk GOF Test					
1867	5% Shapiro Wilk Critical Value	0.94					Data Not Normal at 5% Significance Level					
1868	Lilliefors Test Statistic	0.169					Lilliefors GOF Test					
1869	5% Lilliefors Critical Value	0.139					Data Not Normal at 5% Significance Level					
1870	Data Not Normal at 5% Significance Level											
1871												
1872	Background Statistics Assuming Normal Distribution											
1873	95% UTL with 95% Coverage	21.9					90% Percentile (z)	19.81				
1874	95% UPL (t)	20.87					95% Percentile (z)	20.72				
1875	95% USL	23.78					99% Percentile (z)	22.43				
1876												
1877	Gamma GOF Test											
1878	A-D Test Statistic	1.476					Anderson-Darling Gamma GOF Test					
1879	5% A-D Critical Value	0.746					Data Not Gamma Distributed at 5% Significance Level					
1880	K-S Test Statistic	0.164					Kolmogorov-Smirnov Gamma GOF Test					
1881	5% K-S Critical Value	0.139					Data Not Gamma Distributed at 5% Significance Level					
1882	Data Not Gamma Distributed at 5% Significance Level											
1883												
1884	Gamma Statistics											
1885	k hat (MLE)	48.65					k star (bias corrected MLE)	45.02				
1886	Theta hat (MLE)	0.341					Theta star (bias corrected MLE)	0.369				
1887	nu hat (MLE)	3892					nu star (bias corrected)	3601				
1888	MLE Mean (bias corrected)	16.6					MLE Sd (bias corrected)	2.473				
1889												
1890	Background Statistics Assuming Gamma Distribution											
1891	95% Wilson Hilferty (WH) Approx. Gamma UPL	20.92					90% Percentile	19.83				
1892	95% Hawkins Wixley (HW) Approx. Gamma UPL	20.93					95% Percentile	20.86				
1893	95% WH Approx. Gamma UTL with 95% Coverage	22.1					99% Percentile	22.88				
1894	95% HW Approx. Gamma UTL with 95% Coverage	22.13										
1895	95% WH USL	24.36					95% HW USL	24.45				
1896												
1897	Lognormal GOF Test											
1898	Shapiro Wilk Test Statistic	0.898					Shapiro Wilk Lognormal GOF Test					
1899	5% Shapiro Wilk Critical Value	0.94					Data Not Lognormal at 5% Significance Level					
1900	Lilliefors Test Statistic	0.157					Lilliefors Lognormal GOF Test					

	A	B	C	D	E	F	G	H	I	J	K	L
1901				5% Lilliefors Critical Value		0.139		Data Not Lognormal at 5% Significance Level				
1902								Data Not Lognormal at 5% Significance Level				
1903												
1904								Background Statistics assuming Lognormal Distribution				
1905				95% UTL with 95% Coverage		22.23				90% Percentile (z)		19.72
1906						95% UPL (t)	20.96			95% Percentile (z)		20.78
1907						95% USL	24.74			99% Percentile (z)		22.9
1908												
1909								Nonparametric Distribution Free Background Statistics				
1910								Data do not follow a Discernible Distribution (0.05)				
1911												
1912								Nonparametric Upper Limits for Background Threshold Values				
1913						Order of Statistic, r	40			95% UTL with 95% Coverage		24
1914						Approx, f used to compute achieved CC	2.105			Approximate Actual Confidence Coefficient achieved by UTL		0.871
1915										Approximate Sample Size needed to achieve specified CC		59
1916						95% Percentile Bootstrap UTL with 95% Coverage	24			95% BCA Bootstrap UTL with 95% Coverage		24
1917						95% UPL	22.2			90% Percentile		20
1918						90% Chebyshev UPL	24.21			95% Percentile		20.4
1919						95% Chebyshev UPL	27.66			99% Percentile		23.34
1920						95% USL	24					
1921												
1922								Note: The use of USL tends to yield a conservative estimate of BTV, especially when the sample size starts exceeding 20.				
1923								Therefore, one may use USL to estimate a BTV only when the data set represents a background data set free of outliers				
1924								and consists of observations collected from clean unimpacted locations.				
1925								The use of USL tends to provide a balance between false positives and false negatives provided the data				
1926								represents a background data set and when many onsite observations need to be compared with the BTV.				
1927												
1928								SPEC. COND., FIELD (umhos/cm)				
1929												
1930								General Statistics				
1931						Total Number of Observations	41			Number of Distinct Observations		32
1932						Minimum	215			First Quartile		309
1933						Second Largest	590			Median		331
1934						Maximum	661			Third Quartile		350
1935						Mean	338.3			SD		80.14
1936						Coefficient of Variation	0.237			Skewness		2.31
1937						Mean of logged Data	5.802			SD of logged Data		0.207
1938												
1939								Critical Values for Background Threshold Values (BTVs)				
1940						Tolerance Factor K (For UTL)	2.11			d2max (for USL)		2.878
1941												
1942								Normal GOF Test				
1943						Shapiro Wilk Test Statistic	0.749			Shapiro Wilk GOF Test		
1944						5% Shapiro Wilk Critical Value	0.941			Data Not Normal at 5% Significance Level		
1945						Lilliefors Test Statistic	0.272			Lilliefors GOF Test		
1946						5% Lilliefors Critical Value	0.137			Data Not Normal at 5% Significance Level		
1947								Data Not Normal at 5% Significance Level				
1948												
1949								Background Statistics Assuming Normal Distribution				
1950						95% UTL with 95% Coverage	507.5			90% Percentile (z)		441

	A	B	C	D	E	F	G	H	I	J	K	L
1951					95% UPL (t)	474.9				95% Percentile (z)		470.2
1952					95% USL	569				99% Percentile (z)		524.8
1953												
1954							Gamma GOF Test					
1955					A-D Test Statistic	2.577				Anderson-Darling Gamma GOF Test		
1956					5% A-D Critical Value	0.747				Data Not Gamma Distributed at 5% Significance Level		
1957					K-S Test Statistic	0.235				Kolmogorov-Smirnov Gamma GOF Test		
1958					5% K-S Critical Value	0.138				Data Not Gamma Distributed at 5% Significance Level		
1959							Data Not Gamma Distributed at 5% Significance Level					
1960												
1961							Gamma Statistics					
1962					k hat (MLE)	22.42				k star (bias corrected MLE)		20.79
1963					Theta hat (MLE)	15.09				Theta star (bias corrected MLE)		16.27
1964					nu hat (MLE)	1838				nu star (bias corrected)		1705
1965					MLE Mean (bias corrected)	338.3				MLE Sd (bias corrected)		74.2
1966												
1967							Background Statistics Assuming Gamma Distribution					
1968					95% Wilson Hiltferty (WH) Approx. Gamma UPL	470.5				90% Percentile		436.2
1969					95% Hawkins Wixley (HW) Approx. Gamma UPL	470.4				95% Percentile		468.9
1970					95% WH Approx. Gamma UTL with 95% Coverage	508				99% Percentile		534.4
1971					95% HW Approx. Gamma UTL with 95% Coverage	508.7						
1972					95% WH USL	584.2				95% HW USL		587.5
1973												
1974							Lognormal GOF Test					
1975					Shapiro Wilk Test Statistic	0.857				Shapiro Wilk Lognormal GOF Test		
1976					5% Shapiro Wilk Critical Value	0.941				Data Not Lognormal at 5% Significance Level		
1977					Lilliefors Test Statistic	0.22				Lilliefors Lognormal GOF Test		
1978					5% Lilliefors Critical Value	0.137				Data Not Lognormal at 5% Significance Level		
1979							Data Not Lognormal at 5% Significance Level					
1980												
1981							Background Statistics assuming Lognormal Distribution					
1982					95% UTL with 95% Coverage	511.9				90% Percentile (z)		431.3
1983					95% UPL (t)	470.7				95% Percentile (z)		464.9
1984					95% USL	600				99% Percentile (z)		535.3
1985												
1986							Nonparametric Distribution Free Background Statistics					
1987							Data do not follow a Discernible Distribution (0.05)					
1988												
1989							Nonparametric Upper Limits for Background Threshold Values					
1990					Order of Statistic, r	41				95% UTL with 95% Coverage		661
1991					Approx, f used to compute achieved CC	2.158				Approximate Actual Confidence Coefficient achieved by UTL		0.878
1992										Approximate Sample Size needed to achieve specified CC		59
1993					95% Percentile Bootstrap UTL with 95% Coverage	661				95% BCA Bootstrap UTL with 95% Coverage		590
1994					95% UPL	577.6				90% Percentile		371
1995					90% Chebyshev UPL	581.7				95% Percentile		466
1996					95% Chebyshev UPL	691.9				99% Percentile		632.6
1997					95% USL	661						
1998												
1999							Note: The use of USL tends to yield a conservative estimate of BTV, especially when the sample size starts exceeding 20.					
2000							Therefore, one may use USL to estimate a BTV only when the data set represents a background data set free of outliers					

	A	B	C	D	E	F	G	H	I	J	K	L												
2051	Lognormal GOF Test																							
2052	Shapiro Wilk Test Statistic			0.835	Shapiro Wilk Lognormal GOF Test																			
2053	5% Shapiro Wilk Critical Value			0.941	Data Not Lognormal at 5% Significance Level																			
2054	Lilliefors Test Statistic			0.152	Lilliefors Lognormal GOF Test																			
2055	5% Lilliefors Critical Value			0.137	Data Not Lognormal at 5% Significance Level																			
2056	Data Not Lognormal at 5% Significance Level																							
2057																								
2058	Background Statistics assuming Lognormal Distribution																							
2059	95% UTL with 95% Coverage			487.2				90% Percentile (z)	411.1															
2060	95% UPL (t)			448.3				95% Percentile (z)	442.8															
2061	95% USL			570.2				99% Percentile (z)	509.3															
2062																								
2063	Nonparametric Distribution Free Background Statistics																							
2064	Data do not follow a Discernible Distribution (0.05)																							
2065																								
2066	Nonparametric Upper Limits for Background Threshold Values																							
2067	Order of Statistic, r			41				95% UTL with 95% Coverage	656															
2068	Approx, f used to compute achieved CC			2.158	Approximate Actual Confidence Coefficient achieved by UTL			0.878																
2069								Approximate Sample Size needed to achieve specified CC	59															
2070	95% Percentile Bootstrap UTL with 95% Coverage			656				95% BCA Bootstrap UTL with 95% Coverage	589															
2071	95% UPL			575.3				90% Percentile	381															
2072	90% Chebyshev UPL			570.7				95% Percentile	452															
2073	95% Chebyshev UPL			682.7				99% Percentile	629.2															
2074	95% USL			656																				
2075																								
2076	Note: The use of USL tends to yield a conservative estimate of BTV, especially when the sample size starts exceeding 20.																							
2077	Therefore, one may use USL to estimate a BTV only when the data set represents a background data set free of outliers																							
2078	and consists of observations collected from clean unimpacted locations.																							
2079	The use of USL tends to provide a balance between false positives and false negatives provided the data																							
2080	represents a background data set and when many onsite observations need to be compared with the BTV.																							
2081																								
2082	SULFATE (mg/L)																							
2083																								
2084	General Statistics																							
2085	Total Number of Observations			41				Number of Distinct Observations	38															
2086	Minimum			6.9				First Quartile	9.8															
2087	Second Largest			60.4				Median	12.3															
2088	Maximum			74				Third Quartile	23.3															
2089	Mean			20.28				SD	15.97															
2090	Coefficient of Variation			0.787				Skewness	1.75															
2091	Mean of logged Data			2.78				SD of logged Data	0.647															
2092																								
2093	Critical Values for Background Threshold Values (BTVs)																							
2094	Tolerance Factor K (For UTL)			2.11				d2max (for USL)	2.878															
2095																								
2096	Normal GOF Test																							
2097	Shapiro Wilk Test Statistic			0.766	Shapiro Wilk GOF Test																			
2098	5% Shapiro Wilk Critical Value			0.941				Data Not Normal at 5% Significance Level																
2099	Lilliefors Test Statistic			0.241				Lilliefors GOF Test																
2100	5% Lilliefors Critical Value			0.137				Data Not Normal at 5% Significance Level																

	A	B	C	D	E	F	G	H	I	J	K	L
2151					95% USL	74						
2152												
2153												Note: The use of USL tends to yield a conservative estimate of BTV, especially when the sample size starts exceeding 20.
2154												Therefore, one may use USL to estimate a BTV only when the data set represents a background data set free of outliers
2155												and consists of observations collected from clean unimpacted locations.
2156												The use of USL tends to provide a balance between false positives and false negatives provided the data
2157												represents a background data set and when many onsite observations need to be compared with the BTV.
2158												
2159					Total Dissolved Solids (mg/L)							
2160												
2161					General Statistics							
2162					Total Number of Observations	41						Number of Distinct Observations 39
2163					Minimum	135						First Quartile 199
2164					Second Largest	381						Median 238
2165					Maximum	433						Third Quartile 262
2166					Mean	236.4						SD 58.98
2167					Coefficient of Variation	0.249						Skewness 1.087
2168					Mean of logged Data	5.437						SD of logged Data 0.24
2169												
2170					Critical Values for Background Threshold Values (BTVs)							
2171					Tolerance Factor K (For UTL)	2.11						d2max (for USL) 2.878
2172												
2173					Normal GOF Test							
2174					Shapiro Wilk Test Statistic	0.926						Shapiro Wilk GOF Test
2175					5% Shapiro Wilk Critical Value	0.941						Data Not Normal at 5% Significance Level
2176					Lilliefors Test Statistic	0.123						Lilliefors GOF Test
2177					5% Lilliefors Critical Value	0.137						Data appear Normal at 5% Significance Level
2178					Data appear Approximate Normal at 5% Significance Level							
2179												
2180					Background Statistics Assuming Normal Distribution							
2181					95% UTL with 95% Coverage	360.9						90% Percentile (z) 312
2182					95% UPL (t)	337						95% Percentile (z) 333.5
2183					95% USL	406.2						99% Percentile (z) 373.6
2184												
2185					Gamma GOF Test							
2186					A-D Test Statistic	0.576						Anderson-Darling Gamma GOF Test
2187					5% A-D Critical Value	0.747						Detected data appear Gamma Distributed at 5% Significance Level
2188					K-S Test Statistic	0.0985						Kolmogorov-Smirnov Gamma GOF Test
2189					5% K-S Critical Value	0.138						Detected data appear Gamma Distributed at 5% Significance Level
2190					Data appear Gamma Distributed at 5% Significance Level							
2191												
2192					Gamma Statistics							
2193					k hat (MLE)	17.72						k star (bias corrected MLE) 16.44
2194					Theta hat (MLE)	13.34						Theta star (bias corrected MLE) 14.38
2195					nu hat (MLE)	1453						nu star (bias corrected) 1348
2196					MLE Mean (bias corrected)	236.4						MLE Sd (bias corrected) 58.32
2197												
2198					Background Statistics Assuming Gamma Distribution							
2199					95% Wilson Hilferty (WH) Approx. Gamma UPL	341.4						90% Percentile 313.6
2200					95% Hawkins Wixley (HW) Approx. Gamma UPL	342.3						95% Percentile 339.8

	A	B	C	D	E	F	G	H	I	J	K	L							
2251	The Project Team may decide to use alternative site specific values to estimate environmental parameters (e.g., EPC, BTV).																		
2252																			
2253	The data set for variable TETRACHLOROETHENE (ug/L) was not processed!																		
2254																			
2255																			
2256	TOTAL ORGANIC CARBON (mg/L)																		
2257																			
2258	General Statistics																		
2259	Total Number of Observations			41	Number of Missing Observations			0											
2260	Number of Distinct Observations			13															
2261	Number of Detects			12	Number of Non-Detects			29											
2262	Number of Distinct Detects			11	Number of Distinct Non-Detects			2											
2263	Minimum Detect			0.6	Minimum Non-Detect			0.5											
2264	Maximum Detect			1.4	Maximum Non-Detect			1											
2265	Variance Detected			0.0659	Percent Non-Detects			70.73%											
2266	Mean Detected			0.887	SD Detected			0.257											
2267	Mean of Detected Logged Data			-0.157	SD of Detected Logged Data			0.278											
2268																			
2269	Critical Values for Background Threshold Values (BTVs)																		
2270	Tolerance Factor K (For UTL)			2.11	d2max (for USL)			2.878											
2271																			
2272	Normal GOF Test on Detects Only																		
2273	Shapiro Wilk Test Statistic			0.912	Shapiro Wilk GOF Test														
2274	5% Shapiro Wilk Critical Value			0.859	Detected Data appear Normal at 5% Significance Level														
2275	Lilliefors Test Statistic			0.177	Lilliefors GOF Test														
2276	5% Lilliefors Critical Value			0.243	Detected Data appear Normal at 5% Significance Level														
2277	Detected Data appear Normal at 5% Significance Level																		
2278																			
2279	Kaplan Meier (KM) Background Statistics Assuming Normal Distribution																		
2280	KM Mean			0.707	KM SD			0.21											
2281	95% UTL95% Coverage			1.15	95% KM UPL (t)			1.065											
2282	90% KM Percentile (z)			0.976	95% KM Percentile (z)			1.052											
2283	99% KM Percentile (z)			1.195	95% KM USL			1.311											
2284																			
2285	DL/2 Substitution Background Statistics Assuming Normal Distribution																		
2286	Mean			0.589	SD			0.247											
2287	95% UTL95% Coverage			1.111	95% UPL (t)			1.01											
2288	90% Percentile (z)			0.906	95% Percentile (z)			0.996											
2289	99% Percentile (z)			1.164	95% USL			1.3											
2290	DL/2 is not a recommended method. DL/2 provided for comparisons and historical reasons																		
2291																			
2292	Gamma GOF Tests on Detected Observations Only																		
2293	A-D Test Statistic			0.365	Anderson-Darling GOF Test														
2294	5% A-D Critical Value			0.731	Detected data appear Gamma Distributed at 5% Significance Level														
2295	K-S Test Statistic			0.155	Kolmogorov-Smirnov GOF														
2296	5% K-S Critical Value			0.245	Detected data appear Gamma Distributed at 5% Significance Level														
2297	Detected data appear Gamma Distributed at 5% Significance Level																		
2298																			
2299	Gamma Statistics on Detected Data Only																		
2300	k hat (MLE)			13.9	k star (bias corrected MLE)			10.48											

	A	B	C	D	E	F	G	H	I	J	K	L		
2301					Theta hat (MLE)	0.0638				Theta star (bias corrected MLE)		0.0846		
2302					nu hat (MLE)	333.7				nu star (bias corrected)		251.6		
2303					MLE Mean (bias corrected)	0.887								
2304					MLE Sd (bias corrected)	0.274			95% Percentile of Chisquare (2kstar)			32.63		
2305														
2306					Gamma ROS Statistics using Imputed Non-Detects									
2307					GROS may not be used when data set has > 50% NDs with many tied observations at multiple DLs									
2308					GROS may not be used when kstar of detects is small such as <1.0, especially when the sample size is small (e.g., <15-20)									
2309					For such situations, GROS method may yield incorrect values of UCLs and BTVs									
2310					This is especially true when the sample size is small.									
2311					For gamma distributed detected data, BTVs and UCLs may be computed using gamma distribution on KM estimates									
2312					Minimum	0.231				Mean		0.674		
2313					Maximum	1.4				Median		0.66		
2314					SD	0.261				CV		0.387		
2315					k hat (MLE)	6.665			k star (bias corrected MLE)			6.194		
2316					Theta hat (MLE)	0.101			Theta star (bias corrected MLE)			0.109		
2317					nu hat (MLE)	546.6			nu star (bias corrected)			507.9		
2318					MLE Mean (bias corrected)	0.674			MLE Sd (bias corrected)			0.271		
2319					95% Percentile of Chisquare (2kstar)	21.55			90% Percentile			1.035		
2320					95% Percentile	1.172			99% Percentile			1.457		
2321					The following statistics are computed using Gamma ROS Statistics on Imputed Data									
2322					Upper Limits using Wilson Hilferty (WH) and Hawkins Wixley (HW) Methods									
2323					WH	HW				WH		HW		
2324					95% Approx. Gamma UTL with 95% Coverage	1.345	1.371		95% Approx. Gamma UPL	1.182		1.196		
2325					95% Gamma USL	1.693	1.754							
2326														
2327					Estimates of Gamma Parameters using KM Estimates									
2328					Mean (KM)	0.707			SD (KM)			0.21		
2329					Variance (KM)	0.0441			SE of Mean (KM)			0.0456		
2330					k hat (KM)	11.32			k star (KM)			10.51		
2331					nu hat (KM)	928.3			nu star (KM)			861.7		
2332					theta hat (KM)	0.0624			theta star (KM)			0.0672		
2333					80% gamma percentile (KM)	0.881			90% gamma percentile (KM)			0.996		
2334					95% gamma percentile (KM)	1.099			99% gamma percentile (KM)			1.31		
2335														
2336					The following statistics are computed using gamma distribution and KM estimates									
2337					Upper Limits using Wilson Hilferty (WH) and Hawkins Wixley (HW) Methods									
2338					WH	HW				WH		HW		
2339					95% Approx. Gamma UTL with 95% Coverage	1.178	1.184		95% Approx. Gamma UPL	1.07		1.072		
2340					95% KM Gamma Percentile	1.055	1.056		95% Gamma USL	1.402		1.419		
2341														
2342					Lognormal GOF Test on Detected Observations Only									
2343					Shapiro Wilk Test Statistic	0.941			Shapiro Wilk GOF Test					
2344					5% Shapiro Wilk Critical Value	0.859			Detected Data appear Lognormal at 5% Significance Level					
2345					Lilliefors Test Statistic	0.151			Lilliefors GOF Test					
2346					5% Lilliefors Critical Value	0.243			Detected Data appear Lognormal at 5% Significance Level					
2347					Detected Data appear Lognormal at 5% Significance Level									
2348														
2349					Background Lognormal ROS Statistics Assuming Lognormal Distribution Using Imputed Non-Detects									
2350					Mean in Original Scale	0.695			Mean in Log Scale			-0.415		

	A	B	C	D	E	F	G	H	I	J	K	L
2401												
2402												The data set for variable TOLUENE (mg/L) was not processed!
2403												
2404												
2405	TOTAL PHENOLICS (mg/L)											
2406												
2407												General Statistics
2408					Total Number of Observations	44						Number of Missing Observations 0
2409					Number of Distinct Observations	2						
2410					Number of Detects	2						Number of Non-Detects 42
2411					Number of Distinct Detects	1						Number of Distinct Non-Detects 2
2412					Minimum Detect	0.01						Minimum Non-Detect 0.005
2413					Maximum Detect	0.01						Maximum Non-Detect 0.01
2414					Variance Detected	0						Percent Non-Detects 95.45%
2415					Mean Detected	0.01						SD Detected 0
2416					Mean of Detected Logged Data	-4.605						SD of Detected Logged Data 0
2417												
2418												Warning: Only one distinct data value was detected! ProUCL (or any other software) should not be used on such a data set!
2419												It is suggested to use alternative site specific values determined by the Project Team to estimate environmental parameters (e.g., EPC, BTV).
2420												
2421												The data set for variable TOTAL PHENOLICS (mg/L) was not processed!
2422												
2423												
2424	TRANS 1,2-DICHLOROETHENE (ug/L)											
2425												
2426												General Statistics
2427					Total Number of Observations	44						Number of Missing Observations 0
2428					Number of Distinct Observations	1						
2429					Number of Detects	0						Number of Non-Detects 44
2430					Number of Distinct Detects	0						Number of Distinct Non-Detects 1
2431					Minimum Detect	N/A						Minimum Non-Detect 1
2432					Maximum Detect	N/A						Maximum Non-Detect 1
2433					Variance Detected	N/A						Percent Non-Detects 100%
2434					Mean Detected	N/A						SD Detected N/A
2435					Mean of Detected Logged Data	N/A						SD of Detected Logged Data N/A
2436												
2437												Warning: All observations are Non-Detects (NDs), therefore all statistics and estimates should also be NDs!
2438												Specifically, sample mean, UCLs, UPLs, and other statistics are also NDs lying below the largest detection limit!
2439												The Project Team may decide to use alternative site specific values to estimate environmental parameters (e.g., EPC, BTV).
2440												
2441												The data set for variable TRANS 1,2-DICHLOROETHENE (ug/L) was not processed!
2442												
2443												
2444	TRICHLOROETHENE (ug/L)											
2445												
2446												General Statistics
2447					Total Number of Observations	44						Number of Missing Observations 0
2448					Number of Distinct Observations	1						
2449					Number of Detects	0						Number of Non-Detects 44
2450					Number of Distinct Detects	0						Number of Distinct Non-Detects 1

	A	B	C	D	E	F	G	H	I	J	K	L
2451					Minimum Detect	N/A				Minimum Non-Detect	1	
2452					Maximum Detect	N/A				Maximum Non-Detect	1	
2453					Variance Detected	N/A				Percent Non-Detects	100%	
2454					Mean Detected	N/A				SD Detected	N/A	
2455					Mean of Detected Logged Data	N/A				SD of Detected Logged Data	N/A	
2456												
2457												Warning: All observations are Non-Detects (NDs), therefore all statistics and estimates should also be NDs!
2458												Specifically, sample mean, UCLs, UPLs, and other statistics are also NDs lying below the largest detection limit!
2459												The Project Team may decide to use alternative site specific values to estimate environmental parameters (e.g., EPC, BTV).
2460												
2461												The data set for variable TRICHLOROETHENE (ug/L) was not processed!
2462												
2463												
2464					TURBIDITY (NTU)							
2465												
2466										General Statistics		
2467					Total Number of Observations	44				Number of Missing Observations	0	
2468					Number of Distinct Observations	29						
2469					Number of Detects	37				Number of Non-Detects	7	
2470					Number of Distinct Detects	28				Number of Distinct Non-Detects	1	
2471					Minimum Detect	0.11				Minimum Non-Detect	0.1	
2472					Maximum Detect	10.1				Maximum Non-Detect	0.1	
2473					Variance Detected	3.434				Percent Non-Detects	15.91%	
2474					Mean Detected	0.826				SD Detected	1.853	
2475					Mean of Detected Logged Data	-1.038				SD of Detected Logged Data	1.05	
2476												
2477										Critical Values for Background Threshold Values (BTVs)		
2478					Tolerance Factor K (For UTL)	2.091				d2max (for USL)	2.906	
2479												
2480										Normal GOF Test on Detects Only		
2481					Shapiro Wilk Test Statistic	0.405				Shapiro Wilk GOF Test		
2482					5% Shapiro Wilk Critical Value	0.936				Data Not Normal at 5% Significance Level		
2483					Lilliefors Test Statistic	0.401				Lilliefors GOF Test		
2484					5% Lilliefors Critical Value	0.144				Data Not Normal at 5% Significance Level		
2485										Data Not Normal at 5% Significance Level		
2486												
2487										Kaplan Meier (KM) Background Statistics Assuming Normal Distribution		
2488					KM Mean	0.71				KM SD	1.697	
2489					95% UTL95% Coverage	4.259				95% KM UPL (t)	3.596	
2490					90% KM Percentile (z)	2.886				95% KM Percentile (z)	3.502	
2491					99% KM Percentile (z)	4.659				95% KM USL	5.643	
2492												
2493										DL/2 Substitution Background Statistics Assuming Normal Distribution		
2494					Mean	0.703				SD	1.72	
2495					95% UTL95% Coverage	4.299				95% UPL (t)	3.626	
2496					90% Percentile (z)	2.907				95% Percentile (z)	3.531	
2497					99% Percentile (z)	4.703				95% USL	5.701	
2498										DL/2 is not a recommended method. DL/2 provided for comparisons and historical reasons		
2499												
2500										Gamma GOF Tests on Detected Observations Only		

	A	B	C	D	E	F	G	H	I	J	K	L
2501					A-D Test Statistic	4.196						Anderson-Darling GOF Test
2502					5% A-D Critical Value	0.792						Data Not Gamma Distributed at 5% Significance Level
2503					K-S Test Statistic	0.277						Kolmogorov-Smirnov GOF
2504					5% K-S Critical Value	0.151						Data Not Gamma Distributed at 5% Significance Level
2505												Data Not Gamma Distributed at 5% Significance Level
2506												
2507												Gamma Statistics on Detected Data Only
2508					k hat (MLE)	0.712						k star (bias corrected MLE) 0.673
2509					Theta hat (MLE)	1.16						Theta star (bias corrected MLE) 1.228
2510					nu hat (MLE)	52.71						nu star (bias corrected) 49.77
2511					MLE Mean (bias corrected)	0.826						
2512					MLE Sd (bias corrected)	1.007						95% Percentile of Chisquare (2kstar) 4.645
2513												
2514												Gamma ROS Statistics using Imputed Non-Detects
2515												GROS may not be used when data set has > 50% NDs with many tied observations at multiple DLs
2516												GROS may not be used when kstar of detects is small such as <1.0, especially when the sample size is small (e.g., <15-20)
2517												For such situations, GROS method may yield incorrect values of UCLs and BTVs
2518												This is especially true when the sample size is small.
2519												For gamma distributed detected data, BTVs and UCLs may be computed using gamma distribution on KM estimates
2520					Minimum	0.01						Mean 0.696
2521					Maximum	10.1						Median 0.235
2522					SD	1.722						CV 2.474
2523					k hat (MLE)	0.51						k star (bias corrected MLE) 0.49
2524					Theta hat (MLE)	1.366						Theta star (bias corrected MLE) 1.421
2525					nu hat (MLE)	44.84						nu star (bias corrected) 43.11
2526					MLE Mean (bias corrected)	0.696						MLE Sd (bias corrected) 0.995
2527					95% Percentile of Chisquare (2kstar)	3.792						90% Percentile 1.891
2528					95% Percentile	2.694						99% Percentile 4.67
2529												The following statistics are computed using Gamma ROS Statistics on Imputed Data
2530												Upper Limits using Wilson Hilmerty (WH) and Hawkins Wixley (HW) Methods
2531						WH	HW					WH HW
2532					95% Approx. Gamma UTL with 95% Coverage	3.191	3.303					95% Approx. Gamma UPL 2.315 2.3
2533					95% Gamma USL	5.676	6.413					
2534												
2535												Estimates of Gamma Parameters using KM Estimates
2536					Mean (KM)	0.71						SD (KM) 1.697
2537					Variance (KM)	2.88						SE of Mean (KM) 0.259
2538					k hat (KM)	0.175						k star (KM) 0.178
2539					nu hat (KM)	15.42						nu star (KM) 15.7
2540					theta hat (KM)	4.054						theta star (KM) 3.982
2541					80% gamma percentile (KM)	0.877						90% gamma percentile (KM) 2.142
2542					95% gamma percentile (KM)	3.766						99% gamma percentile (KM) 8.327
2543												
2544												The following statistics are computed using gamma distribution and KM estimates
2545												Upper Limits using Wilson Hilmerty (WH) and Hawkins Wixley (HW) Methods
2546						WH	HW					WH HW
2547					95% Approx. Gamma UTL with 95% Coverage	2.87	2.759					95% Approx. Gamma UPL 2.14 2.009
2548					95% KM Gamma Percentile	2.048	1.917					95% Gamma USL 4.89 4.977
2549												
2550												Lognormal GOF Test on Detected Observations Only

	A	B	C	D	E	F	G	H	I	J	K	L		
2551	Shapiro Wilk Test Statistic		0.855	Shapiro Wilk GOF Test										
2552	5% Shapiro Wilk Critical Value		0.936	Data Not Lognormal at 5% Significance Level										
2553	Lilliefors Test Statistic		0.143	Lilliefors GOF Test										
2554	5% Lilliefors Critical Value		0.144	Detected Data appear Lognormal at 5% Significance Level										
2555	Detected Data appear Approximate Lognormal at 5% Significance Level													
2556														
2557	Background Lognormal ROS Statistics Assuming Lognormal Distribution Using Imputed Non-Detects													
2558	Mean in Original Scale		0.7	Mean in Log Scale		-1.409								
2559	SD in Original Scale		1.721	SD in Log Scale		1.303								
2560	95% UTL95% Coverage		3.729	95% BCA UTL95% Coverage		9.076								
2561	95% Bootstrap (%) UTL95% Coverage		9.407	95% UPL (t)		2.241								
2562	90% Percentile (z)		1.299	95% Percentile (z)		2.085								
2563	99% Percentile (z)		5.068	95% USL		10.79								
2564														
2565	Statistics using KM estimates on Logged Data and Assuming Lognormal Distribution													
2566	KM Mean of Logged Data		-1.239	95% KM UTL (Lognormal)95% Coverage		2.641								
2567	KM SD of Logged Data		1.057	95% KM UPL (Lognormal)		1.747								
2568	95% KM Percentile Lognormal (z)		1.648	95% KM USL (Lognormal)		6.251								
2569														
2570	Background DL/2 Statistics Assuming Lognormal Distribution													
2571	Mean in Original Scale		0.703	Mean in Log Scale		-1.349								
2572	SD in Original Scale		1.72	SD in Log Scale		1.204								
2573	95% UTL95% Coverage		3.215	95% UPL (t)		2.008								
2574	90% Percentile (z)		1.213	95% Percentile (z)		1.879								
2575	99% Percentile (z)		4.267	95% USL		8.576								
2576	DL/2 is not a Recommended Method. DL/2 provided for comparisons and historical reasons.													
2577														
2578	Nonparametric Distribution Free Background Statistics													
2579	Data appear to follow a Discernible Distribution at 5% Significance Level													
2580														
2581	Nonparametric Upper Limits for BTVs(no distinction made between detects and nondetects)													
2582	Order of Statistic, r		44	95% UTL with95% Coverage		10.1								
2583	Approx, f used to compute achieved CC		2.316	Approximate Actual Confidence Coefficient achieved by UTL		0.895								
2584	Approximate Sample Size needed to achieve specified CC		59	95% UPL		4.928								
2585	95% USL		10.1	95% KM Chebyshev UPL		8.192								
2586														
2587	Note: The use of USL tends to yield a conservative estimate of BTV, especially when the sample size starts exceeding 20.													
2588	Therefore, one may use USL to estimate a BTV only when the data set represents a background data set free of outliers													
2589	and consists of observations collected from clean unimpacted locations.													
2590	The use of USL tends to provide a balance between false positives and false negatives provided the data													
2591	represents a background data set and when many onsite observations need to be compared with the BTV.													
2592														
2593	VINYL CHLORIDE (ug/L)													
2594														
2595	General Statistics													
2596	Total Number of Observations		44	Number of Missing Observations		0								
2597	Number of Distinct Observations		1											
2598	Number of Detects		0	Number of Non-Detects		44								
2599	Number of Distinct Detects		0	Number of Distinct Non-Detects		1								
2600	Minimum Detect		N/A	Minimum Non-Detect		1								

I.D. No	101389
Monitoring Point No.	FFMP015W
Sample Date	11/18/2019

FORM 19**QUARTERLY AND ANNUAL WATER QUALITY ANALYSES****ANALYTES**

1-Q. Inorganics (Enter all data in mg/l except as noted)

ANALYTE	VALUE ^T	ANALYSIS METHOD NUMBER
AMMONIA-NITROGEN	0.1 ND	D6919-09
BICARBONATE ALKALINITY	19	SM20-2320B
CALCIUM, TOTAL	11.7	SW846 6010C
CALCIUM, DISSOLVED		SW846 6010C
COD (CHEMICAL OXYGEN DEMAND)	15 ND	EPA 410.4
CHLORIDE	13.4	EPA 300
FLUORIDE	0.2 ND	EPA 300
IRON, TOTAL (ug/l)	67 ND	SW846 6010C
IRON, DISSOLVED (ug/l)		SW846 6010C
MAGNESIUM, TOTAL	12	SW846 6010C
MAGNESIUM, DISSOLVED		SW846 6010C
MANGANESE, TOTAL (ug/l)	30	SW846 6010C
MANGANESE, DISSOLVED (ug/l)		SW846 6010C
NITRATE-NITROGEN	14.9	EPA 300
pH-FIELD (SU)	5.31	FIELD
pH-LAB (SU)	5.92	SM20-4500HB
POTASSIUM, TOTAL	2.1	SW846 6010C
POTASSIUM, DISSOLVED		SW846 6010C
SODIUM, TOTAL	18.9	SW846 6010C
SODIUM, DISSOLVED		SW846 6010C
SPEC. COND., FIELD (umhos/cm)	293	FIELD
SPEC. COND., LAB (umhos/cm)	252	SW846 9050A
SULFATE	36.5	EPA 300
ALKALINITY	19	SM20-2320B
TDS (TOT. DISSOLVED SOLIDS)	304	SM20-2540C
TOC (TOTAL ORGANIC CARBON)	1	SW846 9060A
TOTAL PHENOLICS (ug/l)	5 ND	SW846 9066
TURBIDITY (N.T.U.)	0.1 ND	SM 2130B

* Indicator Analyte - For comparison with detection zone analytes.

T Please indicate detection limit if analyte is not detected.

** Total and dissolved analysis required only in conjunction with additional annual metals sampling (see page 4).

Remaining quarterly samples only require total metals analysis.

I.D. No	101389
Monitoring Point No.	FFMP015W
Sample Date	11/18/2019

FORM 19**QUARTERLY AND ANNUAL WATER QUALITY ANALYSES**

2-Q. Organics (Enter all data in ug/l)

ANALYTE	VALUE ^T	ANALYSIS METHOD NUMBER
BENZENE	1 ND	SW846 8260B
1,2-DIBROMOETHANE	1 ND	SW846 8260B
1,1-DICHLOROETHANE	1 ND	SW846 8260B
1,1-DICHLOROETHENE	1 ND	SW846 8260B
1,2-DICHLOROETHANE	1 ND	SW846 8260B
CIS 1,2-DICHLOROETHENE	1 ND	SW846 8260B
TRANS 1,2-DICHLOROETHENE	1 ND	SW846 8260B
ETHYLBENZENE	1 ND	SW846 8260B
METHYLENE CHLORIDE	1 ND	SW846 8260B
TETRACHLOROETHENE	1 ND	SW846 8260B
TOLUENE	1 ND	SW846 8260B
1,1,1-TRICHLOROETHANE	1 ND	SW846 8260B
TRICHLOROETHENE	1 ND	SW846 8260B
VINYL CHLORIDE	1 ND	SW846 8260B
XYLEMES (TOTAL)	3 ND	SW846 8260B

T Please indicate detection limit if analyte is not detected.

**COMMONWEALTH OF PENNSYLVANIA
DEPARTMENT OF ENVIRONMENTAL PROTECTION
BUREAU OF WASTE MANAGEMENT**



Date Prepared/Revised

01/09/2020

DEP USE ONLY

Date Received

FORM 19

**MUNICIPAL WASTE LANDFILL
QUARTERLY AND ANNUAL WATER QUALITY ANALYSES**

This form must be fully and accurately completed. All required information must be typed or legibly printed in the spaces provided. If additional space is necessary, identify each attached sheet as Form 19, reference the item number and identify the date prepared. The "date prepared/revised" on any attached sheets needs to match the "date prepared/revised" on this page.

General Reference: Section 273.284

Federal Regulations, Subtitle D: 258.54 and Appendix I to Part 258.

SECTION A. APPLICANT IDENTIFIER

Applicant/permittee: Lancaster County Solid Waste Mana

Site Name: Frey Farm Landfill

Facility ID (as issued by DEP): 101389

SECTION B. FACILITY INFORMATION

Monitoring Wells must be designed and constructed in accordance with Department Standards. INDICATE THE LATITUDE AND LONGITUDE TO THE NEAREST ONE TENTH OF A SECOND (D° MM' SS.S")

Monitoring Point Number: FFMP028W Well Spring Stream Other
 Upgradient/Upstream Downgradient/Downstream

Location (County): Lancaster County Municipality: Manor TownshipSampling Point: Latitude: 37 ° 57' 21.62" Longitude: 76 ° 27' 0.1"Depth to Water Level: 12.31 ft Measured from: Land Surface TOCCasing Stickup: 2.50 ft Elevation of Water Level: 452.69 ft./MSLSampling Depth: 50 ft Volume of Water Column: _____ galTotal Well Depth: 60 ft Sampling Method: Pumped Bailed GrabWell Purged: Yes No Well Volumes Purged: 2.3Sample Field Filtered (must be 0.45 micron)?: Yes No

Spring Flow Rate: _____ gpm

Sample Date (mm/dd/yy): 11/18/2019 Sample Collection Time: 13:45Sample Collector's Name: Mr. Brian G ShadeSample Collector's Affiliation: ALSLaboratory(ies) Performing Analysis: ALS EnvironmentalWere any holding times exceeded?: Yes No If yes, please explain in comments field.Lab Accreditation Number(s): 22-293Lab Sample Number(s): 3070614002 Final Lab Analysis Completion Date: 11/27/2019Name/Affiliation of Person who Filled Out Form: Nick R. Rogers

Comments: _____

I.D. No	101389
Monitoring Point No.	FFMP028W
Sample Date	11/18/2019

FORM 19**QUARTERLY AND ANNUAL WATER QUALITY ANALYSES****ANALYTES**

1-Q. Inorganics (Enter all data in mg/l except as noted)

ANALYTE	VALUE ^T	ANALYSIS METHOD NUMBER
AMMONIA-NITROGEN	0.1 ND	D6919-09
BICARBONATE ALKALINITY	34	SM20-2320B
CALCIUM, TOTAL	41.4	SW846 6010C
CALCIUM, DISSOLVED		SW846 6010C
COD (CHEMICAL OXYGEN DEMAND)	15 ND	EPA 410.4
CHLORIDE	89.4	EPA 300
FLUORIDE	0.2 ND	EPA 300
IRON, TOTAL (ug/l)	67 ND	SW846 6010C
IRON, DISSOLVED (ug/l)		SW846 6010C
MAGNESIUM, TOTAL	17.5	SW846 6010C
MAGNESIUM, DISSOLVED		SW846 6010C
MANGANESE, TOTAL (ug/l)	9.2	SW846 6010C
MANGANESE, DISSOLVED (ug/l)		SW846 6010C
NITRATE-NITROGEN	18.6	EPA 300
pH-FIELD (SU)	5.44	FIELD
pH-LAB (SU)	6.01	SM20-4500HB
POTASSIUM, TOTAL	2.2	SW846 6010C
POTASSIUM, DISSOLVED		SW846 6010C
SODIUM, TOTAL	28	SW846 6010C
SODIUM, DISSOLVED		SW846 6010C
SPEC. COND., FIELD (umhos/cm)	573	FIELD
SPEC. COND., LAB (umhos/cm)	552	SW846 9050A
SULFATE	26.7	EPA 300
ALKALINITY	34	SM20-2320B
TDS (TOT. DISSOLVED SOLIDS)	426	SM20-2540C
TOC (TOTAL ORGANIC CARBON)	1.1	SW846 9060A
TOTAL PHENOLICS (ug/l)	5 ND	SW846 9066
TURBIDITY (N.T.U.)	0.1 ND	SM 2130B

* Indicator Analyte - For comparison with detection zone analytes.

T Please indicate detection limit if analyte is not detected.

** Total and dissolved analysis required only in conjunction with additional annual metals sampling (see page 4).

Remaining quarterly samples only require total metals analysis.

I.D. No	101389
Monitoring Point No.	FFMP028W
Sample Date	11/18/2019

FORM 19**QUARTERLY AND ANNUAL WATER QUALITY ANALYSES**

2-Q. Organics (Enter all data in ug/l)

ANALYTE	VALUE ^T	ANALYSIS METHOD NUMBER
BENZENE	1 ND	SW846 8260B
1,2-DIBROMOETHANE	1 ND	SW846 8260B
1,1-DICHLOROETHANE	1 ND	SW846 8260B
1,1-DICHLOROETHENE	1 ND	SW846 8260B
1,2-DICHLOROETHANE	1 ND	SW846 8260B
CIS 1,2-DICHLOROETHENE	1 ND	SW846 8260B
TRANS 1,2-DICHLOROETHENE	1 ND	SW846 8260B
ETHYLBENZENE	1 ND	SW846 8260B
METHYLENE CHLORIDE	1.1	SW846 8260B
TETRACHLOROETHENE	1 ND	SW846 8260B
TOLUENE	1 ND	SW846 8260B
1,1,1-TRICHLOROETHANE	1 ND	SW846 8260B
TRICHLOROETHENE	1 ND	SW846 8260B
VINYL CHLORIDE	1 ND	SW846 8260B
XYLEMES (TOTAL)	3 ND	SW846 8260B

T Please indicate detection limit if analyte is not detected.

**COMMONWEALTH OF PENNSYLVANIA
DEPARTMENT OF ENVIRONMENTAL PROTECTION
BUREAU OF WASTE MANAGEMENT**



Date Prepared/Revised

01/09/2020

DEP USE ONLY

Date Received

FORM 19

**MUNICIPAL WASTE LANDFILL
QUARTERLY AND ANNUAL WATER QUALITY ANALYSES**

This form must be fully and accurately completed. All required information must be typed or legibly printed in the spaces provided. If additional space is necessary, identify each attached sheet as Form 19, reference the item number and identify the date prepared. The "date prepared/revised" on any attached sheets needs to match the "date prepared/revised" on this page.

General Reference: Section 273.284

Federal Regulations, Subtitle D: 258.54 and Appendix I to Part 258.

SECTION A. APPLICANT IDENTIFIER

Applicant/permittee: Lancaster County Solid Waste Mana

Site Name: Frey Farm Landfill

Facility ID (as issued by DEP): 101389

SECTION B. FACILITY INFORMATION

Monitoring Wells must be designed and constructed in accordance with Department Standards. INDICATE THE LATITUDE AND LONGITUDE TO THE NEAREST ONE TENTH OF A SECOND (D° MM' SS.S")

Monitoring Point Number: FFMP033W Well Spring Stream Other
 Upgradient/Upstream Downgradient/Downstream

Location (County): Lancaster County Municipality: MANOR TOWNSHIPSampling Point: Latitude: 39 ° 57' 31.09" Longitude: 76 ° 27' 4.98"Depth to Water Level: 18.11 ft Measured from: Land Surface TOCCasing Stickup: 0.49 ft Elevation of Water Level: 498.41 ft./MSLSampling Depth: 79 ft Volume of Water Column: 114.39 galTotal Well Depth: 96 ft Sampling Method: Pumped Bailed GrabWell Purged: Yes No Well Volumes Purged: 1.0Sample Field Filtered (must be 0.45 micron)?: Yes NoSpring Flow Rate: gpmSample Date (mm/dd/yy): 11/18/2019 Sample Collection Time: 15:03Sample Collector's Name: Mr. Brian G ShadeSample Collector's Affiliation: ALSLaboratory(ies) Performing Analysis: ALS EnvironmentalWere any holding times exceeded?: Yes No If yes, please explain in comments field.Lab Accreditation Number(s): 22-293Lab Sample Number(s): 3070614003 Final Lab Analysis Completion Date: 11/27/2019Name/Affiliation of Person who Filled Out Form: Nick R. Rogers

Comments: _____

I.D. No	101389
Monitoring Point No.	FFMP033W
Sample Date	11/18/2019

FORM 19**QUARTERLY AND ANNUAL WATER QUALITY ANALYSES****ANALYTES**

1-Q. Inorganics (Enter all data in mg/l except as noted)

ANALYTE	VALUE ^T	ANALYSIS METHOD NUMBER
AMMONIA-NITROGEN	0.702	D6919-09
BICARBONATE ALKALINITY	55	SM20-2320B
CALCIUM, TOTAL	26.7	SW846 6010C
CALCIUM, DISSOLVED		SW846 6010C
COD (CHEMICAL OXYGEN DEMAND)	15 ND	EPA 410.4
CHLORIDE	39.2	EPA 300
FLUORIDE	0.2 ND	EPA 300
IRON, TOTAL (ug/l)	6000	SW846 6010C
IRON, DISSOLVED (ug/l)		SW846 6010C
MAGNESIUM, TOTAL	9	SW846 6010C
MAGNESIUM, DISSOLVED		SW846 6010C
MANGANESE, TOTAL (ug/l)	490	SW846 6010C
MANGANESE, DISSOLVED (ug/l)		SW846 6010C
NITRATE-NITROGEN	11.6	EPA 300
pH-FIELD (SU)	5.82	FIELD
pH-LAB (SU)	6.46	SM20-4500HB
POTASSIUM, TOTAL	1.7	SW846 6010C
POTASSIUM, DISSOLVED		SW846 6010C
SODIUM, TOTAL	14.1	SW846 6010C
SODIUM, DISSOLVED		SW846 6010C
SPEC. COND., FIELD (umhos/cm)	351	FIELD
SPEC. COND., LAB (umhos/cm)	294	SW846 9050A
SULFATE	7.4	EPA 300
ALKALINITY	55	SM20-2320B
TDS (TOT. DISSOLVED SOLIDS)	284	SM20-2540C
TOC (TOTAL ORGANIC CARBON)	0.5 ND	SW846 9060A
TOTAL PHENOLICS (ug/l)	5 ND	SW846 9066
TURBIDITY (N.T.U.)	5.81	SM 2130B

* Indicator Analyte - For comparison with detection zone analytes.

T Please indicate detection limit if analyte is not detected.

** Total and dissolved analysis required only in conjunction with additional annual metals sampling (see page 4).

Remaining quarterly samples only require total metals analysis.

I.D. No	101389
Monitoring Point No.	FFMP033W
Sample Date	11/18/2019

FORM 19**QUARTERLY AND ANNUAL WATER QUALITY ANALYSES****2-Q. Organics (Enter all data in ug/l)**

ANALYTE	VALUE ^T	ANALYSIS METHOD NUMBER
BENZENE	1 ND	SW846 8260B
1,2-DIBROMOETHANE	1 ND	SW846 8260B
1,1-DICHLOROETHANE	1 ND	SW846 8260B
1,1-DICHLOROETHENE	1 ND	SW846 8260B
1,2-DICHLOROETHANE	1 ND	SW846 8260B
CIS 1,2-DICHLOROETHENE	1 ND	SW846 8260B
TRANS 1,2-DICHLOROETHENE	1 ND	SW846 8260B
ETHYLBENZENE	1 ND	SW846 8260B
METHYLENE CHLORIDE	1 ND	SW846 8260B
TETRACHLOROETHENE	1 ND	SW846 8260B
TOLUENE	1 ND	SW846 8260B
1,1,1-TRICHLOROETHANE	1 ND	SW846 8260B
TRICHLOROETHENE	1 ND	SW846 8260B
VINYL CHLORIDE	1 ND	SW846 8260B
XYLEMES (TOTAL)	3 ND	SW846 8260B

T Please indicate detection limit if analyte is not detected.

**COMMONWEALTH OF PENNSYLVANIA
DEPARTMENT OF ENVIRONMENTAL PROTECTION
BUREAU OF WASTE MANAGEMENT**



Date Prepared/Revised

01/09/2020

DEP USE ONLY

Date Received

FORM 19

**MUNICIPAL WASTE LANDFILL
QUARTERLY AND ANNUAL WATER QUALITY ANALYSES**

This form must be fully and accurately completed. All required information must be typed or legibly printed in the spaces provided. If additional space is necessary, identify each attached sheet as Form 19, reference the item number and identify the date prepared. The "date prepared/revised" on any attached sheets needs to match the "date prepared/revised" on this page.

General Reference: Section 273.284

Federal Regulations, Subtitle D: 258.54 and Appendix I to Part 258.

SECTION A. APPLICANT IDENTIFIER

Applicant/permittee: Lancaster County Solid Waste Mana

Site Name: Frey Farm Landfill

Facility ID (as issued by DEP): 101389

SECTION B. FACILITY INFORMATION

Monitoring Wells must be designed and constructed in accordance with Department Standards. INDICATE THE LATITUDE AND LONGITUDE TO THE NEAREST ONE TENTH OF A SECOND (D° MM' SS.S")

Monitoring Point Number: FFMP30RW Well Spring Stream Other
 Upgradient/Upstream Downgradient/Downstream

Location (County): Lancaster County Municipality: Manor Township

Sampling Point: Latitude: 39 ° 57 ' 15.52 " Longitude: 76 ° 27 ' 26.8 "

Depth to Water Level: 36.45 ft Measured from: Land Surface TOC

Casing Stickup: 2.20 ft Elevation of Water Level: 525.85 ft./MSL

Sampling Depth: 85 ft Volume of Water Column: 78.65 gal

Total Well Depth: 90 ft Sampling Method: Pumped Bailed GrabWell Purged: Yes No Well Volumes Purged: 1.4Sample Field Filtered (must be 0.45 micron)?: Yes No

Spring Flow Rate: gpm

Sample Date (mm/dd/yy): 11/19/2019 Sample Collection Time: 10:59

Sample Collector's Name: Mr. Brian G Shade

Sample Collector's Affiliation: ALS

Laboratory(ies) Performing Analysis: ALS Environmental

Were any holding times exceeded?: Yes No If yes, please explain in comments field.

Lab Accreditation Number(s): 22-293

Lab Sample Number(s): 3070806001 Final Lab Analysis Completion Date: 11/26/2019

Name/Affiliation of Person who Filled Out Form: Nick R. Rogers

Comments:

I.D. No	101389
Monitoring Point No.	FFMP30RW
Sample Date	11/19/2019

FORM 19**QUARTERLY AND ANNUAL WATER QUALITY ANALYSES****ANALYTES**

1-Q. Inorganics (Enter all data in mg/l except as noted)

ANALYTE	VALUE ^T	ANALYSIS METHOD NUMBER
AMMONIA-NITROGEN	0.159	D6919-09
BICARBONATE ALKALINITY	42	SM20-2320B
CALCIUM, TOTAL	43.1	SW846 6010C
CALCIUM, DISSOLVED		SW846 6010C
COD (CHEMICAL OXYGEN DEMAND)	15 ND	EPA 410.4
CHLORIDE	229	EPA 300
FLUORIDE	0.2 ND	EPA 300
IRON, TOTAL (ug/l)	270	SW846 6010C
IRON, DISSOLVED (ug/l)		SW846 6010C
MAGNESIUM, TOTAL	16.9	SW846 6010C
MAGNESIUM, DISSOLVED		SW846 6010C
MANGANESE, TOTAL (ug/l)	3000	SW846 6010C
MANGANESE, DISSOLVED (ug/l)		SW846 6010C
NITRATE-NITROGEN	5.9	EPA 300
pH-FIELD (SU)	5.39	FIELD
pH-LAB (SU)	6.17	SM20-4500HB
POTASSIUM, TOTAL	6.8	SW846 6010C
POTASSIUM, DISSOLVED		SW846 6010C
SODIUM, TOTAL	112	SW846 6010C
SODIUM, DISSOLVED		SW846 6010C
SPEC. COND., FIELD (umhos/cm)	1008	FIELD
SPEC. COND., LAB (umhos/cm)	1090	SW846 9050A
SULFATE	32.9	EPA 300
ALKALINITY	42	SM20-2320B
TDS (TOT. DISSOLVED SOLIDS)	626	SM20-2540C
TOC (TOTAL ORGANIC CARBON)	1.3	SW846 9060A
TOTAL PHENOLICS (ug/l)	5 ND	SW846 9066
TURBIDITY (N.T.U.)	3.07	SM 2130B

* Indicator Analyte - For comparison with detection zone analytes.

T Please indicate detection limit if analyte is not detected.

** Total and dissolved analysis required only in conjunction with additional annual metals sampling (see page 4).

Remaining quarterly samples only require total metals analysis.

I.D. No	101389
Monitoring Point No.	FFMP30RW
Sample Date	11/19/2019

FORM 19**QUARTERLY AND ANNUAL WATER QUALITY ANALYSES**

2-Q. Organics (Enter all data in ug/l)

ANALYTE	VALUE ^T	ANALYSIS METHOD NUMBER
BENZENE	1 ND	SW846 8260B
1,2-DIBROMOETHANE	1 ND	SW846 8260B
1,1-DICHLOROETHANE	1 ND	SW846 8260B
1,1-DICHLOROETHENE	1 ND	SW846 8260B
1,2-DICHLOROETHANE	1 ND	SW846 8260B
CIS 1,2-DICHLOROETHENE	1 ND	SW846 8260B
TRANS 1,2-DICHLOROETHENE	1 ND	SW846 8260B
ETHYLBENZENE	1 ND	SW846 8260B
METHYLENE CHLORIDE	1 ND	SW846 8260B
TETRACHLOROETHENE	1 ND	SW846 8260B
TOLUENE	1 ND	SW846 8260B
1,1,1-TRICHLOROETHANE	1 ND	SW846 8260B
TRICHLOROETHENE	1 ND	SW846 8260B
VINYL CHLORIDE	1 ND	SW846 8260B
XYLEMES (TOTAL)	3 ND	SW846 8260B

T Please indicate detection limit if analyte is not detected.

**COMMONWEALTH OF PENNSYLVANIA
DEPARTMENT OF ENVIRONMENTAL PROTECTION
BUREAU OF WASTE MANAGEMENT**



Date Prepared/Revised

01/09/2020

DEP USE ONLY

Date Received

FORM 19

**MUNICIPAL WASTE LANDFILL
QUARTERLY AND ANNUAL WATER QUALITY ANALYSES**

This form must be fully and accurately completed. All required information must be typed or legibly printed in the spaces provided. If additional space is necessary, identify each attached sheet as Form 19, reference the item number and identify the date prepared. The "date prepared/revised" on any attached sheets needs to match the "date prepared/revised" on this page.

General Reference: Section 273.284

Federal Regulations, Subtitle D: 258.54 and Appendix I to Part 258.

SECTION A. APPLICANT IDENTIFIER

Applicant/permittee: Lancaster County Solid Waste Mana

Site Name: Frey Farm Landfill

Facility ID (as issued by DEP): 101389

SECTION B. FACILITY INFORMATION

Monitoring Wells must be designed and constructed in accordance with Department Standards. INDICATE THE LATITUDE AND LONGITUDE TO THE NEAREST ONE TENTH OF A SECOND (D° MM' SS.S")

Monitoring Point Number: FFMP04AW Well Spring Stream Other
 Upgradient/Upstream Downgradient/Downstream

Location (County): Lancaster County Municipality: Manor TownshipSampling Point: Latitude: 39 ° 57' 15.4" Longitude: 76 ° 27' 26.58"Depth to Water Level: 36.52 ft Measured from: Land Surface TOCCasing Stickup: 2.52 ft Elevation of Water Level: 524.2 ft./MSLSampling Depth: 146 ft Volume of Water Column: 389.19 galTotal Well Depth: 301.52 ft Sampling Method: Pumped Bailed GrabWell Purged: Yes No Well Volumes Purged: 0.7Sample Field Filtered (must be 0.45 micron)?: Yes NoSpring Flow Rate: gpmSample Date (mm/dd/yy): 11/19/2019 Sample Collection Time: 12:06Sample Collector's Name: Mr. Brian G ShadeSample Collector's Affiliation: ALSLaboratory(ies) Performing Analysis: ALS EnvironmentalWere any holding times exceeded?: Yes No If yes, please explain in comments field.Lab Accreditation Number(s): 22-293Lab Sample Number(s): 3070806002 Final Lab Analysis Completion Date: 11/26/2019Name/Affiliation of Person who Filled Out Form: Nick R. RogersComments:

I.D. No	101389
Monitoring Point No.	FFMP04AW
Sample Date	11/19/2019

FORM 19**QUARTERLY AND ANNUAL WATER QUALITY ANALYSES****ANALYTES**

1-Q. Inorganics (Enter all data in mg/l except as noted)

ANALYTE	VALUE ^T	ANALYSIS METHOD NUMBER
AMMONIA-NITROGEN	0.111	D6919-09
BICARBONATE ALKALINITY	243	SM20-2320B
CALCIUM, TOTAL	150	SW846 6010C
CALCIUM, DISSOLVED		SW846 6010C
COD (CHEMICAL OXYGEN DEMAND)	15 ND	EPA 410.4
CHLORIDE	296	EPA 300
FLUORIDE	0.2 ND	EPA 300
IRON, TOTAL (ug/l)	67 ND	SW846 6010C
IRON, DISSOLVED (ug/l)		SW846 6010C
MAGNESIUM, TOTAL	25.1	SW846 6010C
MAGNESIUM, DISSOLVED		SW846 6010C
MANGANESE, TOTAL (ug/l)	200	SW846 6010C
MANGANESE, DISSOLVED (ug/l)		SW846 6010C
NITRATE-NITROGEN	0.3	EPA 300
pH-FIELD (SU)	6.91	FIELD
pH-LAB (SU)	7.57	SM20-4500HB
POTASSIUM, TOTAL	2.5	SW846 6010C
POTASSIUM, DISSOLVED		SW846 6010C
SODIUM, TOTAL	83.9	SW846 6010C
SODIUM, DISSOLVED		SW846 6010C
SPEC. COND., FIELD (umhos/cm)	1459	FIELD
SPEC. COND., LAB (umhos/cm)	1560	SW846 9050A
SULFATE	46.4	EPA 300
ALKALINITY	243	SM20-2320B
TDS (TOT. DISSOLVED SOLIDS)	922	SM20-2540C
TOC (TOTAL ORGANIC CARBON)	0.91	SW846 9060A
TOTAL PHENOLICS (ug/l)	5 ND	SW846 9066
TURBIDITY (N.T.U.)	0.34	SM 2130B

* Indicator Analyte - For comparison with detection zone analytes.

T Please indicate detection limit if analyte is not detected.

** Total and dissolved analysis required only in conjunction with additional annual metals sampling (see page 4).

Remaining quarterly samples only require total metals analysis.

I.D. No	101389
Monitoring Point No.	FFMP04AW
Sample Date	11/19/2019

FORM 19**QUARTERLY AND ANNUAL WATER QUALITY ANALYSES**

2-Q. Organics (Enter all data in ug/l)

ANALYTE	VALUE ^T	ANALYSIS METHOD NUMBER
BENZENE	1 ND	SW846 8260B
1,2-DIBROMOETHANE	1 ND	SW846 8260B
1,1-DICHLOROETHANE	1 ND	SW846 8260B
1,1-DICHLOROETHENE	1 ND	SW846 8260B
1,2-DICHLOROETHANE	1 ND	SW846 8260B
CIS 1,2-DICHLOROETHENE	1 ND	SW846 8260B
TRANS 1,2-DICHLOROETHENE	1 ND	SW846 8260B
ETHYLBENZENE	1 ND	SW846 8260B
METHYLENE CHLORIDE	1 ND	SW846 8260B
TETRACHLOROETHENE	1 ND	SW846 8260B
TOLUENE	1 ND	SW846 8260B
1,1,1-TRICHLOROETHANE	1 ND	SW846 8260B
TRICHLOROETHENE	1 ND	SW846 8260B
VINYL CHLORIDE	1 ND	SW846 8260B
XYLEMES (TOTAL)	3 ND	SW846 8260B

T Please indicate detection limit if analyte is not detected.

**COMMONWEALTH OF PENNSYLVANIA
DEPARTMENT OF ENVIRONMENTAL PROTECTION
BUREAU OF WASTE MANAGEMENT**



Date Prepared/Revised

01/09/2020

DEP USE ONLY

Date Received

FORM 19

**MUNICIPAL WASTE LANDFILL
QUARTERLY AND ANNUAL WATER QUALITY ANALYSES**

This form must be fully and accurately completed. All required information must be typed or legibly printed in the spaces provided. If additional space is necessary, identify each attached sheet as Form 19, reference the item number and identify the date prepared. The "date prepared/revised" on any attached sheets needs to match the "date prepared/revised" on this page.

General Reference: Section 273.284

Federal Regulations, Subtitle D: 258.54 and Appendix I to Part 258.

SECTION A. APPLICANT IDENTIFIER

Applicant/permittee: Lancaster County Solid Waste Mana

Site Name: Frey Farm Landfill

Facility ID (as issued by DEP): 101389

SECTION B. FACILITY INFORMATION

Monitoring Wells must be designed and constructed in accordance with Department Standards. INDICATE THE LATITUDE AND LONGITUDE TO THE NEAREST ONE TENTH OF A SECOND (D° MM' SS.S")

Monitoring Point Number: FFMP017W Well Spring Stream Other
 Upgradient/Upstream Downgradient/Downstream

Location (County): Lancaster County Municipality: Manor TownshipSampling Point: Latitude: 39 ° 57' 8.5" Longitude: 76 ° 27' 6.17"Depth to Water Level: 42.25 ft Measured from: Land Surface TOCCasing Stickup: 2.00 ft Elevation of Water Level: 438.45 ft./MSLSampling Depth: 135 ft Volume of Water Column: 158.98 galTotal Well Depth: 150.5 ft Sampling Method: Pumped Bailed GrabWell Purged: Yes No Well Volumes Purged: 0.9Sample Field Filtered (must be 0.45 micron)?: Yes NoSpring Flow Rate: gpmSample Date (mm/dd/yy): 11/19/2019 Sample Collection Time: 13:50Sample Collector's Name: Mr. Brian G ShadeSample Collector's Affiliation: ALSLaboratory(ies) Performing Analysis: ALS EnvironmentalWere any holding times exceeded?: Yes No If yes, please explain in comments field.Lab Accreditation Number(s): 22-293Lab Sample Number(s): 3070806003 Final Lab Analysis Completion Date: 11/26/2019Name/Affiliation of Person who Filled Out Form: Nick R. RogersComments:

I.D. No	101389
Monitoring Point No.	FFMP017W
Sample Date	11/19/2019

FORM 19**QUARTERLY AND ANNUAL WATER QUALITY ANALYSES****ANALYTES**

1-Q. Inorganics (Enter all data in mg/l except as noted)

ANALYTE	VALUE ^T	ANALYSIS METHOD NUMBER
AMMONIA-NITROGEN	0.146	D6919-09
BICARBONATE ALKALINITY	53	SM20-2320B
CALCIUM, TOTAL	92.9	SW846 6010C
CALCIUM, DISSOLVED		SW846 6010C
COD (CHEMICAL OXYGEN DEMAND)	15 ND	EPA 410.4
CHLORIDE	348	EPA 300
FLUORIDE	0.2 ND	EPA 300
IRON, TOTAL (ug/l)	67 ND	SW846 6010C
IRON, DISSOLVED (ug/l)		SW846 6010C
MAGNESIUM, TOTAL	41.6	SW846 6010C
MAGNESIUM, DISSOLVED		SW846 6010C
MANGANESE, TOTAL (ug/l)	450	SW846 6010C
MANGANESE, DISSOLVED (ug/l)		SW846 6010C
NITRATE-NITROGEN	2.3	EPA 300
pH-FIELD (SU)	5.67	FIELD
pH-LAB (SU)	6.4	SM20-4500HB
POTASSIUM, TOTAL	5.2	SW846 6010C
POTASSIUM, DISSOLVED		SW846 6010C
SODIUM, TOTAL	79.2	SW846 6010C
SODIUM, DISSOLVED		SW846 6010C
SPEC. COND., FIELD (umhos/cm)	1419	FIELD
SPEC. COND., LAB (umhos/cm)	1530	SW846 9050A
SULFATE	56	EPA 300
ALKALINITY	53	SM20-2320B
TDS (TOT. DISSOLVED SOLIDS)	900	SM20-2540C
TOC (TOTAL ORGANIC CARBON)	2.1	SW846 9060A
TOTAL PHENOLICS (ug/l)	5 ND	SW846 9066
TURBIDITY (N.T.U.)	0.48	SM 2130B

* Indicator Analyte - For comparison with detection zone analytes.

T Please indicate detection limit if analyte is not detected.

** Total and dissolved analysis required only in conjunction with additional annual metals sampling (see page 4).

Remaining quarterly samples only require total metals analysis.

I.D. No	101389
Monitoring Point No.	FFMP017W
Sample Date	11/19/2019

FORM 19**QUARTERLY AND ANNUAL WATER QUALITY ANALYSES**

2-Q. Organics (Enter all data in ug/l)

ANALYTE	VALUE ^T	ANALYSIS METHOD NUMBER
BENZENE	1 ND	SW846 8260B
1,2-DIBROMOETHANE	1 ND	SW846 8260B
1,1-DICHLOROETHANE	1 ND	SW846 8260B
1,1-DICHLOROETHENE	1 ND	SW846 8260B
1,2-DICHLOROETHANE	1 ND	SW846 8260B
CIS 1,2-DICHLOROETHENE	1 ND	SW846 8260B
TRANS 1,2-DICHLOROETHENE	1 ND	SW846 8260B
ETHYLBENZENE	1 ND	SW846 8260B
METHYLENE CHLORIDE	1	SW846 8260B
TETRACHLOROETHENE	1 ND	SW846 8260B
TOLUENE	1 ND	SW846 8260B
1,1,1-TRICHLOROETHANE	1 ND	SW846 8260B
TRICHLOROETHENE	1 ND	SW846 8260B
VINYL CHLORIDE	1 ND	SW846 8260B
XYLEMES (TOTAL)	3 ND	SW846 8260B

T Please indicate detection limit if analyte is not detected.

**COMMONWEALTH OF PENNSYLVANIA
DEPARTMENT OF ENVIRONMENTAL PROTECTION
BUREAU OF WASTE MANAGEMENT**



Date Prepared/Revised

01/09/2020

DEP USE ONLY

Date Received

FORM 19

**MUNICIPAL WASTE LANDFILL
QUARTERLY AND ANNUAL WATER QUALITY ANALYSES**

This form must be fully and accurately completed. All required information must be typed or legibly printed in the spaces provided. If additional space is necessary, identify each attached sheet as Form 19, reference the item number and identify the date prepared. The "date prepared/revised" on any attached sheets needs to match the "date prepared/revised" on this page.

General Reference: Section 273.284

Federal Regulations, Subtitle D: 258.54 and Appendix I to Part 258.

SECTION A. APPLICANT IDENTIFIER

Applicant/permittee: Lancaster County Solid Waste Mana

Site Name: Frey Farm Landfill

Facility ID (as issued by DEP): 101389

SECTION B. FACILITY INFORMATION

Monitoring Wells must be designed and constructed in accordance with Department Standards. INDICATE THE LATITUDE AND LONGITUDE TO THE NEAREST ONE TENTH OF A SECOND (D° MM' SS.S")

Monitoring Point Number: FFMP005W Well Spring Stream Other
 Upgradient/Upstream Downgradient/Downstream

Location (County): Lancaster County Municipality: Manor TownshipSampling Point: Latitude: 39 ° 57' 10.67" Longitude: 76 ° 27' 21.3"Depth to Water Level: 70.98 ft Measured from: Land Surface TOCCasing Stickup: 1.70 ft Elevation of Water Level: 466.42 ft./MSLSampling Depth: 135 ft Volume of Water Column: 116.05 galTotal Well Depth: 150 ft Sampling Method: Pumped Bailed GrabWell Purged: Yes No Well Volumes Purged: 0.6Sample Field Filtered (must be 0.45 micron)?: Yes NoSpring Flow Rate: gpmSample Date (mm/dd/yy): 11/19/2019 Sample Collection Time: 15:10Sample Collector's Name: Mr. Brian G ShadeSample Collector's Affiliation: ALSLaboratory(ies) Performing Analysis: ALS EnvironmentalWere any holding times exceeded?: Yes No If yes, please explain in comments field.Lab Accreditation Number(s): 22-293Lab Sample Number(s): 3070806004 Final Lab Analysis Completion Date: 11/26/2019Name/Affiliation of Person who Filled Out Form: Nick R. RogersComments:

I.D. No	101389
Monitoring Point No.	FFMP005W
Sample Date	11/19/2019

FORM 19**QUARTERLY AND ANNUAL WATER QUALITY ANALYSES****ANALYTES**

1-Q. Inorganics (Enter all data in mg/l except as noted)

ANALYTE	VALUE ^T	ANALYSIS METHOD NUMBER
AMMONIA-NITROGEN	0.499	D6919-09
BICARBONATE ALKALINITY	55	SM20-2320B
CALCIUM, TOTAL	79.5	SW846 6010C
CALCIUM, DISSOLVED		SW846 6010C
COD (CHEMICAL OXYGEN DEMAND)	15 ND	EPA 410.4
CHLORIDE	187	EPA 300
FLUORIDE	0.2 ND	EPA 300
IRON, TOTAL (ug/l)	67 ND	SW846 6010C
IRON, DISSOLVED (ug/l)		SW846 6010C
MAGNESIUM, TOTAL	19.3	SW846 6010C
MAGNESIUM, DISSOLVED		SW846 6010C
MANGANESE, TOTAL (ug/l)	96	SW846 6010C
MANGANESE, DISSOLVED (ug/l)		SW846 6010C
NITRATE-NITROGEN	3.1	EPA 300
pH-FIELD (SU)	5.55	FIELD
pH-LAB (SU)	6.32	SM20-4500HB
POTASSIUM, TOTAL	3.5	SW846 6010C
POTASSIUM, DISSOLVED		SW846 6010C
SODIUM, TOTAL	47.8	SW846 6010C
SODIUM, DISSOLVED		SW846 6010C
SPEC. COND., FIELD (umhos/cm)	906	FIELD
SPEC. COND., LAB (umhos/cm)	981	SW846 9050A
SULFATE	52.9	EPA 300
ALKALINITY	55	SM20-2320B
TDS (TOT. DISSOLVED SOLIDS)	628	SM20-2540C
TOC (TOTAL ORGANIC CARBON)	1.2	SW846 9060A
TOTAL PHENOLICS (ug/l)	5 ND	SW846 9066
TURBIDITY (N.T.U.)	0.1 ND	SM 2130B

* Indicator Analyte - For comparison with detection zone analytes.

T Please indicate detection limit if analyte is not detected.

** Total and dissolved analysis required only in conjunction with additional annual metals sampling (see page 4).

Remaining quarterly samples only require total metals analysis.

I.D. No	101389
Monitoring Point No.	FFMP005W
Sample Date	11/19/2019

FORM 19**QUARTERLY AND ANNUAL WATER QUALITY ANALYSES**

2-Q. Organics (Enter all data in ug/l)

ANALYTE	VALUE ^T	ANALYSIS METHOD NUMBER
BENZENE	1 ND	SW846 8260B
1,2-DIBROMOETHANE	1 ND	SW846 8260B
1,1-DICHLOROETHANE	1 ND	SW846 8260B
1,1-DICHLOROETHENE	1 ND	SW846 8260B
1,2-DICHLOROETHANE	1 ND	SW846 8260B
CIS 1,2-DICHLOROETHENE	1 ND	SW846 8260B
TRANS 1,2-DICHLOROETHENE	1 ND	SW846 8260B
ETHYLBENZENE	1 ND	SW846 8260B
METHYLENE CHLORIDE	1 ND	SW846 8260B
TETRACHLOROETHENE	1 ND	SW846 8260B
TOLUENE	1 ND	SW846 8260B
1,1,1-TRICHLOROETHANE	1 ND	SW846 8260B
TRICHLOROETHENE	1 ND	SW846 8260B
VINYL CHLORIDE	1 ND	SW846 8260B
XYLEMES (TOTAL)	3 ND	SW846 8260B

T Please indicate detection limit if analyte is not detected.

**COMMONWEALTH OF PENNSYLVANIA
DEPARTMENT OF ENVIRONMENTAL PROTECTION
BUREAU OF WASTE MANAGEMENT**



Date Prepared/Revised

01/09/2020

DEP USE ONLY

Date Received

FORM 19

**MUNICIPAL WASTE LANDFILL
QUARTERLY AND ANNUAL WATER QUALITY ANALYSES**

This form must be fully and accurately completed. All required information must be typed or legibly printed in the spaces provided. If additional space is necessary, identify each attached sheet as Form 19, reference the item number and identify the date prepared. The "date prepared/revised" on any attached sheets needs to match the "date prepared/revised" on this page.

General Reference: Section 273.284

Federal Regulations, Subtitle D: 258.54 and Appendix I to Part 258.

SECTION A. APPLICANT IDENTIFIER

Applicant/permittee: Lancaster County Solid Waste Mana

Site Name: Frey Farm Landfill

Facility ID (as issued by DEP): 101389

SECTION B. FACILITY INFORMATION

Monitoring Wells must be designed and constructed in accordance with Department Standards. INDICATE THE LATITUDE AND LONGITUDE TO THE NEAREST ONE TENTH OF A SECOND (D° MM' SS.S")

Monitoring Point Number: FFMP26RW Well Spring Stream Other
 Upgradient/Upstream Downgradient/Downstream

Location (County): Lancaster County Municipality: Manor TownshipSampling Point: Latitude: 39 ° 57' 11.03" Longitude: 76 ° 27' 20.3"Depth to Water Level: 80.96 ft Measured from: Land Surface TOCCasing Stickup: 3.30 ft Elevation of Water Level: 466.44 ft./MSLSampling Depth: 105 ft Volume of Water Column: 48.52 galTotal Well Depth: 114 ft Sampling Method: Pumped Bailed GrabWell Purged: Yes No Well Volumes Purged: 1.5Sample Field Filtered (must be 0.45 micron)?: Yes NoSpring Flow Rate: gpmSample Date (mm/dd/yy): 11/20/2019 Sample Collection Time: 10:14Sample Collector's Name: Mr. Brian G ShadeSample Collector's Affiliation: ALSLaboratory(ies) Performing Analysis: ALS EnvironmentalWere any holding times exceeded?: Yes No If yes, please explain in comments field.Lab Accreditation Number(s): 22-293Lab Sample Number(s): 3071088001 Final Lab Analysis Completion Date: 11/27/2019Name/Affiliation of Person who Filled Out Form: Nick R. RogersComments:

I.D. No	101389
Monitoring Point No.	FFMP26RW
Sample Date	11/20/2019

FORM 19**QUARTERLY AND ANNUAL WATER QUALITY ANALYSES****ANALYTES**

1-Q. Inorganics (Enter all data in mg/l except as noted)

ANALYTE	VALUE ^T	ANALYSIS METHOD NUMBER
AMMONIA-NITROGEN	0.154	D6919-09
BICARBONATE ALKALINITY	50	SM20-2320B
CALCIUM, TOTAL	72	SW846 6010C
CALCIUM, DISSOLVED		SW846 6010C
COD (CHEMICAL OXYGEN DEMAND)	15 ND	EPA 410.4
CHLORIDE	195	EPA 300
FLUORIDE	0.2 ND	EPA 300
IRON, TOTAL (ug/l)	67 ND	SW846 6010C
IRON, DISSOLVED (ug/l)		SW846 6010C
MAGNESIUM, TOTAL	19.9	SW846 6010C
MAGNESIUM, DISSOLVED		SW846 6010C
MANGANESE, TOTAL (ug/l)	500	SW846 6010C
MANGANESE, DISSOLVED (ug/l)		SW846 6010C
NITRATE-NITROGEN	2.1	EPA 300
pH-FIELD (SU)	5.23	FIELD
pH-LAB (SU)	5.96	SM20-4500HB
POTASSIUM, TOTAL	8.4	SW846 6010C
POTASSIUM, DISSOLVED		SW846 6010C
SODIUM, TOTAL	64	SW846 6010C
SODIUM, DISSOLVED		SW846 6010C
SPEC. COND., FIELD (umhos/cm)	956	FIELD
SPEC. COND., LAB (umhos/cm)	1020	SW846 9050A
SULFATE	65.5	EPA 300
ALKALINITY	50	SM20-2320B
TDS (TOT. DISSOLVED SOLIDS)	502	SM20-2540C
TOC (TOTAL ORGANIC CARBON)	1.5	SW846 9060A
TOTAL PHENOLICS (ug/l)	5 ND	SW846 9066
TURBIDITY (N.T.U.)	0.7	SM 2130B

* Indicator Analyte - For comparison with detection zone analytes.

T Please indicate detection limit if analyte is not detected.

** Total and dissolved analysis required only in conjunction with additional annual metals sampling (see page 4).

Remaining quarterly samples only require total metals analysis.

I.D. No	101389
Monitoring Point No.	FFMP26RW
Sample Date	11/20/2019

FORM 19**QUARTERLY AND ANNUAL WATER QUALITY ANALYSES**

2-Q. Organics (Enter all data in ug/l)

ANALYTE	VALUE ^T	ANALYSIS METHOD NUMBER
BENZENE	1 ND	SW846 8260B
1,2-DIBROMOETHANE	1 ND	SW846 8260B
1,1-DICHLOROETHANE	1 ND	SW846 8260B
1,1-DICHLOROETHENE	1 ND	SW846 8260B
1,2-DICHLOROETHANE	1 ND	SW846 8260B
CIS 1,2-DICHLOROETHENE	1 ND	SW846 8260B
TRANS 1,2-DICHLOROETHENE	1 ND	SW846 8260B
ETHYLBENZENE	1 ND	SW846 8260B
METHYLENE CHLORIDE	1 ND	SW846 8260B
TETRACHLOROETHENE	1 ND	SW846 8260B
TOLUENE	1 ND	SW846 8260B
1,1,1-TRICHLOROETHANE	1 ND	SW846 8260B
TRICHLOROETHENE	1 ND	SW846 8260B
VINYL CHLORIDE	1 ND	SW846 8260B
XYLEMES (TOTAL)	3 ND	SW846 8260B

T Please indicate detection limit if analyte is not detected.

**COMMONWEALTH OF PENNSYLVANIA
DEPARTMENT OF ENVIRONMENTAL PROTECTION
BUREAU OF WASTE MANAGEMENT**



Date Prepared/Revised

01/09/2020

DEP USE ONLY

Date Received

FORM 19

**MUNICIPAL WASTE LANDFILL
QUARTERLY AND ANNUAL WATER QUALITY ANALYSES**

This form must be fully and accurately completed. All required information must be typed or legibly printed in the spaces provided. If additional space is necessary, identify each attached sheet as Form 19, reference the item number and identify the date prepared. The "date prepared/revised" on any attached sheets needs to match the "date prepared/revised" on this page.

General Reference: Section 273.284

Federal Regulations, Subtitle D: 258.54 and Appendix I to Part 258.

SECTION A. APPLICANT IDENTIFIER

Applicant/permittee: Lancaster County Solid Waste Mana

Site Name: Frey Farm Landfill

Facility ID (as issued by DEP): 101389

SECTION B. FACILITY INFORMATION

Monitoring Wells must be designed and constructed in accordance with Department Standards. INDICATE THE LATITUDE AND LONGITUDE TO THE NEAREST ONE TENTH OF A SECOND (D° MM' SS.S")

Monitoring Point Number: FFMP018W Well Spring Stream Other
 Upgradient/Upstream Downgradient/Downstream

Location (County): Lancaster County Municipality: Manor TownshipSampling Point: Latitude: 39 ° 57' 11.62" Longitude: 76 ° 27' 5.68"Depth to Water Level: 28.06 ft Measured from: Land Surface TOCCasing Stickup: 2.46 ft Elevation of Water Level: 444.14 ft./MSLSampling Depth: 40 ft Volume of Water Column: 15.25 galTotal Well Depth: 51.43 ft Sampling Method: Pumped Bailed GrabWell Purged: Yes No Well Volumes Purged: 3.1Sample Field Filtered (must be 0.45 micron)?: Yes NoSpring Flow Rate: gpmSample Date (mm/dd/yy): 11/20/2019 Sample Collection Time: 10:40Sample Collector's Name: Mr. Brian G ShadeSample Collector's Affiliation: ALSLaboratory(ies) Performing Analysis: ALS EnvironmentalWere any holding times exceeded?: Yes No If yes, please explain in comments field.Lab Accreditation Number(s): 22-293Lab Sample Number(s): 3071088002 Final Lab Analysis Completion Date: 11/27/2019Name/Affiliation of Person who Filled Out Form: Nick R. Rogers

Comments: _____

I.D. No	101389
Monitoring Point No.	FFMP018W
Sample Date	11/20/2019

FORM 19**QUARTERLY AND ANNUAL WATER QUALITY ANALYSES****ANALYTES**

1-Q. Inorganics (Enter all data in mg/l except as noted)

ANALYTE	VALUE ^T	ANALYSIS METHOD NUMBER
AMMONIA-NITROGEN	0.174	D6919-09
BICARBONATE ALKALINITY	30	SM20-2320B
CALCIUM, TOTAL	35.5	SW846 6010C
CALCIUM, DISSOLVED		SW846 6010C
COD (CHEMICAL OXYGEN DEMAND)	15 ND	EPA 410.4
CHLORIDE	99.2	EPA 300
FLUORIDE	0.2 ND	EPA 300
IRON, TOTAL (ug/l)	67 ND	SW846 6010C
IRON, DISSOLVED (ug/l)		SW846 6010C
MAGNESIUM, TOTAL	16.2	SW846 6010C
MAGNESIUM, DISSOLVED		SW846 6010C
MANGANESE, TOTAL (ug/l)	350	SW846 6010C
MANGANESE, DISSOLVED (ug/l)		SW846 6010C
NITRATE-NITROGEN	5.5	EPA 300
pH-FIELD (SU)	5.51	FIELD
pH-LAB (SU)	6.15	SM20-4500HB
POTASSIUM, TOTAL	6.5	SW846 6010C
POTASSIUM, DISSOLVED		SW846 6010C
SODIUM, TOTAL	35.8	SW846 6010C
SODIUM, DISSOLVED		SW846 6010C
SPEC. COND., FIELD (umhos/cm)	572	FIELD
SPEC. COND., LAB (umhos/cm)	613	SW846 9050A
SULFATE	39.9	EPA 300
ALKALINITY	30	SM20-2320B
TDS (TOT. DISSOLVED SOLIDS)	290	SM20-2540C
TOC (TOTAL ORGANIC CARBON)	1.1	SW846 9060A
TOTAL PHENOLICS (ug/l)	5 ND	SW846 9066
TURBIDITY (N.T.U.)	0.1 ND	SM 2130B

* Indicator Analyte - For comparison with detection zone analytes.

T Please indicate detection limit if analyte is not detected.

** Total and dissolved analysis required only in conjunction with additional annual metals sampling (see page 4).

Remaining quarterly samples only require total metals analysis.

I.D. No	101389
Monitoring Point No.	FFMP018W
Sample Date	11/20/2019

FORM 19**QUARTERLY AND ANNUAL WATER QUALITY ANALYSES**

2-Q. Organics (Enter all data in ug/l)

ANALYTE	VALUE ^T	ANALYSIS METHOD NUMBER
BENZENE	1 ND	SW846 8260B
1,2-DIBROMOETHANE	1 ND	SW846 8260B
1,1-DICHLOROETHANE	1 ND	SW846 8260B
1,1-DICHLOROETHENE	1 ND	SW846 8260B
1,2-DICHLOROETHANE	1 ND	SW846 8260B
CIS 1,2-DICHLOROETHENE	1 ND	SW846 8260B
TRANS 1,2-DICHLOROETHENE	1 ND	SW846 8260B
ETHYLBENZENE	1 ND	SW846 8260B
METHYLENE CHLORIDE	1	SW846 8260B
TETRACHLOROETHENE	1 ND	SW846 8260B
TOLUENE	1 ND	SW846 8260B
1,1,1-TRICHLOROETHANE	1 ND	SW846 8260B
TRICHLOROETHENE	1 ND	SW846 8260B
VINYL CHLORIDE	1 ND	SW846 8260B
XYLEMES (TOTAL)	3 ND	SW846 8260B

T Please indicate detection limit if analyte is not detected.

**COMMONWEALTH OF PENNSYLVANIA
DEPARTMENT OF ENVIRONMENTAL PROTECTION
BUREAU OF WASTE MANAGEMENT**



Date Prepared/Revised

01/09/2020

DEP USE ONLY

Date Received

FORM 19

**MUNICIPAL WASTE LANDFILL
QUARTERLY AND ANNUAL WATER QUALITY ANALYSES**

This form must be fully and accurately completed. All required information must be typed or legibly printed in the spaces provided. If additional space is necessary, identify each attached sheet as Form 19, reference the item number and identify the date prepared. The "date prepared/revised" on any attached sheets needs to match the "date prepared/revised" on this page.

General Reference: Section 273.284

Federal Regulations, Subtitle D: 258.54 and Appendix I to Part 258.

SECTION A. APPLICANT IDENTIFIER

Applicant/permittee: Lancaster County Solid Waste Mana

Site Name: Frey Farm Landfill

Facility ID (as issued by DEP): 101389

SECTION B. FACILITY INFORMATION

Monitoring Wells must be designed and constructed in accordance with Department Standards. INDICATE THE LATITUDE AND LONGITUDE TO THE NEAREST ONE TENTH OF A SECOND (D° MM' SS.S")

Monitoring Point Number: FFMP019W Well Spring Stream Other
 Upgradient/Upstream Downgradient/Downstream

Location (County): Lancaster County Municipality: Manor TownshipSampling Point: Latitude: 39 ° 57' 11.58" Longitude: 76 ° 27' 5.75"Depth to Water Level: 28.84 ft Measured from: Land Surface TOCCasing Stickup: 1.79 ft Elevation of Water Level: 443.11 ft./MSLSampling Depth: 49 ft Volume of Water Column: 67.85 galTotal Well Depth: 132.79 ft Sampling Method: Pumped Bailed GrabWell Purged: Yes No Well Volumes Purged: 2.3Sample Field Filtered (must be 0.45 micron)?: Yes NoSpring Flow Rate: gpmSample Date (mm/dd/yy): 11/20/2019 Sample Collection Time: 11:27Sample Collector's Name: Mr. Brian G ShadeSample Collector's Affiliation: ALSLaboratory(ies) Performing Analysis: ALS EnvironmentalWere any holding times exceeded?: Yes No If yes, please explain in comments field.Lab Accreditation Number(s): 22-293Lab Sample Number(s): 3071088003 Final Lab Analysis Completion Date: 11/27/2019Name/Affiliation of Person who Filled Out Form: Nick R. RogersComments:

I.D. No	101389
Monitoring Point No.	FFMP019W
Sample Date	11/20/2019

FORM 19**QUARTERLY AND ANNUAL WATER QUALITY ANALYSES****ANALYTES**

1-Q. Inorganics (Enter all data in mg/l except as noted)

ANALYTE	VALUE ^T	ANALYSIS METHOD NUMBER
AMMONIA-NITROGEN	0.175	D6919-09
BICARBONATE ALKALINITY	80	SM20-2320B
CALCIUM, TOTAL	59	SW846 6010C
CALCIUM, DISSOLVED		SW846 6010C
COD (CHEMICAL OXYGEN DEMAND)	15 ND	EPA 410.4
CHLORIDE	81.1	EPA 300
FLUORIDE	0.2 ND	EPA 300
IRON, TOTAL (ug/l)	67 ND	SW846 6010C
IRON, DISSOLVED (ug/l)		SW846 6010C
MAGNESIUM, TOTAL	5.8	SW846 6010C
MAGNESIUM, DISSOLVED		SW846 6010C
MANGANESE, TOTAL (ug/l)	5.6 ND	SW846 6010C
MANGANESE, DISSOLVED (ug/l)		SW846 6010C
NITRATE-NITROGEN	0.32	EPA 300
pH-FIELD (SU)	6.53	FIELD
pH-LAB (SU)	7.28	SM20-4500HB
POTASSIUM, TOTAL	1.2	SW846 6010C
POTASSIUM, DISSOLVED		SW846 6010C
SODIUM, TOTAL	10.5	SW846 6010C
SODIUM, DISSOLVED		SW846 6010C
SPEC. COND., FIELD (umhos/cm)	454	FIELD
SPEC. COND., LAB (umhos/cm)	478	SW846 9050A
SULFATE	16.4	EPA 300
ALKALINITY	80	SM20-2320B
TDS (TOT. DISSOLVED SOLIDS)	256	SM20-2540C
TOC (TOTAL ORGANIC CARBON)	0.92	SW846 9060A
TOTAL PHENOLICS (ug/l)	5 ND	SW846 9066
TURBIDITY (N.T.U.)	0.1 ND	SM 2130B

* Indicator Analyte - For comparison with detection zone analytes.

T Please indicate detection limit if analyte is not detected.

** Total and dissolved analysis required only in conjunction with additional annual metals sampling (see page 4).

Remaining quarterly samples only require total metals analysis.

I.D. No	101389
Monitoring Point No.	FFMP019W
Sample Date	11/20/2019

FORM 19**QUARTERLY AND ANNUAL WATER QUALITY ANALYSES**

2-Q. Organics (Enter all data in ug/l)

ANALYTE	VALUE ^T	ANALYSIS METHOD NUMBER
BENZENE	1 ND	SW846 8260B
1,2-DIBROMOETHANE	1 ND	SW846 8260B
1,1-DICHLOROETHANE	1 ND	SW846 8260B
1,1-DICHLOROETHENE	1 ND	SW846 8260B
1,2-DICHLOROETHANE	1 ND	SW846 8260B
CIS 1,2-DICHLOROETHENE	1 ND	SW846 8260B
TRANS 1,2-DICHLOROETHENE	1 ND	SW846 8260B
ETHYLBENZENE	1 ND	SW846 8260B
METHYLENE CHLORIDE	1.5	SW846 8260B
TETRACHLOROETHENE	1 ND	SW846 8260B
TOLUENE	1 ND	SW846 8260B
1,1,1-TRICHLOROETHANE	1 ND	SW846 8260B
TRICHLOROETHENE	1 ND	SW846 8260B
VINYL CHLORIDE	1 ND	SW846 8260B
XYLEMES (TOTAL)	3 ND	SW846 8260B

T Please indicate detection limit if analyte is not detected.

**COMMONWEALTH OF PENNSYLVANIA
DEPARTMENT OF ENVIRONMENTAL PROTECTION
BUREAU OF WASTE MANAGEMENT**



Date Prepared/Revised

01/09/2020

DEP USE ONLY

Date Received

FORM 19

**MUNICIPAL WASTE LANDFILL
QUARTERLY AND ANNUAL WATER QUALITY ANALYSES**

This form must be fully and accurately completed. All required information must be typed or legibly printed in the spaces provided. If additional space is necessary, identify each attached sheet as Form 19, reference the item number and identify the date prepared. The "date prepared/revised" on any attached sheets needs to match the "date prepared/revised" on this page.

General Reference: Section 273.284

Federal Regulations, Subtitle D: 258.54 and Appendix I to Part 258.

SECTION A. APPLICANT IDENTIFIER

Applicant/permittee: Lancaster County Solid Waste Mana

Site Name: Frey Farm Landfill

Facility ID (as issued by DEP): 101389

SECTION B. FACILITY INFORMATION

Monitoring Wells must be designed and constructed in accordance with Department Standards. INDICATE THE LATITUDE AND LONGITUDE TO THE NEAREST ONE TENTH OF A SECOND (D° MM' SS.S")

Monitoring Point Number: FFMP029W Well Spring Stream Other
 Upgradient/Upstream Downgradient/Downstream

Location (County): Lancaster County Municipality: Manor TownshipSampling Point: Latitude: 39 ° 57' 12.93" Longitude: 76 ° 27' 0.67"Depth to Water Level: 39.43 ft Measured from: Land Surface TOCCasing Stickup: 2.00 ft Elevation of Water Level: 437.87 ft./MSLSampling Depth: 55 ft Volume of Water Column: 28.01 galTotal Well Depth: 58.5 ft Sampling Method: Pumped Bailed GrabWell Purged: Yes No Well Volumes Purged: 3.3Sample Field Filtered (must be 0.45 micron)?: Yes NoSpring Flow Rate: gpmSample Date (mm/dd/yy): 11/20/2019 Sample Collection Time: 12:32Sample Collector's Name: Mr. Brian G ShadeSample Collector's Affiliation: ALSLaboratory(ies) Performing Analysis: ALS EnvironmentalWere any holding times exceeded?: Yes No If yes, please explain in comments field.Lab Accreditation Number(s): 22-293Lab Sample Number(s): 3071088004 Final Lab Analysis Completion Date: 11/27/2019Name/Affiliation of Person who Filled Out Form: Nick R. RogersComments:

I.D. No	101389
Monitoring Point No.	FFMP029W
Sample Date	11/20/2019

FORM 19**QUARTERLY AND ANNUAL WATER QUALITY ANALYSES****ANALYTES**

1-Q. Inorganics (Enter all data in mg/l except as noted)

ANALYTE	VALUE ^T	ANALYSIS METHOD NUMBER
AMMONIA-NITROGEN	0.196	D6919-09
BICARBONATE ALKALINITY	14	SM20-2320B
CALCIUM, TOTAL	14.6	SW846 6010C
CALCIUM, DISSOLVED		SW846 6010C
COD (CHEMICAL OXYGEN DEMAND)	15 ND	EPA 410.4
CHLORIDE	61.9	EPA 300
FLUORIDE	0.2 ND	EPA 300
IRON, TOTAL (ug/l)	67 ND	SW846 6010C
IRON, DISSOLVED (ug/l)		SW846 6010C
MAGNESIUM, TOTAL	10.1	SW846 6010C
MAGNESIUM, DISSOLVED		SW846 6010C
MANGANESE, TOTAL (ug/l)	32	SW846 6010C
MANGANESE, DISSOLVED (ug/l)		SW846 6010C
NITRATE-NITROGEN	3.9	EPA 300
pH-FIELD (SU)	5.04	FIELD
pH-LAB (SU)	6	SM20-4500HB
POTASSIUM, TOTAL	2.4	SW846 6010C
POTASSIUM, DISSOLVED		SW846 6010C
SODIUM, TOTAL	21.2	SW846 6010C
SODIUM, DISSOLVED		SW846 6010C
SPEC. COND., FIELD (umhos/cm)	307	FIELD
SPEC. COND., LAB (umhos/cm)	323	SW846 9050A
SULFATE	6.8	EPA 300
ALKALINITY	14	SM20-2320B
TDS (TOT. DISSOLVED SOLIDS)	146	SM20-2540C
TOC (TOTAL ORGANIC CARBON)	0.5 ND	SW846 9060A
TOTAL PHENOLICS (ug/l)	5 ND	SW846 9066
TURBIDITY (N.T.U.)	0.18	SM 2130B

* Indicator Analyte - For comparison with detection zone analytes.

T Please indicate detection limit if analyte is not detected.

** Total and dissolved analysis required only in conjunction with additional annual metals sampling (see page 4).

Remaining quarterly samples only require total metals analysis.

I.D. No	101389
Monitoring Point No.	FFMP029W
Sample Date	11/20/2019

FORM 19**QUARTERLY AND ANNUAL WATER QUALITY ANALYSES**

2-Q. Organics (Enter all data in ug/l)

ANALYTE	VALUE ^T	ANALYSIS METHOD NUMBER
BENZENE	1 ND	SW846 8260B
1,2-DIBROMOETHANE	1 ND	SW846 8260B
1,1-DICHLOROETHANE	1 ND	SW846 8260B
1,1-DICHLOROETHENE	1 ND	SW846 8260B
1,2-DICHLOROETHANE	1 ND	SW846 8260B
CIS 1,2-DICHLOROETHENE	1 ND	SW846 8260B
TRANS 1,2-DICHLOROETHENE	1 ND	SW846 8260B
ETHYLBENZENE	1 ND	SW846 8260B
METHYLENE CHLORIDE	1.9	SW846 8260B
TETRACHLOROETHENE	1 ND	SW846 8260B
TOLUENE	1 ND	SW846 8260B
1,1,1-TRICHLOROETHANE	1 ND	SW846 8260B
TRICHLOROETHENE	1 ND	SW846 8260B
VINYL CHLORIDE	1 ND	SW846 8260B
XYLEMES (TOTAL)	3 ND	SW846 8260B

T Please indicate detection limit if analyte is not detected.

**COMMONWEALTH OF PENNSYLVANIA
DEPARTMENT OF ENVIRONMENTAL PROTECTION
BUREAU OF WASTE MANAGEMENT**



Date Prepared/Revised

01/09/2020

DEP USE ONLY

Date Received

FORM 19

**MUNICIPAL WASTE LANDFILL
QUARTERLY AND ANNUAL WATER QUALITY ANALYSES**

This form must be fully and accurately completed. All required information must be typed or legibly printed in the spaces provided. If additional space is necessary, identify each attached sheet as Form 19, reference the item number and identify the date prepared. The "date prepared/revised" on any attached sheets needs to match the "date prepared/revised" on this page.

General Reference: Section 273.284

Federal Regulations, Subtitle D: 258.54 and Appendix I to Part 258.

SECTION A. APPLICANT IDENTIFIER

Applicant/permittee: Lancaster County Solid Waste Mana

Site Name: Frey Farm Landfill

Facility ID (as issued by DEP): 101389

SECTION B. FACILITY INFORMATION

Monitoring Wells must be designed and constructed in accordance with Department Standards. INDICATE THE LATITUDE AND LONGITUDE TO THE NEAREST ONE TENTH OF A SECOND (D° MM' SS.S")

Monitoring Point Number: FFMP02DW Well Spring Stream Other
 Upgradient/Upstream Downgradient/Downstream

Location (County): Lancaster County Municipality: MANOR TOWNSHIP

Sampling Point: Latitude: 39 ° 57' 27.74" Longitude: 76 ° 27' 1.49 "

Depth to Water Level: 20.59 ft Measured from: Land Surface TOC

Casing Stickup: ft Elevation of Water Level: 489.01 ft./MSL

Sampling Depth: 120 ft Volume of Water Column: gal

Total Well Depth: 152 ft Sampling Method: Pumped Bailed GrabWell Purged: Yes No Well Volumes Purged: 0.4Sample Field Filtered (must be 0.45 micron)?: Yes No

Spring Flow Rate: gpm

Sample Date (mm/dd/yy): 11/20/2019 Sample Collection Time: 13:52

Sample Collector's Name: Mr. Brian G Shade

Sample Collector's Affiliation: ALS

Laboratory(ies) Performing Analysis: ALS Environmental

Were any holding times exceeded?: Yes No If yes, please explain in comments field.

Lab Accreditation Number(s): 22-293

Lab Sample Number(s): 3071088005 Final Lab Analysis Completion Date: 11/27/2019

Name/Affiliation of Person who Filled Out Form: Nick R. Rogers

Comments:

I.D. No	101389
Monitoring Point No.	FFMP02DW
Sample Date	11/20/2019

FORM 19**QUARTERLY AND ANNUAL WATER QUALITY ANALYSES****ANALYTES**

1-Q. Inorganics (Enter all data in mg/l except as noted)

ANALYTE	VALUE ^T	ANALYSIS METHOD NUMBER
AMMONIA-NITROGEN	0.322	D6919-09
BICARBONATE ALKALINITY	138	SM20-2320B
CALCIUM, TOTAL	107	SW846 6010C
CALCIUM, DISSOLVED		SW846 6010C
COD (CHEMICAL OXYGEN DEMAND)	15 ND	EPA 410.4
CHLORIDE	264	EPA 300
FLUORIDE	0.2 ND	EPA 300
IRON, TOTAL (ug/l)	660	SW846 6010C
IRON, DISSOLVED (ug/l)		SW846 6010C
MAGNESIUM, TOTAL	17	SW846 6010C
MAGNESIUM, DISSOLVED		SW846 6010C
MANGANESE, TOTAL (ug/l)	450	SW846 6010C
MANGANESE, DISSOLVED (ug/l)		SW846 6010C
NITRATE-NITROGEN	10.3	EPA 300
pH-FIELD (SU)	7.23	FIELD
pH-LAB (SU)	7.77	SM20-4500HB
POTASSIUM, TOTAL	2	SW846 6010C
POTASSIUM, DISSOLVED		SW846 6010C
SODIUM, TOTAL	102	SW846 6010C
SODIUM, DISSOLVED		SW846 6010C
SPEC. COND., FIELD (umhos/cm)	1286	FIELD
SPEC. COND., LAB (umhos/cm)	1370	SW846 9050A
SULFATE	29.9	EPA 300
ALKALINITY	138	SM20-2320B
TDS (TOT. DISSOLVED SOLIDS)	714	SM20-2540C
TOC (TOTAL ORGANIC CARBON)	0.74	SW846 9060A
TOTAL PHENOLICS (ug/l)	5 ND	SW846 9066
TURBIDITY (N.T.U.)	6.51	SM 2130B

* Indicator Analyte - For comparison with detection zone analytes.

T Please indicate detection limit if analyte is not detected.

** Total and dissolved analysis required only in conjunction with additional annual metals sampling (see page 4).

Remaining quarterly samples only require total metals analysis.

I.D. No	101389
Monitoring Point No.	FFMP02DW
Sample Date	11/20/2019

FORM 19**QUARTERLY AND ANNUAL WATER QUALITY ANALYSES**

2-Q. Organics (Enter all data in ug/l)

ANALYTE	VALUE ^T	ANALYSIS METHOD NUMBER
BENZENE	1 ND	SW846 8260B
1,2-DIBROMOETHANE	1 ND	SW846 8260B
1,1-DICHLOROETHANE	1 ND	SW846 8260B
1,1-DICHLOROETHENE	1 ND	SW846 8260B
1,2-DICHLOROETHANE	1 ND	SW846 8260B
CIS 1,2-DICHLOROETHENE	1 ND	SW846 8260B
TRANS 1,2-DICHLOROETHENE	1 ND	SW846 8260B
ETHYLBENZENE	1 ND	SW846 8260B
METHYLENE CHLORIDE	1.4	SW846 8260B
TETRACHLOROETHENE	1 ND	SW846 8260B
TOLUENE	1 ND	SW846 8260B
1,1,1-TRICHLOROETHANE	1 ND	SW846 8260B
TRICHLOROETHENE	1 ND	SW846 8260B
VINYL CHLORIDE	1 ND	SW846 8260B
XYLEMES (TOTAL)	3 ND	SW846 8260B

T Please indicate detection limit if analyte is not detected.

**COMMONWEALTH OF PENNSYLVANIA
DEPARTMENT OF ENVIRONMENTAL PROTECTION
BUREAU OF WASTE MANAGEMENT**



Date Prepared/Revised

01/09/2020

DEP USE ONLY

Date Received

FORM 19

**MUNICIPAL WASTE LANDFILL
QUARTERLY AND ANNUAL WATER QUALITY ANALYSES**

This form must be fully and accurately completed. All required information must be typed or legibly printed in the spaces provided. If additional space is necessary, identify each attached sheet as Form 19, reference the item number and identify the date prepared. The "date prepared/revised" on any attached sheets needs to match the "date prepared/revised" on this page.

General Reference: Section 273.284

Federal Regulations, Subtitle D: 258.54 and Appendix I to Part 258.

SECTION A. APPLICANT IDENTIFIER

Applicant/permittee: Lancaster County Solid Waste Mana

Site Name: Frey Farm Landfill

Facility ID (as issued by DEP): 101389

SECTION B. FACILITY INFORMATION

Monitoring Wells must be designed and constructed in accordance with Department Standards. INDICATE THE LATITUDE AND LONGITUDE TO THE NEAREST ONE TENTH OF A SECOND (D° MM' SS.S")

Monitoring Point Number: FFMP02SW Well Spring Stream Other
 Upgradient/Upstream Downgradient/Downstream

Location (County): Lancaster County Municipality: MANOR TOWNSHIPSampling Point: Latitude: 39 ° 57' 27.9" Longitude: 76 ° 27' 1.58"Depth to Water Level: 15.96 ft Measured from: Land Surface TOCCasing Stickup: ft Elevation of Water Level: 493.94 ft./MSLSampling Depth: 18 ft Volume of Water Column: galTotal Well Depth: 25 ft Sampling Method: Pumped Bailed GrabWell Purged: Yes No Well Volumes Purged: 0.7Sample Field Filtered (must be 0.45 micron)?: Yes NoSpring Flow Rate: gpmSample Date (mm/dd/yy): 11/20/2019 Sample Collection Time: 14:17Sample Collector's Name: Mr. Brian G ShadeSample Collector's Affiliation: ALSLaboratory(ies) Performing Analysis: ALS EnvironmentalWere any holding times exceeded?: Yes No If yes, please explain in comments field.Lab Accreditation Number(s): 22-293Lab Sample Number(s): 3071088006 Final Lab Analysis Completion Date: 11/27/2019Name/Affiliation of Person who Filled Out Form: Nick R. RogersComments:

I.D. No	101389
Monitoring Point No.	FFMP02SW
Sample Date	11/20/2019

FORM 19**QUARTERLY AND ANNUAL WATER QUALITY ANALYSES****ANALYTES**

1-Q. Inorganics (Enter all data in mg/l except as noted)

ANALYTE	VALUE ^T	ANALYSIS METHOD NUMBER
AMMONIA-NITROGEN	0.16	D6919-09
BICARBONATE ALKALINITY	19	SM20-2320B
CALCIUM, TOTAL	24.7	SW846 6010C
CALCIUM, DISSOLVED		SW846 6010C
COD (CHEMICAL OXYGEN DEMAND)	15 ND	EPA 410.4
CHLORIDE	133	EPA 300
FLUORIDE	0.2 ND	EPA 300
IRON, TOTAL (ug/l)	1700	SW846 6010C
IRON, DISSOLVED (ug/l)		SW846 6010C
MAGNESIUM, TOTAL	9.6	SW846 6010C
MAGNESIUM, DISSOLVED		SW846 6010C
MANGANESE, TOTAL (ug/l)	38	SW846 6010C
MANGANESE, DISSOLVED (ug/l)		SW846 6010C
NITRATE-NITROGEN	14.8	EPA 300
pH-FIELD (SU)	5.46	FIELD
pH-LAB (SU)	6.1	SM20-4500HB
POTASSIUM, TOTAL	5.1	SW846 6010C
POTASSIUM, DISSOLVED		SW846 6010C
SODIUM, TOTAL	88.5	SW846 6010C
SODIUM, DISSOLVED		SW846 6010C
SPEC. COND., FIELD (umhos/cm)	395	FIELD
SPEC. COND., LAB (umhos/cm)	719	SW846 9050A
SULFATE	29.9	EPA 300
ALKALINITY	19	SM20-2320B
TDS (TOT. DISSOLVED SOLIDS)	360	SM20-2540C
TOC (TOTAL ORGANIC CARBON)	1.5	SW846 9060A
TOTAL PHENOLICS (ug/l)	5 ND	SW846 9066
TURBIDITY (N.T.U.)	62.7	SM 2130B

* Indicator Analyte - For comparison with detection zone analytes.

T Please indicate detection limit if analyte is not detected.

** Total and dissolved analysis required only in conjunction with additional annual metals sampling (see page 4).

Remaining quarterly samples only require total metals analysis.

I.D. No	101389
Monitoring Point No.	FFMP02SW
Sample Date	11/20/2019

FORM 19**QUARTERLY AND ANNUAL WATER QUALITY ANALYSES**

2-Q. Organics (Enter all data in ug/l)

ANALYTE	VALUE ^T	ANALYSIS METHOD NUMBER
BENZENE	1 ND	SW846 8260B
1,2-DIBROMOETHANE	1 ND	SW846 8260B
1,1-DICHLOROETHANE	1 ND	SW846 8260B
1,1-DICHLOROETHENE	1 ND	SW846 8260B
1,2-DICHLOROETHANE	1 ND	SW846 8260B
CIS 1,2-DICHLOROETHENE	1 ND	SW846 8260B
TRANS 1,2-DICHLOROETHENE	1 ND	SW846 8260B
ETHYLBENZENE	1 ND	SW846 8260B
METHYLENE CHLORIDE	1.4	SW846 8260B
TETRACHLOROETHENE	1 ND	SW846 8260B
TOLUENE	1 ND	SW846 8260B
1,1,1-TRICHLOROETHANE	1 ND	SW846 8260B
TRICHLOROETHENE	1 ND	SW846 8260B
VINYL CHLORIDE	1 ND	SW846 8260B
XYLEMES (TOTAL)	3 ND	SW846 8260B

T Please indicate detection limit if analyte is not detected.

**COMMONWEALTH OF PENNSYLVANIA
DEPARTMENT OF ENVIRONMENTAL PROTECTION
BUREAU OF WASTE MANAGEMENT**



Date Prepared/Revised

01/09/2020

DEP USE ONLY

Date Received

FORM 19

**MUNICIPAL WASTE LANDFILL
QUARTERLY AND ANNUAL WATER QUALITY ANALYSES**

This form must be fully and accurately completed. All required information must be typed or legibly printed in the spaces provided. If additional space is necessary, identify each attached sheet as Form 19, reference the item number and identify the date prepared. The "date prepared/revised" on any attached sheets needs to match the "date prepared/revised" on this page.

General Reference: Section 273.284

Federal Regulations, Subtitle D: 258.54 and Appendix I to Part 258.

SECTION A. APPLICANT IDENTIFIER

Applicant/permittee: Lancaster County Solid Waste Mana

Site Name: Frey Farm Landfill

Facility ID (as issued by DEP): 101389

SECTION B. FACILITY INFORMATION

Monitoring Wells must be designed and constructed in accordance with Department Standards. INDICATE THE LATITUDE AND LONGITUDE TO THE NEAREST ONE TENTH OF A SECOND (D° MM' SS.S")

Monitoring Point Number: FFMP03AW Well Spring Stream Other
 Upgradient/Upstream Downgradient/Downstream

Location (County): Lancaster County Municipality: Manor TownshipSampling Point: Latitude: 39 ° 57' 24.05" Longitude: 76 ° 27' 30.58"Depth to Water Level: 52.71 ft Measured from: Land Surface TOCCasing Stickup: 1.20 ft Elevation of Water Level: 538.19 ft./MSLSampling Depth: 130 ft Volume of Water Column: 138.77 galTotal Well Depth: 147.2 ft Sampling Method: Pumped Bailed GrabWell Purged: Yes No Well Volumes Purged: 0.8Sample Field Filtered (must be 0.45 micron)?: Yes NoSpring Flow Rate: gpmSample Date (mm/dd/yy): 11/21/2019 Sample Collection Time: 10:20Sample Collector's Name: Mr. Brian G ShadeSample Collector's Affiliation: ALSLaboratory(ies) Performing Analysis: ALS EnvironmentalWere any holding times exceeded?: Yes No If yes, please explain in comments field.Lab Accreditation Number(s): 22-293Lab Sample Number(s): 3071453001 Final Lab Analysis Completion Date: 11/29/2019Name/Affiliation of Person who Filled Out Form: Nick R. RogersComments:

I.D. No	101389
Monitoring Point No.	FFMP03AW
Sample Date	11/21/2019

FORM 19**QUARTERLY AND ANNUAL WATER QUALITY ANALYSES****ANALYTES**

1-Q. Inorganics (Enter all data in mg/l except as noted)

ANALYTE	VALUE ^T	ANALYSIS METHOD NUMBER
AMMONIA-NITROGEN	0.1 ND	D6919-09
BICARBONATE ALKALINITY	20	SM20-2320B
CALCIUM, TOTAL	17.6	SW846 6010C
CALCIUM, DISSOLVED		SW846 6010C
COD (CHEMICAL OXYGEN DEMAND)	15 ND	EPA 410.4
CHLORIDE	24.7	EPA 300
FLUORIDE	0.2	EPA 300
IRON, TOTAL (ug/l)	67 ND	SW846 6010C
IRON, DISSOLVED (ug/l)		SW846 6010C
MAGNESIUM, TOTAL	12.7	SW846 6010C
MAGNESIUM, DISSOLVED		SW846 6010C
MANGANESE, TOTAL (ug/l)	260	SW846 6010C
MANGANESE, DISSOLVED (ug/l)		SW846 6010C
NITRATE-NITROGEN	20	EPA 300
pH-FIELD (SU)	4.96	FIELD
pH-LAB (SU)	6.17	SM20-4500HB
POTASSIUM, TOTAL	1.4	SW846 6010C
POTASSIUM, DISSOLVED		SW846 6010C
SODIUM, TOTAL	12.2	SW846 6010C
SODIUM, DISSOLVED		SW846 6010C
SPEC. COND., FIELD (umhos/cm)	304	FIELD
SPEC. COND., LAB (umhos/cm)	264	SW846 9050A
SULFATE	3.1	EPA 300
ALKALINITY	20	SM20-2320B
TDS (TOT. DISSOLVED SOLIDS)	80	SM20-2540C
TOC (TOTAL ORGANIC CARBON)	0.57	SW846 9060A
TOTAL PHENOLICS (ug/l)	5 ND	SW846 9066
TURBIDITY (N.T.U.)	0.1 ND	SM 2130B

* Indicator Analyte - For comparison with detection zone analytes.

T Please indicate detection limit if analyte is not detected.

** Total and dissolved analysis required only in conjunction with additional annual metals sampling (see page 4).

Remaining quarterly samples only require total metals analysis.

I.D. No	101389
Monitoring Point No.	FFMP03AW
Sample Date	11/21/2019

FORM 19**QUARTERLY AND ANNUAL WATER QUALITY ANALYSES**

2-Q. Organics (Enter all data in ug/l)

ANALYTE	VALUE ^T	ANALYSIS METHOD NUMBER
BENZENE	1 ND	SW846 8260B
1,2-DIBROMOETHANE	1 ND	SW846 8260B
1,1-DICHLOROETHANE	1 ND	SW846 8260B
1,1-DICHLOROETHENE	1 ND	SW846 8260B
1,2-DICHLOROETHANE	1 ND	SW846 8260B
CIS 1,2-DICHLOROETHENE	1 ND	SW846 8260B
TRANS 1,2-DICHLOROETHENE	1 ND	SW846 8260B
ETHYLBENZENE	1 ND	SW846 8260B
METHYLENE CHLORIDE	1 ND	SW846 8260B
TETRACHLOROETHENE	1 ND	SW846 8260B
TOLUENE	1 ND	SW846 8260B
1,1,1-TRICHLOROETHANE	1 ND	SW846 8260B
TRICHLOROETHENE	1 ND	SW846 8260B
VINYL CHLORIDE	1 ND	SW846 8260B
XYLEMES (TOTAL)	3 ND	SW846 8260B

T Please indicate detection limit if analyte is not detected.

**COMMONWEALTH OF PENNSYLVANIA
DEPARTMENT OF ENVIRONMENTAL PROTECTION
BUREAU OF WASTE MANAGEMENT**



Date Prepared/Revised

01/09/2020

DEP USE ONLY

Date Received

FORM 19

**MUNICIPAL WASTE LANDFILL
QUARTERLY AND ANNUAL WATER QUALITY ANALYSES**

This form must be fully and accurately completed. All required information must be typed or legibly printed in the spaces provided. If additional space is necessary, identify each attached sheet as Form 19, reference the item number and identify the date prepared. The "date prepared/revised" on any attached sheets needs to match the "date prepared/revised" on this page.

General Reference: Section 273.284

Federal Regulations, Subtitle D: 258.54 and Appendix I to Part 258.

SECTION A. APPLICANT IDENTIFIER

Applicant/permittee: Lancaster County Solid Waste Mana

Site Name: Frey Farm Landfill

Facility ID (as issued by DEP): 101389

SECTION B. FACILITY INFORMATION

Monitoring Wells must be designed and constructed in accordance with Department Standards. INDICATE THE LATITUDE AND LONGITUDE TO THE NEAREST ONE TENTH OF A SECOND (D° MM' SS.S")

Monitoring Point Number: FFMP031W Well Spring Stream Other
 Upgradient/Upstream Downgradient/Downstream

Location (County): Lancaster County Municipality: MANOR TOWNSHIPSampling Point: Latitude: 39 ° 57' 31.2" Longitude: 76 ° 27' 23.53"Depth to Water Level: 68.41 ft Measured from: Land Surface TOCCasing Stickup: 2.38 ft Elevation of Water Level: 544.25 ft./MSLSampling Depth: 130 ft Volume of Water Column: 105.14 galTotal Well Depth: 140 ft Sampling Method: Pumped Bailed GrabWell Purged: Yes No Well Volumes Purged: 1.3Sample Field Filtered (must be 0.45 micron)?: Yes NoSpring Flow Rate: gpmSample Date (mm/dd/yy): 11/21/2019 Sample Collection Time: 12:04Sample Collector's Name: Mr. Brian G ShadeSample Collector's Affiliation: ALSLaboratory(ies) Performing Analysis: ALS EnvironmentalWere any holding times exceeded?: Yes No If yes, please explain in comments field.Lab Accreditation Number(s): 22-293Lab Sample Number(s): 3071453002 Final Lab Analysis Completion Date: 12/4/2019Name/Affiliation of Person who Filled Out Form: Nick R. Rogers

Comments: _____

I.D. No	101389
Monitoring Point No.	FFMP031W
Sample Date	11/21/2019

FORM 19**QUARTERLY AND ANNUAL WATER QUALITY ANALYSES****ANALYTES**

1-Q. Inorganics (Enter all data in mg/l except as noted)

ANALYTE	VALUE ^T	ANALYSIS METHOD NUMBER
AMMONIA-NITROGEN	0.1 ND	D6919-09
BICARBONATE ALKALINITY	81	SM20-2320B
CALCIUM, TOTAL	41.2	SW846 6010C
CALCIUM, DISSOLVED		SW846 6010C
COD (CHEMICAL OXYGEN DEMAND)	15 ND	EPA 410.4
CHLORIDE	23.5	EPA 300
FLUORIDE	0.26	EPA 300
IRON, TOTAL (ug/l)	3800	SW846 6010C
IRON, DISSOLVED (ug/l)		SW846 6010C
MAGNESIUM, TOTAL	4.1	SW846 6010C
MAGNESIUM, DISSOLVED		SW846 6010C
MANGANESE, TOTAL (ug/l)	360	SW846 6010C
MANGANESE, DISSOLVED (ug/l)		SW846 6010C
NITRATE-NITROGEN	0.2 ND	EPA 300
pH-FIELD (SU)	7.5	FIELD
pH-LAB (SU)	7.97	SM20-4500HB
POTASSIUM, TOTAL	1.5	SW846 6010C
POTASSIUM, DISSOLVED		SW846 6010C
SODIUM, TOTAL	10.4	SW846 6010C
SODIUM, DISSOLVED		SW846 6010C
SPEC. COND., FIELD (umhos/cm)	318	FIELD
SPEC. COND., LAB (umhos/cm)	269	SW846 9050A
SULFATE	45.7	EPA 300
ALKALINITY	81	SM20-2320B
TDS (TOT. DISSOLVED SOLIDS)	122	SM20-2540C
TOC (TOTAL ORGANIC CARBON)	0.58	SW846 9060A
TOTAL PHENOLICS (ug/l)	5 ND	SW846 9066
TURBIDITY (N.T.U.)	14	SM 2130B

* Indicator Analyte - For comparison with detection zone analytes.

T Please indicate detection limit if analyte is not detected.

** Total and dissolved analysis required only in conjunction with additional annual metals sampling (see page 4).

Remaining quarterly samples only require total metals analysis.

I.D. No	101389
Monitoring Point No.	FFMP031W
Sample Date	11/21/2019

FORM 19**QUARTERLY AND ANNUAL WATER QUALITY ANALYSES**

2-Q. Organics (Enter all data in ug/l)

ANALYTE	VALUE ^T	ANALYSIS METHOD NUMBER
BENZENE	1 ND	SW846 8260B
1,2-DIBROMOETHANE	1 ND	SW846 8260B
1,1-DICHLOROETHANE	1 ND	SW846 8260B
1,1-DICHLOROETHENE	1 ND	SW846 8260B
1,2-DICHLOROETHANE	1 ND	SW846 8260B
CIS 1,2-DICHLOROETHENE	1 ND	SW846 8260B
TRANS 1,2-DICHLOROETHENE	1 ND	SW846 8260B
ETHYLBENZENE	1 ND	SW846 8260B
METHYLENE CHLORIDE	1 ND	SW846 8260B
TETRACHLOROETHENE	1 ND	SW846 8260B
TOLUENE	1 ND	SW846 8260B
1,1,1-TRICHLOROETHANE	1 ND	SW846 8260B
TRICHLOROETHENE	1 ND	SW846 8260B
VINYL CHLORIDE	1 ND	SW846 8260B
XYLEMES (TOTAL)	3 ND	SW846 8260B

T Please indicate detection limit if analyte is not detected.

**COMMONWEALTH OF PENNSYLVANIA
DEPARTMENT OF ENVIRONMENTAL PROTECTION
BUREAU OF WASTE MANAGEMENT**



Date Prepared/Revised

01/09/2020

DEP USE ONLY

Date Received

FORM 19

**MUNICIPAL WASTE LANDFILL
QUARTERLY AND ANNUAL WATER QUALITY ANALYSES**

This form must be fully and accurately completed. All required information must be typed or legibly printed in the spaces provided. If additional space is necessary, identify each attached sheet as Form 19, reference the item number and identify the date prepared. The "date prepared/revised" on any attached sheets needs to match the "date prepared/revised" on this page.

General Reference: Section 273.284

Federal Regulations, Subtitle D: 258.54 and Appendix I to Part 258.

SECTION A. APPLICANT IDENTIFIER

Applicant/permittee: Lancaster County Solid Waste Mana

Site Name: Frey Farm Landfill

Facility ID (as issued by DEP): 101389

SECTION B. FACILITY INFORMATION

Monitoring Wells must be designed and constructed in accordance with Department Standards. INDICATE THE LATITUDE AND LONGITUDE TO THE NEAREST ONE TENTH OF A SECOND (D° MM' SS.S")

Monitoring Point Number: FFMP002W Well Spring Stream Other
 Upgradient/Upstream Downgradient/Downstream

Location (County): Lancaster County Municipality: Manor TownshipSampling Point: Latitude: 39 ° 57' 32.25" Longitude: 76 ° 27' 24.03"Depth to Water Level: 69.74 ft Measured from: Land Surface TOCCasing Stickup: 1.60 ft Elevation of Water Level: 543.46 ft./MSLSampling Depth: 85 ft Volume of Water Column: 146.66 galTotal Well Depth: 169.6 ft Sampling Method: Pumped Bailed GrabWell Purged: Yes No Well Volumes Purged: 0.6Sample Field Filtered (must be 0.45 micron)?: Yes NoSpring Flow Rate: gpmSample Date (mm/dd/yy): 11/21/2019 Sample Collection Time: 12:43Sample Collector's Name: Mr. Brian G ShadeSample Collector's Affiliation: ALSLaboratory(ies) Performing Analysis: ALS EnvironmentalWere any holding times exceeded?: Yes No If yes, please explain in comments field.Lab Accreditation Number(s): 22-293Lab Sample Number(s): 3071453003 Final Lab Analysis Completion Date: 12/4/2019Name/Affiliation of Person who Filled Out Form: Nick R. Rogers

Comments: _____

I.D. No	101389
Monitoring Point No.	FFMP002W
Sample Date	11/21/2019

FORM 19**QUARTERLY AND ANNUAL WATER QUALITY ANALYSES****ANALYTES**

1-Q. Inorganics (Enter all data in mg/l except as noted)

ANALYTE	VALUE ^T	ANALYSIS METHOD NUMBER
AMMONIA-NITROGEN	0.1 ND	D6919-09
BICARBONATE ALKALINITY	5 ND	SM20-2320B
CALCIUM, TOTAL	20.4	SW846 6010C
CALCIUM, DISSOLVED		SW846 6010C
COD (CHEMICAL OXYGEN DEMAND)	15 ND	EPA 410.4
CHLORIDE	21.1	EPA 300
FLUORIDE	0.2 ND	EPA 300
IRON, TOTAL (ug/l)	67 ND	SW846 6010C
IRON, DISSOLVED (ug/l)		SW846 6010C
MAGNESIUM, TOTAL	8.2	SW846 6010C
MAGNESIUM, DISSOLVED		SW846 6010C
MANGANESE, TOTAL (ug/l)	260	SW846 6010C
MANGANESE, DISSOLVED (ug/l)		SW846 6010C
NITRATE-NITROGEN	20	EPA 300
pH-FIELD (SU)	4.61	FIELD
pH-LAB (SU)	5.31	SM20-4500HB
POTASSIUM, TOTAL	1.9	SW846 6010C
POTASSIUM, DISSOLVED		SW846 6010C
SODIUM, TOTAL	15	SW846 6010C
SODIUM, DISSOLVED		SW846 6010C
SPEC. COND., FIELD (umhos/cm)	308	FIELD
SPEC. COND., LAB (umhos/cm)	261	SW846 9050A
SULFATE	23.3	EPA 300
ALKALINITY	5 ND	SM20-2320B
TDS (TOT. DISSOLVED SOLIDS)	220	SM20-2540C
TOC (TOTAL ORGANIC CARBON)	0.8	SW846 9060A
TOTAL PHENOLICS (ug/l)	5 ND	SW846 9066
TURBIDITY (N.T.U.)	0.1 ND	SM 2130B

* Indicator Analyte - For comparison with detection zone analytes.

T Please indicate detection limit if analyte is not detected.

** Total and dissolved analysis required only in conjunction with additional annual metals sampling (see page 4).

Remaining quarterly samples only require total metals analysis.

I.D. No	101389
Monitoring Point No.	FFMP002W
Sample Date	11/21/2019

FORM 19**QUARTERLY AND ANNUAL WATER QUALITY ANALYSES**

2-Q. Organics (Enter all data in ug/l)

ANALYTE	VALUE ^T	ANALYSIS METHOD NUMBER
BENZENE	1 ND	SW846 8260B
1,2-DIBROMOETHANE	1 ND	SW846 8260B
1,1-DICHLOROETHANE	1 ND	SW846 8260B
1,1-DICHLOROETHENE	1 ND	SW846 8260B
1,2-DICHLOROETHANE	1 ND	SW846 8260B
CIS 1,2-DICHLOROETHENE	1 ND	SW846 8260B
TRANS 1,2-DICHLOROETHENE	1 ND	SW846 8260B
ETHYLBENZENE	1 ND	SW846 8260B
METHYLENE CHLORIDE	1 ND	SW846 8260B
TETRACHLOROETHENE	1 ND	SW846 8260B
TOLUENE	1 ND	SW846 8260B
1,1,1-TRICHLOROETHANE	1 ND	SW846 8260B
TRICHLOROETHENE	1 ND	SW846 8260B
VINYL CHLORIDE	1 ND	SW846 8260B
XYLEMES (TOTAL)	3 ND	SW846 8260B

T Please indicate detection limit if analyte is not detected.

**COMMONWEALTH OF PENNSYLVANIA
DEPARTMENT OF ENVIRONMENTAL PROTECTION
BUREAU OF WASTE MANAGEMENT**



Date Prepared/Revised

01/09/2020

DEP USE ONLY

Date Received

FORM 19

**MUNICIPAL WASTE LANDFILL
QUARTERLY AND ANNUAL WATER QUALITY ANALYSES**

This form must be fully and accurately completed. All required information must be typed or legibly printed in the spaces provided. If additional space is necessary, identify each attached sheet as Form 19, reference the item number and identify the date prepared. The "date prepared/revised" on any attached sheets needs to match the "date prepared/revised" on this page.

General Reference: Section 273.284

Federal Regulations, Subtitle D: 258.54 and Appendix I to Part 258.

SECTION A. APPLICANT IDENTIFIER

Applicant/permittee: Lancaster County Solid Waste Mana

Site Name: Frey Farm Landfill

Facility ID (as issued by DEP): 101389

SECTION B. FACILITY INFORMATION

Monitoring Wells must be designed and constructed in accordance with Department Standards. INDICATE THE LATITUDE AND LONGITUDE TO THE NEAREST ONE TENTH OF A SECOND (D° MM' SS.S")

Monitoring Point Number: FFMP032W Well Spring Stream Other
 Upgradient/Upstream Downgradient/Downstream

Location (County): Lancaster County Municipality: MANOR TOWNSHIPSampling Point: Latitude: 39 ° 57' 33.45" Longitude: 76 ° 27' 17.71"Depth to Water Level: 49.29 ft Measured from: Land Surface TOCCasing Stickup: 2.06 ft Elevation of Water Level: 544.80 ft./MSLSampling Depth: 62 ft Volume of Water Column: 37.76 galTotal Well Depth: 75 ft Sampling Method: Pumped Bailed GrabWell Purged: Yes No Well Volumes Purged: 0.7Sample Field Filtered (must be 0.45 micron)?: Yes NoSpring Flow Rate: gpmSample Date (mm/dd/yy): 11/21/2019 Sample Collection Time: 13:50Sample Collector's Name: Mr. Brian G ShadeSample Collector's Affiliation: ALSLaboratory(ies) Performing Analysis: ALS EnvironmentalWere any holding times exceeded?: Yes No If yes, please explain in comments field.Lab Accreditation Number(s): 22-293Lab Sample Number(s): 3071453004 Final Lab Analysis Completion Date: 12/4/2019Name/Affiliation of Person who Filled Out Form: Nick R. Rogers

Comments: _____

I.D. No	101389
Monitoring Point No.	FFMP032W
Sample Date	11/21/2019

FORM 19**QUARTERLY AND ANNUAL WATER QUALITY ANALYSES****ANALYTES**

1-Q. Inorganics (Enter all data in mg/l except as noted)

ANALYTE	VALUE ^T	ANALYSIS METHOD NUMBER
AMMONIA-NITROGEN	0.606	D6919-09
BICARBONATE ALKALINITY	90	SM20-2320B
CALCIUM, TOTAL	15.2	SW846 6010C
CALCIUM, DISSOLVED		SW846 6010C
COD (CHEMICAL OXYGEN DEMAND)	15 ND	EPA 410.4
CHLORIDE	21.2	EPA 300
FLUORIDE	0.2 ND	EPA 300
IRON, TOTAL (ug/l)	7800	SW846 6010C
IRON, DISSOLVED (ug/l)		SW846 6010C
MAGNESIUM, TOTAL	5.1	SW846 6010C
MAGNESIUM, DISSOLVED		SW846 6010C
MANGANESE, TOTAL (ug/l)	650	SW846 6010C
MANGANESE, DISSOLVED (ug/l)		SW846 6010C
NITRATE-NITROGEN	0.2 ND	EPA 300
pH-FIELD (SU)	6.96	FIELD
pH-LAB (SU)	7.65	SM20-4500HB
POTASSIUM, TOTAL	1.5	SW846 6010C
POTASSIUM, DISSOLVED		SW846 6010C
SODIUM, TOTAL	13.8	SW846 6010C
SODIUM, DISSOLVED		SW846 6010C
SPEC. COND., FIELD (umhos/cm)	214	FIELD
SPEC. COND., LAB (umhos/cm)	169	SW846 9050A
SULFATE	2 ND	EPA 300
ALKALINITY	90	SM20-2320B
TDS (TOT. DISSOLVED SOLIDS)	92	SM20-2540C
TOC (TOTAL ORGANIC CARBON)	0.64	SW846 9060A
TOTAL PHENOLICS (ug/l)	5 ND	SW846 9066
TURBIDITY (N.T.U.)	150	SM 2130B

* Indicator Analyte - For comparison with detection zone analytes.

T Please indicate detection limit if analyte is not detected.

** Total and dissolved analysis required only in conjunction with additional annual metals sampling (see page 4).

Remaining quarterly samples only require total metals analysis.

I.D. No	101389
Monitoring Point No.	FFMP032W
Sample Date	11/21/2019

FORM 19**QUARTERLY AND ANNUAL WATER QUALITY ANALYSES**

2-Q. Organics (Enter all data in ug/l)

ANALYTE	VALUE ^T	ANALYSIS METHOD NUMBER
BENZENE	1 ND	SW846 8260B
1,2-DIBROMOETHANE	1 ND	SW846 8260B
1,1-DICHLOROETHANE	1 ND	SW846 8260B
1,1-DICHLOROETHENE	1 ND	SW846 8260B
1,2-DICHLOROETHANE	1 ND	SW846 8260B
CIS 1,2-DICHLOROETHENE	1 ND	SW846 8260B
TRANS 1,2-DICHLOROETHENE	1 ND	SW846 8260B
ETHYLBENZENE	1 ND	SW846 8260B
METHYLENE CHLORIDE	1 ND	SW846 8260B
TETRACHLOROETHENE	1 ND	SW846 8260B
TOLUENE	1 ND	SW846 8260B
1,1,1-TRICHLOROETHANE	1 ND	SW846 8260B
TRICHLOROETHENE	1 ND	SW846 8260B
VINYL CHLORIDE	1 ND	SW846 8260B
XYLEMES (TOTAL)	3 ND	SW846 8260B

T Please indicate detection limit if analyte is not detected.

**COMMONWEALTH OF PENNSYLVANIA
DEPARTMENT OF ENVIRONMENTAL PROTECTION
BUREAU OF WASTE MANAGEMENT**



Date Prepared/Revised

01/09/2020

DEP USE ONLY

Date Received

FORM 19

**MUNICIPAL WASTE LANDFILL
QUARTERLY AND ANNUAL WATER QUALITY ANALYSES**

This form must be fully and accurately completed. All required information must be typed or legibly printed in the spaces provided. If additional space is necessary, identify each attached sheet as Form 19, reference the item number and identify the date prepared. The "date prepared/revised" on any attached sheets needs to match the "date prepared/revised" on this page.

General Reference: Section 273.284

Federal Regulations, Subtitle D: 258.54 and Appendix I to Part 258.

SECTION A. APPLICANT IDENTIFIER

Applicant/permittee: Lancaster County Solid Waste Mana

Site Name: Frey Farm Landfill

Facility ID (as issued by DEP): 101389

SECTION B. FACILITY INFORMATION

Monitoring Wells must be designed and constructed in accordance with Department Standards. INDICATE THE LATITUDE AND LONGITUDE TO THE NEAREST ONE TENTH OF A SECOND (D° MM' SS.S")

Monitoring Point Number: FFMP025W Well Spring Stream Other
 Upgradient/Upstream Downgradient/Downstream

Location (County): Lancaster County Municipality: Manor TownshipSampling Point: Latitude: 39 ° 57' 19.07" Longitude: 76 ° 27' 1.12"Depth to Water Level: 24.85 ft Measured from: Land Surface TOCCasing Stickup: 1.50 ft Elevation of Water Level: 451.95 ft./MSLSampling Depth: 39 ft Volume of Water Column: 22.25 galTotal Well Depth: 40 ft Sampling Method: Pumped Bailed GrabWell Purged: Yes No Well Volumes Purged: 3.6Sample Field Filtered (must be 0.45 micron)?: Yes NoSpring Flow Rate: gpmSample Date (mm/dd/yy): 11/21/2019 Sample Collection Time: 14:34Sample Collector's Name: Mr. Brian G ShadeSample Collector's Affiliation: ALSLaboratory(ies) Performing Analysis: ALS EnvironmentalWere any holding times exceeded?: Yes No If yes, please explain in comments field.Lab Accreditation Number(s): 22-293Lab Sample Number(s): 3071453005 Final Lab Analysis Completion Date: 12/4/2019Name/Affiliation of Person who Filled Out Form: Nick R. Rogers

Comments: _____

I.D. No	101389
Monitoring Point No.	FFMP025W
Sample Date	11/21/2019

FORM 19**QUARTERLY AND ANNUAL WATER QUALITY ANALYSES****ANALYTES**

1-Q. Inorganics (Enter all data in mg/l except as noted)

ANALYTE	VALUE ^T	ANALYSIS METHOD NUMBER
AMMONIA-NITROGEN	0.1 ND	D6919-09
BICARBONATE ALKALINITY	37	SM20-2320B
CALCIUM, TOTAL	21.7	SW846 6010C
CALCIUM, DISSOLVED		SW846 6010C
COD (CHEMICAL OXYGEN DEMAND)	15 ND	EPA 410.4
CHLORIDE	51.8	EPA 300
FLUORIDE	0.2 ND	EPA 300
IRON, TOTAL (ug/l)	67 ND	SW846 6010C
IRON, DISSOLVED (ug/l)		SW846 6010C
MAGNESIUM, TOTAL	11.9	SW846 6010C
MAGNESIUM, DISSOLVED		SW846 6010C
MANGANESE, TOTAL (ug/l)	6.6	SW846 6010C
MANGANESE, DISSOLVED (ug/l)		SW846 6010C
NITRATE-NITROGEN	8	EPA 300
pH-FIELD (SU)	4.78	FIELD
pH-LAB (SU)	6.63	SM20-4500HB
POTASSIUM, TOTAL	2.4	SW846 6010C
POTASSIUM, DISSOLVED		SW846 6010C
SODIUM, TOTAL	19.5	SW846 6010C
SODIUM, DISSOLVED		SW846 6010C
SPEC. COND., FIELD (umhos/cm)	345	FIELD
SPEC. COND., LAB (umhos/cm)	306	SW846 9050A
SULFATE	23.9	EPA 300
ALKALINITY	37	SM20-2320B
TDS (TOT. DISSOLVED SOLIDS)	188	SM20-2540C
TOC (TOTAL ORGANIC CARBON)	0.91	SW846 9060A
TOTAL PHENOLICS (ug/l)	5 ND	SW846 9066
TURBIDITY (N.T.U.)	0.11	SM 2130B

* Indicator Analyte - For comparison with detection zone analytes.

T Please indicate detection limit if analyte is not detected.

** Total and dissolved analysis required only in conjunction with additional annual metals sampling (see page 4).

Remaining quarterly samples only require total metals analysis.

I.D. No	101389
Monitoring Point No.	FFMP025W
Sample Date	11/21/2019

FORM 19**QUARTERLY AND ANNUAL WATER QUALITY ANALYSES**

2-Q. Organics (Enter all data in ug/l)

ANALYTE	VALUE ^T	ANALYSIS METHOD NUMBER
BENZENE	1 ND	SW846 8260B
1,2-DIBROMOETHANE	1 ND	SW846 8260B
1,1-DICHLOROETHANE	1 ND	SW846 8260B
1,1-DICHLOROETHENE	1 ND	SW846 8260B
1,2-DICHLOROETHANE	1 ND	SW846 8260B
CIS 1,2-DICHLOROETHENE	1 ND	SW846 8260B
TRANS 1,2-DICHLOROETHENE	1 ND	SW846 8260B
ETHYLBENZENE	1 ND	SW846 8260B
METHYLENE CHLORIDE	1 ND	SW846 8260B
TETRACHLOROETHENE	1 ND	SW846 8260B
TOLUENE	1 ND	SW846 8260B
1,1,1-TRICHLOROETHANE	1 ND	SW846 8260B
TRICHLOROETHENE	1 ND	SW846 8260B
VINYL CHLORIDE	1 ND	SW846 8260B
XYLEMES (TOTAL)	3 ND	SW846 8260B

T Please indicate detection limit if analyte is not detected.

**COMMONWEALTH OF PENNSYLVANIA
DEPARTMENT OF ENVIRONMENTAL PROTECTION
BUREAU OF WASTE MANAGEMENT**



Date Prepared/Revised

01/09/2020

DEP USE ONLY

Date Received

FORM 19

**MUNICIPAL WASTE LANDFILL
QUARTERLY AND ANNUAL WATER QUALITY ANALYSES**

This form must be fully and accurately completed. All required information must be typed or legibly printed in the spaces provided. If additional space is necessary, identify each attached sheet as Form 19, reference the item number and identify the date prepared. The "date prepared/revised" on any attached sheets needs to match the "date prepared/revised" on this page.

General Reference: Section 273.284

Federal Regulations, Subtitle D: 258.54 and Appendix I to Part 258.

SECTION A. APPLICANT IDENTIFIER

Applicant/permittee: Lancaster County Solid Waste Mana

Site Name: Frey Farm Landfill

Facility ID (as issued by DEP): 101389

SECTION B. FACILITY INFORMATION

Monitoring Wells must be designed and constructed in accordance with Department Standards. INDICATE THE LATITUDE AND LONGITUDE TO THE NEAREST ONE TENTH OF A SECOND (D° MM' SS.S")

Monitoring Point Number: FFMP016W Well Spring Stream Other
 Upgradient/Upstream Downgradient/Downstream

Location (County): Lancaster County Municipality: Manor TownshipSampling Point: Latitude: 39 ° 57' 19.15" Longitude: 76 ° 27' 0.88"Depth to Water Level: 22.67 ft Measured from: Land Surface TOCCasing Stickup: 1.97 ft Elevation of Water Level: 451.93 ft./MSLSampling Depth: 135 ft Volume of Water Column: 186.71 galTotal Well Depth: 149.8 ft Sampling Method: Pumped Bailed GrabWell Purged: Yes No Well Volumes Purged: _____Sample Field Filtered (must be 0.45 micron)?: Yes No

Spring Flow Rate: _____ gpm

Sample Date (mm/dd/yy): 11/22/2019 Sample Collection Time: 14:00Sample Collector's Name: Mr. Brian G ShadeSample Collector's Affiliation: ALSLaboratory(ies) Performing Analysis: ALS EnvironmentalWere any holding times exceeded?: Yes No If yes, please explain in comments field.Lab Accreditation Number(s): 22-293Lab Sample Number(s): 3071832001 Final Lab Analysis Completion Date: 12/4/2019Name/Affiliation of Person who Filled Out Form: Nick R. Rogers

Comments: _____

I.D. No	101389
Monitoring Point No.	FFMP016W
Sample Date	11/22/2019

FORM 19**QUARTERLY AND ANNUAL WATER QUALITY ANALYSES****ANALYTES**

1-Q. Inorganics (Enter all data in mg/l except as noted)

ANALYTE	VALUE ^T	ANALYSIS METHOD NUMBER
AMMONIA-NITROGEN	0.115	D6919-09
BICARBONATE ALKALINITY	35	SM20-2320B
CALCIUM, TOTAL	29	SW846 6010C
CALCIUM, DISSOLVED		SW846 6010C
COD (CHEMICAL OXYGEN DEMAND)	15 ND	EPA 410.4
CHLORIDE	68.5	EPA 300
FLUORIDE	0.2 ND	EPA 300
IRON, TOTAL (ug/l)	67 ND	SW846 6010C
IRON, DISSOLVED (ug/l)		SW846 6010C
MAGNESIUM, TOTAL	14.6	SW846 6010C
MAGNESIUM, DISSOLVED		SW846 6010C
MANGANESE, TOTAL (ug/l)	18	SW846 6010C
MANGANESE, DISSOLVED (ug/l)		SW846 6010C
NITRATE-NITROGEN	10.1	EPA 300
pH-FIELD (SU)	5.18	FIELD
pH-LAB (SU)	6.37	SM20-4500HB
POTASSIUM, TOTAL	3	SW846 6010C
POTASSIUM, DISSOLVED		SW846 6010C
SODIUM, TOTAL	27.8	SW846 6010C
SODIUM, DISSOLVED		SW846 6010C
SPEC. COND., FIELD (umhos/cm)	468	FIELD
SPEC. COND., LAB (umhos/cm)	428	SW846 9050A
SULFATE	26	EPA 300
ALKALINITY	35	SM20-2320B
TDS (TOT. DISSOLVED SOLIDS)	284	SM20-2540C
TOC (TOTAL ORGANIC CARBON)	0.88	SW846 9060A
TOTAL PHENOLICS (ug/l)	5 ND	SW846 9066
TURBIDITY (N.T.U.)	0.18	SM 2130B

* Indicator Analyte - For comparison with detection zone analytes.

T Please indicate detection limit if analyte is not detected.

** Total and dissolved analysis required only in conjunction with additional annual metals sampling (see page 4).

Remaining quarterly samples only require total metals analysis.

I.D. No	101389
Monitoring Point No.	FFMP016W
Sample Date	11/22/2019

FORM 19**QUARTERLY AND ANNUAL WATER QUALITY ANALYSES**

2-Q. Organics (Enter all data in ug/l)

ANALYTE	VALUE ^T	ANALYSIS METHOD NUMBER
BENZENE	1 ND	SW846 8260B
1,2-DIBROMOETHANE	1 ND	SW846 8260B
1,1-DICHLOROETHANE	1 ND	SW846 8260B
1,1-DICHLOROETHENE	1 ND	SW846 8260B
1,2-DICHLOROETHANE	1 ND	SW846 8260B
CIS 1,2-DICHLOROETHENE	1 ND	SW846 8260B
TRANS 1,2-DICHLOROETHENE	1 ND	SW846 8260B
ETHYLBENZENE	1 ND	SW846 8260B
METHYLENE CHLORIDE	1.1	SW846 8260B
TETRACHLOROETHENE	1 ND	SW846 8260B
TOLUENE	1 ND	SW846 8260B
1,1,1-TRICHLOROETHANE	1 ND	SW846 8260B
TRICHLOROETHENE	1 ND	SW846 8260B
VINYL CHLORIDE	1 ND	SW846 8260B
XYLEMES (TOTAL)	3 ND	SW846 8260B

T Please indicate detection limit if analyte is not detected.



ALS Environmental



301 Fulling Mill Road - Middletown, PA 17057 - Phone: 717-944-5541 - Fax: 717-944-1430 - www.alsglobal.com

NELAP Certifications: NJ PA010 , NY 11759 , PA 22-293 DoD ELAP: PJLA 74618
State Certifications: FL E871113 , WA C999 , MD 128 , VA 460157 , WV DW 9961-C , WV 343

December 5, 2019

Mr. Daniel Brown
Lancaster County Solid Waste Authority
1299 Hbg Pike, P.O. Box 4425
Lancaster, PA 17604

Certificate of Analysis

Project Name:	FREY FARM	Workorder:	3071453
Purchase Order:	PO1000126	Workorder ID:	4TH QTR 2019 GWMP-FORM 19Q

Dear Mr. Brown:

Enclosed are the analytical results for samples received by the laboratory on Thursday, November 21, 2019.

The ALS Environmental laboratory in Middletown, Pennsylvania is a National Environmental Laboratory Accreditation Program (NELAP) accredited laboratory and as such, certifies that all applicable test results meet the requirements of NELAP.

If you have any questions regarding this certificate of analysis, please contact Ms. Susan J Scherer (Project Coordinator) at (717) 944-5541.

Analyses were performed according to our laboratory's NELAP-approved quality assurance program and any applicable state requirements. The test results meet requirements of the current NELAP standards or state requirements, where applicable. For a specific list of accredited analytes, refer to the certifications section of the ALS website at www.alsglobal.com/en/Our-Services/Life-Sciences/Environmental/Downloads.

This laboratory report may not be reproduced, except in full, without the written approval of ALS Environmental.

ALS Spring City: 10 Riverside Drive, Spring City, PA 19475 610-948-4903

CC: Mr. Nicholas Rogers , Ms. Jordan Gallagher , Mr. Jeff Musser

This page is included as part of the Analytical Report and must be retained as a permanent record thereof.

Ms. Susan J Scherer
Project Coordinator

ALS Environmental Laboratory Locations Across North America

Canada: Burlington · Calgary · Centre of Excellence · Edmonton · Fort McMurray · Fort St. John · Grande Prairie · London · Mississauga · Richmond Hill · Saskatoon · Thunder Bay
Vancouver Waterloo · Winnipeg · Yellowknife **United States:** Cincinnati · Everett · Fort Collins · Holland · Houston · Middletown · Salt Lake City · Spring City · York **Mexico:** Monterrey



ALS Environmental



301 Fulling Mill Road - Middletown, PA 17057 - Phone: 717-944-5541 - Fax: 717-944-1430 - www.alsglobal.com

NELAP Certifications: NJ PA010 , NY 11759 , PA 22-293 DoD ELAP: PJLA 74618
State Certifications: FL E871113 , WA C999 , MD 128 , VA 460157 , WV DW 9961-C , WV 343

SAMPLE SUMMARY

Workorder: 3071453 4TH QTR 2019 GWMP-FORM 19Q

Lab ID	Sample ID	Matrix	Date Collected	Date Received	Collected By
3071453001	FFMP03AW	Ground Water	11/21/2019 10:20	11/21/2019 15:51	Mr. Brian G Shade
3071453002	FFMP031W	Ground Water	11/21/2019 12:04	11/21/2019 15:51	Mr. Brian G Shade
3071453003	FFMP002W	Ground Water	11/21/2019 12:43	11/21/2019 15:51	Mr. Brian G Shade
3071453004	FFMP032W	Ground Water	11/21/2019 13:50	11/21/2019 15:51	Mr. Brian G Shade
3071453005	FFMP025W	Ground Water	11/21/2019 14:34	11/21/2019 15:51	Mr. Brian G Shade
3071453006	FIELD BLANK	Water	11/21/2019 14:50	11/21/2019 15:51	Mr. Brian G Shade
3071453007	TRIP BLANK	Water	11/21/2019 15:51	11/21/2019 15:51	Mr. Brian G Shade

ALS Environmental Laboratory Locations Across North America

Canada: Burlington · Calgary · Centre of Excellence · Edmonton · Fort McMurray · Fort St. John · Grande Prairie · London · Mississauga · Richmond Hill · Saskatoon · Thunder Bay
Vancouver · Waterloo · Winnipeg · Yellowknife · **United States:** Cincinnati · Everett · Fort Collins · Holland · Houston · Middletown · Salt Lake City · Spring City · York · **Mexico:** Monterrey



ALS Environmental



301 Fulling Mill Road - Middletown, PA 17057 - Phone: 717-944-5541 - Fax: 717-944-1430 - www.alsglobal.com

NELAP Certifications: NJ PA010 , NY 11759 , PA 22-293 DoD ELAP: PJLA 74618
State Certifications: FL E871113 , WA C999 , MD 128 , VA 460157 , WV DW 9961-C , WV 343

SAMPLE SUMMARY

Workorder: 3071453 4TH QTR 2019 GWMP-FORM 19Q

Notes

- Samples collected by ALS personnel are done so in accordance with the procedures set forth in the ALS Field Sampling Plan (20 - Field Services Sampling Plan).
- All Waste Water analyses comply with methodology requirements of 40 CFR Part 136.
- All Drinking Water analyses comply with methodology requirements of 40 CFR Part 141.
- Unless otherwise noted, all quantitative results for soils are reported on a dry weight basis.
- The Chain of Custody document is included as part of this report.
- All Library Search analytes should be regarded as tentative identifications based on the presumptive evidence of the mass spectra. Concentrations reported are estimated values.
- Parameters identified as "analyze immediately" require analysis within 15 minutes of collection. Any "analyze immediately" parameters not listed under the header "Field Parameters" are preformed in the laboratory and are therefore analyzed out of hold time.
- Method references listed on this report beginning with the prefix "S" followed by a method number (such as S2310B-97) refer to methods from "Standard Methods for the Examination of Water and Wastewater".
- For microbiological analyses, the "Prepared" value is the date/time into the incubator and the "Analyzed" value is the date/time out the incubator.
- An Analysis-Prep Method Cross Reference Table is included after Analytical Results & Qualifiers section in this report.

Standard Acronyms/Flags

J	Indicates an estimated value between the Method Detection Limit (MDL) and the Practical Quantitation Limit (PQL) for the analyte
U	Indicates that the analyte was Not Detected (ND)
N	Indicates presumptive evidence of the presence of a compound
MDL	Method Detection Limit
PQL	Practical Quantitation Limit
RDL	Reporting Detection Limit
ND	Not Detected - indicates that the analyte was Not Detected at the RDL
Cntr	Analysis was performed using this container
RegLmt	Regulatory Limit
LCS	Laboratory Control Sample
MS	Matrix Spike
MSD	Matrix Spike Duplicate
DUP	Sample Duplicate
%Rec	Percent Recovery
RPD	Relative Percent Difference
LOD	DoD Limit of Detection
LOQ	DoD Limit of Quantitation
DL	DoD Detection Limit
I	Indicates reported value is greater than or equal to the Method Detection Limit (MDL) but less than the Report Detection Limit (RDL)
(S)	Surrogate Compound
NC	Not Calculated
*	Result outside of QC limits

ALS Environmental Laboratory Locations Across North America

Canada: Burlington · Calgary · Centre of Excellence · Edmonton · Fort McMurray · Fort St. John · Grande Prairie · London · Mississauga · Richmond Hill · Saskatoon · Thunder Bay
Vancouver · Waterloo · Winnipeg · Yellowknife · **United States:** Cincinnati · Everett · Fort Collins · Holland · Houston · Middletown · Salt Lake City · Spring City · York · **Mexico:** Monterrey



ALS Environmental



301 Fulling Mill Road - Middletown, PA 17057 - Phone: 717-944-5541 - Fax: 717-944-1430 - www.alsglobal.com

NELAP Certifications: NJ PA010 , NY 11759 , PA 22-293 DoD ELAP: PJLA 74618
State Certifications: FL E871113 , WA C999 , MD 128 , VA 460157 , WV DW 9961-C , WV 343

ANALYTICAL RESULTS

Workorder: 3071453 4TH QTR 2019 GWMP-FORM 19Q

Lab ID:	3071453001	Date Collected:	11/21/2019 10:20	Matrix:	Ground Water
Sample ID:	FFMP03AW	Date Received:	11/21/2019 15:51		

Parameters	Results	Flag	Units	RDL	Method	Prepared	By	Analyzed	By	Cntr
VOLATILE ORGANICS										
Benzene	ND		ug/L	1.0	SW846 8260B			11/23/19 05:28	VLM	G
1,2-Dibromoethane	ND		ug/L	1.0	SW846 8260B			11/23/19 05:28	VLM	G
1,1-Dichloroethane	ND		ug/L	1.0	SW846 8260B			11/23/19 05:28	VLM	G
1,2-Dichloroethane	ND		ug/L	1.0	SW846 8260B			11/23/19 05:28	VLM	G
1,1-Dichloroethene	ND		ug/L	1.0	SW846 8260B			11/23/19 05:28	VLM	G
cis-1,2-Dichloroethene	ND		ug/L	1.0	SW846 8260B			11/23/19 05:28	VLM	G
trans-1,2-Dichloroethene	ND		ug/L	1.0	SW846 8260B			11/23/19 05:28	VLM	G
Ethylbenzene	ND		ug/L	1.0	SW846 8260B			11/23/19 05:28	VLM	G
Methylene Chloride	ND		ug/L	1.0	SW846 8260B			11/23/19 05:28	VLM	G
Tetrachloroethene	ND		ug/L	1.0	SW846 8260B			11/23/19 05:28	VLM	G
Toluene	ND		ug/L	1.0	SW846 8260B			11/23/19 05:28	VLM	G
Total Xylenes	ND		ug/L	3.0	SW846 8260B			11/23/19 05:28	VLM	G
1,1,1-Trichloroethane	ND		ug/L	1.0	SW846 8260B			11/23/19 05:28	VLM	G
Trichloroethene	ND		ug/L	1.0	SW846 8260B			11/23/19 05:28	VLM	G
Vinyl Chloride	ND		ug/L	1.0	SW846 8260B			11/23/19 05:28	VLM	G
Surrogate Recoveries										
1,2-Dichloroethane-d4 (S)	110		%	62 - 133	SW846 8260B			11/23/19 05:28	VLM	G
4-Bromofluorobenzene (S)	91.6		%	79 - 114	SW846 8260B			11/23/19 05:28	VLM	G
Dibromofluoromethane (S)	88.2		%	78 - 116	SW846 8260B			11/23/19 05:28	VLM	G
Toluene-d8 (S)	90.5		%	76 - 127	SW846 8260B			11/23/19 05:28	VLM	G
WET CHEMISTRY										
Alkalinity, Bicarbonate	20	2	mg/L	5	SM2320B-2011			11/27/19 13:55	MXO	B
Alkalinity, Total	20	3,4	mg/L	5	SM2320B-2011			11/27/19 13:55	MXO	I
Ammonia-N	ND		mg/L	0.100	D6919-09			11/29/19 16:56	NJA	A
Chemical Oxygen Demand (COD)	ND		mg/L	15	EPA 410.4			11/27/19 16:55	AK	A
Chloride	24.7		mg/L	2.0	EPA 300.0			11/22/19 10:20	CHW	B
Fluoride	0.20		mg/L	0.20	EPA 300.0			11/22/19 10:20	CHW	B
Nitrate-N	20.0	5	mg/L	0.50	EPA 300.0			11/23/19 12:40	CHW	B
pH	6.17	1	pH_Units		S4500HB-11			11/27/19 13:55	MXO	B
Phenolics	ND		mg/L	0.005	SW846 9066	11/26/19 09:16	C_D	11/26/19 11:19	C_D	F
Specific Conductance	264		umhos/cm	1	SW846 9050A			11/28/19 09:11	MBW	B
Sulfate	3.1		mg/L	2.0	EPA 300.0			11/22/19 10:20	CHW	B
Total Dissolved Solids	80		mg/L	5	S2540C-11			11/24/19 21:35	VXF	B
Total Organic Carbon (TOC)	0.57		mg/L	0.50	SW846 9060A			11/26/19 16:42	PAG	D
Turbidity	ND		NTU	0.10	SM2130B-2011			11/22/19 07:25	R2B	B

ALS Environmental Laboratory Locations Across North America

Canada: Burlington · Calgary · Centre of Excellence · Edmonton · Fort McMurray · Fort St. John · Grande Prairie · London · Mississauga · Richmond Hill · Saskatoon · Thunder Bay
Vancouver Waterloo · Winnipeg · Yellowknife **United States:** Cincinnati · Everett · Fort Collins · Holland · Houston · Middletown · Salt Lake City · Spring City · York **Mexico:** Monterrey



ALS Environmental



301 Fulling Mill Road - Middletown, PA 17057 - Phone: 717-944-5541 - Fax: 717-944-1430 - www.alsglobal.com

NELAP Certifications: NJ PA010 , NY 11759 , PA 22-293 DoD ELAP: PJLA 74618
State Certifications: FL E871113 , WA C999 , MD 128 , VA 460157 , WV DW 9961-C , WV 343

ANALYTICAL RESULTS

Workorder: 3071453 4TH QTR 2019 GWMP-FORM 19Q

Lab ID:	3071453001	Date Collected:	11/21/2019 10:20	Matrix:	Ground Water
Sample ID:	FFMP03AW	Date Received:	11/21/2019 15:51		

Parameters	Results	Flag	Units	RDL	Method	Prepared By	Analyzed By	By	Cntr
METALS									
Calcium, Total	17.6		mg/L	0.11	SW846 6010C	11/26/19 14:55 SXC	11/27/19 10:44 SRT	J1	
Iron, Total	ND		mg/L	0.067	SW846 6010C	11/26/19 14:55 SXC	11/27/19 10:44 SRT	J1	
Magnesium, Total	12.7		mg/L	0.11	SW846 6010C	11/26/19 14:55 SXC	11/27/19 10:44 SRT	J1	
Manganese, Total	0.26		mg/L	0.0056	SW846 6010C	11/26/19 14:55 SXC	11/27/19 10:44 SRT	J1	
Potassium, Total	1.4		mg/L	0.56	SW846 6010C	11/26/19 14:55 SXC	11/27/19 10:44 SRT	J1	
Sodium, Total	12.2		mg/L	0.56	SW846 6010C	11/26/19 14:55 SXC	11/27/19 10:44 SRT	J1	
FIELD PARAMETERS									
Depth to Water Level	52.71		Feet		Field		11/21/19 10:20	BGS	C
Elev Top MW Casing above MSL	590.90		Feet		Field		11/21/19 10:20	BGS	C
Flow Rate	1.69		gal/min		Field		11/21/19 10:20	BGS	C
Ground Water Elevation	538.19		ft/MSL		Field		11/21/19 10:20	BGS	C
pH, Field (SM4500B)	4.96		pH_Units		Field		11/21/19 10:20	BGS	C
Sample Depth	130.00		Feet		Field		11/21/19 10:20	BGS	C
Specific Conductance, Field	304		umhos/cm	1	Field		11/21/19 10:20	BGS	C
Temperature	10.85		Deg. C		Field		11/21/19 10:20	BGS	C
Total Well Depth	148.40		Feet		Field		11/21/19 10:20	BGS	C
Volume in Water Column	140.66		Gallons		Field		11/21/19 10:20	BGS	C
Water Level After Purge	84.81		Feet		Field		11/21/19 10:20	BGS	C
Well Volumes Purged	0.84		Vol		Field		11/21/19 10:20	BGS	C

Ms. Susan J Scherer

Project Coordinator

ALS Environmental Laboratory Locations Across North America

Canada: Burlington · Calgary · Centre of Excellence · Edmonton · Fort McMurray · Fort St. John · Grande Prairie · London · Mississauga · Richmond Hill · Saskatoon · Thunder Bay
Vancouver Waterloo · Winnipeg · Yellowknife **United States:** Cincinnati · Everett · Fort Collins · Holland · Houston · Middletown · Salt Lake City · Spring City · York **Mexico:** Monterrey



ALS Environmental



301 Fulling Mill Road - Middletown, PA 17057 - Phone: 717-944-5541 - Fax: 717-944-1430 - www.alsglobal.com

NELAP Certifications: NJ PA010 , NY 11759 , PA 22-293 DoD ELAP: PJLA 74618
State Certifications: FL E871113 , WA C999 , MD 128 , VA 460157 , WV DW 9961-C , WV 343

ANALYTICAL RESULTS

Workorder: 3071453 4TH QTR 2019 GWMP-FORM 19Q

Lab ID:	3071453002	Date Collected:	11/21/2019 12:04	Matrix:	Ground Water
Sample ID:	FFMP031W	Date Received:	11/21/2019 15:51		

Parameters	Results	Flag	Units	RDL	Method	Prepared	By	Analyzed	By	Cntr
VOLATILE ORGANICS										
Benzene	ND		ug/L	1.0	SW846 8260B			11/23/19 05:50	VLM	G
1,2-Dibromoethane	ND		ug/L	1.0	SW846 8260B			11/23/19 05:50	VLM	G
1,1-Dichloroethane	ND		ug/L	1.0	SW846 8260B			11/23/19 05:50	VLM	G
1,2-Dichloroethane	ND		ug/L	1.0	SW846 8260B			11/23/19 05:50	VLM	G
1,1-Dichloroethene	ND		ug/L	1.0	SW846 8260B			11/23/19 05:50	VLM	G
cis-1,2-Dichloroethene	ND		ug/L	1.0	SW846 8260B			11/23/19 05:50	VLM	G
trans-1,2-Dichloroethene	ND		ug/L	1.0	SW846 8260B			11/23/19 05:50	VLM	G
Ethylbenzene	ND		ug/L	1.0	SW846 8260B			11/23/19 05:50	VLM	G
Methylene Chloride	ND		ug/L	1.0	SW846 8260B			11/23/19 05:50	VLM	G
Tetrachloroethene	ND		ug/L	1.0	SW846 8260B			11/23/19 05:50	VLM	G
Toluene	ND		ug/L	1.0	SW846 8260B			11/23/19 05:50	VLM	G
Total Xylenes	ND		ug/L	3.0	SW846 8260B			11/23/19 05:50	VLM	G
1,1,1-Trichloroethane	ND		ug/L	1.0	SW846 8260B			11/23/19 05:50	VLM	G
Trichloroethene	ND		ug/L	1.0	SW846 8260B			11/23/19 05:50	VLM	G
Vinyl Chloride	ND		ug/L	1.0	SW846 8260B			11/23/19 05:50	VLM	G
Surrogate Recoveries										
1,2-Dichloroethane-d4 (S)	111		%	62 - 133	SW846 8260B			11/23/19 05:50	VLM	G
4-Bromofluorobenzene (S)	91.6		%	79 - 114	SW846 8260B			11/23/19 05:50	VLM	G
Dibromofluoromethane (S)	89.9		%	78 - 116	SW846 8260B			11/23/19 05:50	VLM	G
Toluene-d8 (S)	91		%	76 - 127	SW846 8260B			11/23/19 05:50	VLM	G
WET CHEMISTRY										
Alkalinity, Bicarbonate	81	2	mg/L	5	SM2320B-2011			11/27/19 13:55	MXO	B
Alkalinity, Total	81	5,6	mg/L	5	SM2320B-2011			11/27/19 13:55	MXO	I
Ammonia-N	ND		mg/L	0.100	D6919-09			11/29/19 17:09	NJA	A
Chemical Oxygen Demand (COD)	ND		mg/L	15	EPA 410.4			11/27/19 16:55	AK	A
Chloride	23.5		mg/L	2.0	EPA 300.0			11/22/19 10:36	CHW	B
Fluoride	0.26		mg/L	0.20	EPA 300.0			11/22/19 10:36	CHW	B
Nitrate-N	ND		mg/L	0.20	EPA 300.0			11/22/19 10:36	CHW	B
pH	7.97	1	pH_Units		S4500HB-11			11/27/19 13:55	MXO	B
Phenolics	ND	3,4	mg/L	0.005	SW846 9066	12/2/19 14:11	C_D	12/4/19 07:20	C_D	F
Specific Conductance	269		umhos/cm	1	SW846 9050A			11/28/19 09:13	MBW	B
Sulfate	45.7		mg/L	2.0	EPA 300.0			11/22/19 10:36	CHW	B
Total Dissolved Solids	122		mg/L	5	S2540C-11			11/24/19 21:35	VXF	B
Total Organic Carbon (TOC)	0.58		mg/L	0.50	SW846 9060A			11/26/19 16:42	PAG	D
Turbidity	14.0		NTU	0.10	SM2130B-2011			11/22/19 07:25	R2B	B

ALS Environmental Laboratory Locations Across North America

Canada: Burlington · Calgary · Centre of Excellence · Edmonton · Fort McMurray · Fort St. John · Grande Prairie · London · Mississauga · Richmond Hill · Saskatoon · Thunder Bay
Vancouver Waterloo · Winnipeg · Yellowknife **United States:** Cincinnati · Everett · Fort Collins · Holland · Houston · Middletown · Salt Lake City · Spring City · York **Mexico:** Monterrey



ALS Environmental



301 Fulling Mill Road - Middletown, PA 17057 - Phone: 717-944-5541 - Fax: 717-944-1430 - www.alsglobal.com

NELAP Certifications: NJ PA010 , NY 11759 , PA 22-293 DoD ELAP: PJLA 74618
State Certifications: FL E871113 , WA C999 , MD 128 , VA 460157 , WV DW 9961-C , WV 343

ANALYTICAL RESULTS

Workorder: 3071453 4TH QTR 2019 GWMP-FORM 19Q

Lab ID:	3071453002	Date Collected:	11/21/2019 12:04	Matrix:	Ground Water
Sample ID:	FFMP031W	Date Received:	11/21/2019 15:51		

Parameters	Results	Flag	Units	RDL	Method	Prepared By	Analyzed By	By	Cntr
METALS									
Calcium, Total	41.2		mg/L	0.11	SW846 6010C	11/26/19 14:55 SXC	11/27/19 10:48 SRT	J1	
Iron, Total	3.8		mg/L	0.067	SW846 6010C	11/26/19 14:55 SXC	11/27/19 10:48 SRT	J1	
Magnesium, Total	4.1		mg/L	0.11	SW846 6010C	11/26/19 14:55 SXC	11/27/19 10:48 SRT	J1	
Manganese, Total	0.36		mg/L	0.0056	SW846 6010C	11/26/19 14:55 SXC	11/27/19 10:48 SRT	J1	
Potassium, Total	1.5		mg/L	0.56	SW846 6010C	11/26/19 14:55 SXC	11/27/19 10:48 SRT	J1	
Sodium, Total	10.4		mg/L	0.56	SW846 6010C	11/26/19 14:55 SXC	11/27/19 10:48 SRT	J1	
FIELD PARAMETERS									
Depth to Water Level	68.41		Feet		Field		11/21/19 12:04 BGS	C	
Elev Top MW Casing above MSL	612.66		Feet		Field		11/21/19 12:04 BGS	C	
Flow Rate	1.61		gal/min		Field		11/21/19 12:04 BGS	C	
Ground Water Elevation	544.25		ft/MSL		Field		11/21/19 12:04 BGS	C	
pH, Field (SM4500B)	7.50		pH_Units		Field		11/21/19 12:04 BGS	C	
Sample Depth	130.00		Feet		Field		11/21/19 12:04 BGS	C	
Specific Conductance, Field	318		umhos/cm	1	Field		11/21/19 12:04 BGS	C	
Temperature	13.53		Deg. C		Field		11/21/19 12:04 BGS	C	
Total Well Depth	142.70		Feet		Field		11/21/19 12:04 BGS	C	
Volume in Water Column	109.21		Gallons		Field		11/21/19 12:04 BGS	C	
Water Level After Purge	107.68		Feet		Field		11/21/19 12:04 BGS	C	
Well Volumes Purged	1.33		Vol		Field		11/21/19 12:04 BGS	C	

Ms. Susan J Scherer

Project Coordinator

ALS Environmental Laboratory Locations Across North America

Canada: Burlington · Calgary · Centre of Excellence · Edmonton · Fort McMurray · Fort St. John · Grande Prairie · London · Mississauga · Richmond Hill · Saskatoon · Thunder Bay
Vancouver Waterloo · Winnipeg · Yellowknife · **United States:** Cincinnati · Everett · Fort Collins · Holland · Houston · Middletown · Salt Lake City · Spring City · York · **Mexico:** Monterrey



ALS Environmental



301 Fulling Mill Road - Middletown, PA 17057 - Phone: 717-944-5541 - Fax: 717-944-1430 - www.alsglobal.com

NELAP Certifications: NJ PA010 , NY 11759 , PA 22-293 DoD ELAP: PJLA 74618
State Certifications: FL E871113 , WA C999 , MD 128 , VA 460157 , WV DW 9961-C , WV 343

ANALYTICAL RESULTS

Workorder: 3071453 4TH QTR 2019 GWMP-FORM 19Q

Lab ID:	3071453003	Date Collected:	11/21/2019 12:43	Matrix:	Ground Water
Sample ID:	FFMP002W	Date Received:	11/21/2019 15:51		

Parameters	Results	Flag	Units	RDL	Method	Prepared By	Analyzed By	By Cntr
VOLATILE ORGANICS								
Benzene	ND		ug/L	1.0	SW846 8260B		11/26/19 00:20	VLM H
1,2-Dibromoethane	ND		ug/L	1.0	SW846 8260B		11/26/19 00:20	VLM H
1,1-Dichloroethane	ND		ug/L	1.0	SW846 8260B		11/26/19 00:20	VLM H
1,2-Dichloroethane	ND		ug/L	1.0	SW846 8260B		11/26/19 00:20	VLM H
1,1-Dichloroethene	ND		ug/L	1.0	SW846 8260B		11/26/19 00:20	VLM H
cis-1,2-Dichloroethene	ND		ug/L	1.0	SW846 8260B		11/26/19 00:20	VLM H
trans-1,2-Dichloroethene	ND		ug/L	1.0	SW846 8260B		11/26/19 00:20	VLM H
Ethylbenzene	ND		ug/L	1.0	SW846 8260B		11/26/19 00:20	VLM H
Methylene Chloride	ND		ug/L	1.0	SW846 8260B		11/26/19 00:20	VLM H
Tetrachloroethene	ND		ug/L	1.0	SW846 8260B		11/26/19 00:20	VLM H
Toluene	ND		ug/L	1.0	SW846 8260B		11/26/19 00:20	VLM H
Total Xylenes	ND		ug/L	3.0	SW846 8260B		11/26/19 00:20	VLM H
1,1,1-Trichloroethane	ND		ug/L	1.0	SW846 8260B		11/26/19 00:20	VLM H
Trichloroethene	ND		ug/L	1.0	SW846 8260B		11/26/19 00:20	VLM H
Vinyl Chloride	ND		ug/L	1.0	SW846 8260B		11/26/19 00:20	VLM H
Surrogate Recoveries								
1,2-Dichloroethane-d4 (S)	103		%	62 - 133	SW846 8260B		11/26/19 00:20	VLM H
4-Bromofluorobenzene (S)	91.6		%	79 - 114	SW846 8260B		11/26/19 00:20	VLM H
Dibromofluoromethane (S)	91.9		%	78 - 116	SW846 8260B		11/26/19 00:20	VLM H
Toluene-d8 (S)	91.6		%	76 - 127	SW846 8260B		11/26/19 00:20	VLM H
WET CHEMISTRY								
Alkalinity, Bicarbonate	ND	2	mg/L	5	SM2320B-2011		11/27/19 13:55	MXO B
Alkalinity, Total	ND	3,4	mg/L	5	SM2320B-2011		11/27/19 13:55	MXO I
Ammonia-N	ND		mg/L	0.100	D6919-09		11/29/19 17:22	NJA A
Chemical Oxygen Demand (COD)	ND		mg/L	15	EPA 410.4		11/27/19 16:55	AK A
Chloride	21.1		mg/L	2.0	EPA 300.0		11/22/19 10:51	CHW B
Fluoride	ND		mg/L	0.20	EPA 300.0		11/22/19 10:51	CHW B
Nitrate-N	20.0	5	mg/L	0.50	EPA 300.0		11/23/19 12:53	CHW B
pH	5.31	1	pH_Units		S4500HB-11		11/27/19 13:55	MXO B
Phenolics	ND		mg/L	0.005	SW846 9066	12/2/19 14:11 C_D	12/4/19 07:20	C_D F
Specific Conductance	261		umhos/cm	1	SW846 9050A		11/28/19 09:14	MBW B
Sulfate	23.3		mg/L	2.0	EPA 300.0		11/22/19 10:51	CHW B
Total Dissolved Solids	220		mg/L	5	S2540C-11		11/25/19 17:53	D1C B
Total Organic Carbon (TOC)	0.80		mg/L	0.50	SW846 9060A		11/26/19 16:42	PAG D
Turbidity	ND		NTU	0.10	SM2130B-2011		11/22/19 07:25	R2B B

ALS Environmental Laboratory Locations Across North America

Canada: Burlington · Calgary · Centre of Excellence · Edmonton · Fort McMurray · Fort St. John · Grande Prairie · London · Mississauga · Richmond Hill · Saskatoon · Thunder Bay
Vancouver Waterloo · Winnipeg · Yellowknife **United States:** Cincinnati · Everett · Fort Collins · Holland · Houston · Middletown · Salt Lake City · Spring City · York **Mexico:** Monterrey



ALS Environmental



301 Fulling Mill Road - Middletown, PA 17057 - Phone: 717-944-5541 - Fax: 717-944-1430 - www.alsglobal.com

NELAP Certifications: NJ PA010 , NY 11759 , PA 22-293 DoD ELAP: PJLA 74618
State Certifications: FL E871113 , WA C999 , MD 128 , VA 460157 , WV DW 9961-C , WV 343

ANALYTICAL RESULTS

Workorder: 3071453 4TH QTR 2019 GWMP-FORM 19Q

Lab ID:	3071453003	Date Collected:	11/21/2019 12:43	Matrix:	Ground Water
Sample ID:	FFMP002W	Date Received:	11/21/2019 15:51		

Parameters	Results	Flag	Units	RDL	Method	Prepared By	Analyzed By	By	Cntr
METALS									
Calcium, Total	20.4		mg/L	0.11	SW846 6010C	11/26/19 14:55 SXC	11/27/19 10:51 SRT	J1	
Iron, Total	ND		mg/L	0.067	SW846 6010C	11/26/19 14:55 SXC	11/27/19 10:51 SRT	J1	
Magnesium, Total	8.2		mg/L	0.11	SW846 6010C	11/26/19 14:55 SXC	11/27/19 10:51 SRT	J1	
Manganese, Total	0.26		mg/L	0.0056	SW846 6010C	11/26/19 14:55 SXC	11/27/19 10:51 SRT	J1	
Potassium, Total	1.9		mg/L	0.56	SW846 6010C	11/26/19 14:55 SXC	11/27/19 10:51 SRT	J1	
Sodium, Total	15.0		mg/L	0.56	SW846 6010C	11/26/19 14:55 SXC	11/27/19 10:51 SRT	J1	
FIELD PARAMETERS									
Depth to Water Level	69.74		Feet		Field		11/21/19 12:42 BGS	C	
Elev Top MW Casing above MSL	613.20		Feet		Field		11/21/19 12:42 BGS	C	
Flow Rate	0.95		gal/min		Field		11/21/19 12:42 BGS	C	
Ground Water Elevation	543.46		ft/MSL		Field		11/21/19 12:42 BGS	C	
pH, Field (SM4500B)	4.61		pH_Units		Field		11/21/19 12:42 BGS	C	
Sample Depth	85.00		Feet		Field		11/21/19 12:42 BGS	C	
Specific Conductance, Field	308		umhos/cm	1	Field		11/21/19 12:42 BGS	C	
Temperature	11.48		Deg. C		Field		11/21/19 12:42 BGS	C	
Total Well Depth	90.02		Feet		Field		11/21/19 12:42 BGS	C	
Volume in Water Column	29.81		Gallons		Field		11/21/19 12:42 BGS	C	
Water Level After Purge	81.41		Feet		Field		11/21/19 12:42 BGS	C	
Well Volumes Purged	0.61		Vol		Field		11/21/19 12:42 BGS	C	

Ms. Susan J Scherer

Project Coordinator

ALS Environmental Laboratory Locations Across North America

Canada: Burlington · Calgary · Centre of Excellence · Edmonton · Fort McMurray · Fort St. John · Grande Prairie · London · Mississauga · Richmond Hill · Saskatoon · Thunder Bay
Vancouver Waterloo · Winnipeg · Yellowknife · **United States:** Cincinnati · Everett · Fort Collins · Holland · Houston · Middletown · Salt Lake City · Spring City · York · **Mexico:** Monterrey



ALS Environmental



301 Fulling Mill Road - Middletown, PA 17057 - Phone: 717-944-5541 - Fax: 717-944-1430 - www.alsglobal.com

NELAP Certifications: NJ PA010 , NY 11759 , PA 22-293 DoD ELAP: PJLA 74618
State Certifications: FL E871113 , WA C999 , MD 128 , VA 460157 , WV DW 9961-C , WV 343

ANALYTICAL RESULTS

Workorder: 3071453 4TH QTR 2019 GWMP-FORM 19Q

Lab ID:	3071453004	Date Collected:	11/21/2019 13:50	Matrix:	Ground Water
Sample ID:	FFMP032W	Date Received:	11/21/2019 15:51		

Parameters	Results	Flag	Units	RDL	Method	Prepared	By	Analyzed	By	Cntr
VOLATILE ORGANICS										
Benzene	ND		ug/L	1.0	SW846 8260B			11/23/19 06:35	VLM	G
1,2-Dibromoethane	ND		ug/L	1.0	SW846 8260B			11/23/19 06:35	VLM	G
1,1-Dichloroethane	ND		ug/L	1.0	SW846 8260B			11/23/19 06:35	VLM	G
1,2-Dichloroethane	ND		ug/L	1.0	SW846 8260B			11/23/19 06:35	VLM	G
1,1-Dichloroethene	ND		ug/L	1.0	SW846 8260B			11/23/19 06:35	VLM	G
cis-1,2-Dichloroethene	ND		ug/L	1.0	SW846 8260B			11/23/19 06:35	VLM	G
trans-1,2-Dichloroethene	ND		ug/L	1.0	SW846 8260B			11/23/19 06:35	VLM	G
Ethylbenzene	ND		ug/L	1.0	SW846 8260B			11/23/19 06:35	VLM	G
Methylene Chloride	ND		ug/L	1.0	SW846 8260B			11/23/19 06:35	VLM	G
Tetrachloroethene	ND		ug/L	1.0	SW846 8260B			11/23/19 06:35	VLM	G
Toluene	ND		ug/L	1.0	SW846 8260B			11/23/19 06:35	VLM	G
Total Xylenes	ND		ug/L	3.0	SW846 8260B			11/23/19 06:35	VLM	G
1,1,1-Trichloroethane	ND		ug/L	1.0	SW846 8260B			11/23/19 06:35	VLM	G
Trichloroethene	ND		ug/L	1.0	SW846 8260B			11/23/19 06:35	VLM	G
Vinyl Chloride	ND		ug/L	1.0	SW846 8260B			11/23/19 06:35	VLM	G
Surrogate Recoveries										
1,2-Dichloroethane-d4 (S)	112		%	62 - 133	SW846 8260B			11/23/19 06:35	VLM	G
4-Bromofluorobenzene (S)	89.7		%	79 - 114	SW846 8260B			11/23/19 06:35	VLM	G
Dibromofluoromethane (S)	88.7		%	78 - 116	SW846 8260B			11/23/19 06:35	VLM	G
Toluene-d8 (S)	90.5		%	76 - 127	SW846 8260B			11/23/19 06:35	VLM	G
WET CHEMISTRY										
Alkalinity, Bicarbonate	90	2	mg/L	5	SM2320B-2011			11/27/19 13:55	MXO	B
Alkalinity, Total	90	3,4	mg/L	5	SM2320B-2011			11/27/19 13:55	MXO	I
Ammonia-N	0.606		mg/L	0.100	D6919-09			11/29/19 17:34	NJA	A
Chemical Oxygen Demand (COD)	ND		mg/L	15	EPA 410.4			11/27/19 16:56	AK	A
Chloride	21.2		mg/L	2.0	EPA 300.0			11/22/19 12:39	CHW	B
Fluoride	ND		mg/L	0.20	EPA 300.0			11/22/19 12:39	CHW	B
Nitrate-N	ND		mg/L	0.20	EPA 300.0			11/22/19 12:39	CHW	B
pH	7.65	1	pH_Units		S4500HB-11			11/27/19 13:55	MXO	B
Phenolics	ND		mg/L	0.005	SW846 9066	12/2/19 14:11	C_D	12/4/19 07:20	C_D	F
Specific Conductance	169		umhos/cm	1	SW846 9050A			11/28/19 09:15	MBW	B
Sulfate	ND		mg/L	2.0	EPA 300.0			11/22/19 12:39	CHW	B
Total Dissolved Solids	92		mg/L	5	S2540C-11			11/25/19 17:53	D1C	B
Total Organic Carbon (TOC)	0.64		mg/L	0.50	SW846 9060A			11/26/19 21:50	PAG	D
Turbidity	150		NTU	0.10	SM2130B-2011			11/22/19 07:25	R2B	B

ALS Environmental Laboratory Locations Across North America

Canada: Burlington · Calgary · Centre of Excellence · Edmonton · Fort McMurray · Fort St. John · Grande Prairie · London · Mississauga · Richmond Hill · Saskatoon · Thunder Bay
Vancouver Waterloo - Winnipeg - Yellowknife **United States:** Cincinnati · Everett · Fort Collins · Holland · Houston · Middletown · Salt Lake City · Spring City · York **Mexico:** Monterrey



ALS Environmental



301 Fulling Mill Road - Middletown, PA 17057 - Phone: 717-944-5541 - Fax: 717-944-1430 - www.alsglobal.com

NELAP Certifications: NJ PA010 , NY 11759 , PA 22-293 DoD ELAP: PJLA 74618
State Certifications: FL E871113 , WA C999 , MD 128 , VA 460157 , WV DW 9961-C , WV 343

ANALYTICAL RESULTS

Workorder: 3071453 4TH QTR 2019 GWMP-FORM 19Q

Lab ID:	3071453004	Date Collected:	11/21/2019 13:50	Matrix:	Ground Water
Sample ID:	FFMP032W	Date Received:	11/21/2019 15:51		

Parameters	Results	Flag	Units	RDL	Method	Prepared By	Analyzed By	By	Cntr
METALS									
Calcium, Total	15.2		mg/L	0.11	SW846 6010C	11/26/19 14:55 SXC	11/27/19 11:13	SRT	J1
Iron, Total	7.8		mg/L	0.067	SW846 6010C	11/26/19 14:55 SXC	11/27/19 11:13	SRT	J1
Magnesium, Total	5.1		mg/L	0.11	SW846 6010C	11/26/19 14:55 SXC	11/27/19 11:13	SRT	J1
Manganese, Total	0.65		mg/L	0.0056	SW846 6010C	11/26/19 14:55 SXC	11/27/19 11:13	SRT	J1
Potassium, Total	1.5		mg/L	0.56	SW846 6010C	11/26/19 14:55 SXC	11/27/19 11:13	SRT	J1
Sodium, Total	13.8		mg/L	0.56	SW846 6010C	11/26/19 14:55 SXC	11/27/19 11:13	SRT	J1
FIELD PARAMETERS									
Depth to Water Level	49.29		Feet		Field		11/21/19 13:50	BGS	C
Elev Top MW Casing above MSL	594.09		Feet		Field		11/21/19 13:50	BGS	C
Flow Rate	0.61		gal/min		Field		11/21/19 13:50	BGS	C
Ground Water Elevation	544.80		ft/MSL		Field		11/21/19 13:50	BGS	C
pH, Field (SM4500B)	6.96		pH_Units		Field		11/21/19 13:50	BGS	C
Sample Depth	62.00		Feet		Field		11/21/19 13:50	BGS	C
Specific Conductance, Field	214		umhos/cm	1	Field		11/21/19 13:50	BGS	C
Temperature	12.34		Deg. C		Field		11/21/19 13:50	BGS	C
Total Well Depth	77.60		Feet		Field		11/21/19 13:50	BGS	C
Volume in Water Column	41.62		Gallons		Field		11/21/19 13:50	BGS	C
Water Level After Purge	55.87		Feet		Field		11/21/19 13:50	BGS	C
Well Volumes Purged	0.73		Vol		Field		11/21/19 13:50	BGS	C

Ms. Susan J Scherer

Project Coordinator

ALS Environmental Laboratory Locations Across North America

Canada: Burlington · Calgary · Centre of Excellence · Edmonton · Fort McMurray · Fort St. John · Grande Prairie · London · Mississauga · Richmond Hill · Saskatoon · Thunder Bay
Vancouver · Waterloo · Winnipeg · Yellowknife · **United States:** Cincinnati · Everett · Fort Collins · Holland · Houston · Middletown · Salt Lake City · Spring City · York · **Mexico:** Monterrey



ALS Environmental



301 Fulling Mill Road - Middletown, PA 17057 - Phone: 717-944-5541 - Fax: 717-944-1430 - www.alsglobal.com

NELAP Certifications: NJ PA010 , NY 11759 , PA 22-293 DoD ELAP: PJLA 74618
State Certifications: FL E871113 , WA C999 , MD 128 , VA 460157 , WV DW 9961-C , WV 343

ANALYTICAL RESULTS

Workorder: 3071453 4TH QTR 2019 GWMP-FORM 19Q

Lab ID:	3071453005	Date Collected:	11/21/2019 14:34	Matrix:	Ground Water
Sample ID:	FFMP025W	Date Received:	11/21/2019 15:51		

Parameters	Results	Flag	Units	RDL	Method	Prepared	By	Analyzed	By	Cntr
VOLATILE ORGANICS										
Benzene	ND		ug/L	1.0	SW846 8260B			11/26/19 00:43	VLM	H
1,2-Dibromoethane	ND		ug/L	1.0	SW846 8260B			11/26/19 00:43	VLM	H
1,1-Dichloroethane	ND		ug/L	1.0	SW846 8260B			11/26/19 00:43	VLM	H
1,2-Dichloroethane	ND		ug/L	1.0	SW846 8260B			11/26/19 00:43	VLM	H
1,1-Dichloroethene	ND		ug/L	1.0	SW846 8260B			11/26/19 00:43	VLM	H
cis-1,2-Dichloroethene	ND		ug/L	1.0	SW846 8260B			11/26/19 00:43	VLM	H
trans-1,2-Dichloroethene	ND		ug/L	1.0	SW846 8260B			11/26/19 00:43	VLM	H
Ethylbenzene	ND		ug/L	1.0	SW846 8260B			11/26/19 00:43	VLM	H
Methylene Chloride	ND		ug/L	1.0	SW846 8260B			11/26/19 00:43	VLM	H
Tetrachloroethene	ND		ug/L	1.0	SW846 8260B			11/26/19 00:43	VLM	H
Toluene	ND		ug/L	1.0	SW846 8260B			11/26/19 00:43	VLM	H
Total Xylenes	ND		ug/L	3.0	SW846 8260B			11/26/19 00:43	VLM	H
1,1,1-Trichloroethane	ND		ug/L	1.0	SW846 8260B			11/26/19 00:43	VLM	H
Trichloroethene	ND		ug/L	1.0	SW846 8260B			11/26/19 00:43	VLM	H
Vinyl Chloride	ND		ug/L	1.0	SW846 8260B			11/26/19 00:43	VLM	H
Surrogate Recoveries										
1,2-Dichloroethane-d4 (S)	105		%	62 - 133	SW846 8260B			11/26/19 00:43	VLM	H
4-Bromofluorobenzene (S)	91.3		%	79 - 114	SW846 8260B			11/26/19 00:43	VLM	H
Dibromofluoromethane (S)	94.1		%	78 - 116	SW846 8260B			11/26/19 00:43	VLM	H
Toluene-d8 (S)	90.6		%	76 - 127	SW846 8260B			11/26/19 00:43	VLM	H
WET CHEMISTRY										
Alkalinity, Bicarbonate	37	2	mg/L	5	SM2320B-2011			11/27/19 13:55	MXO	B
Alkalinity, Total	37	3,4	mg/L	5	SM2320B-2011			11/27/19 13:55	MXO	I
Ammonia-N	ND		mg/L	0.100	D6919-09			11/29/19 17:47	NJA	A
Chemical Oxygen Demand (COD)	ND		mg/L	15	EPA 410.4			11/27/19 16:56	AK	A
Chloride	51.8		mg/L	2.0	EPA 300.0			11/22/19 12:55	CHW	B
Fluoride	ND		mg/L	0.20	EPA 300.0			11/22/19 12:55	CHW	B
Nitrate-N	8.0		mg/L	0.20	EPA 300.0			11/22/19 12:55	CHW	B
pH	6.63	1	pH_Units		S4500HB-11			11/27/19 13:55	MXO	B
Phenolics	ND		mg/L	0.005	SW846 9066	12/2/19 14:11	C_D	12/4/19 07:20	C_D	F
Specific Conductance	306		umhos/cm	1	SW846 9050A			11/28/19 09:17	MBW	B
Sulfate	23.9		mg/L	2.0	EPA 300.0			11/22/19 12:55	CHW	B
Total Dissolved Solids	188		mg/L	5	S2540C-11			11/25/19 17:53	D1C	B
Total Organic Carbon (TOC)	0.91		mg/L	0.50	SW846 9060A			11/26/19 21:50	PAG	D
Turbidity	0.11		NTU	0.10	SM2130B-2011			11/22/19 07:25	R2B	B

ALS Environmental Laboratory Locations Across North America

Canada: Burlington · Calgary · Centre of Excellence · Edmonton · Fort McMurray · Fort St. John · Grande Prairie · London · Mississauga · Richmond Hill · Saskatoon · Thunder Bay
Vancouver Waterloo · Winnipeg · Yellowknife **United States:** Cincinnati · Everett · Fort Collins · Holland · Houston · Middletown · Salt Lake City · Spring City · York **Mexico:** Monterrey



ALS Environmental



301 Fulling Mill Road - Middletown, PA 17057 - Phone: 717-944-5541 - Fax: 717-944-1430 - www.alsglobal.com

NELAP Certifications: NJ PA010 , NY 11759 , PA 22-293 DoD ELAP: PJLA 74618
State Certifications: FL E871113 , WA C999 , MD 128 , VA 460157 , WV DW 9961-C , WV 343

ANALYTICAL RESULTS

Workorder: 3071453 4TH QTR 2019 GWMP-FORM 19Q

Lab ID:	3071453005	Date Collected:	11/21/2019 14:34	Matrix:	Ground Water
Sample ID:	FFMP025W	Date Received:	11/21/2019 15:51		

Parameters	Results	Flag	Units	RDL	Method	Prepared By	Analyzed By	By	Cntr
METALS									
Calcium, Total	21.7		mg/L	0.11	SW846 6010C	11/26/19 14:55 SXC	11/27/19 11:17 SRT	J1	
Iron, Total	ND		mg/L	0.067	SW846 6010C	11/26/19 14:55 SXC	11/27/19 11:17 SRT	J1	
Magnesium, Total	11.9		mg/L	0.11	SW846 6010C	11/26/19 14:55 SXC	11/27/19 11:17 SRT	J1	
Manganese, Total	0.0066		mg/L	0.0056	SW846 6010C	11/26/19 14:55 SXC	11/27/19 11:17 SRT	J1	
Potassium, Total	2.4		mg/L	0.56	SW846 6010C	11/26/19 14:55 SXC	11/27/19 11:17 SRT	J1	
Sodium, Total	19.5		mg/L	0.56	SW846 6010C	11/26/19 14:55 SXC	11/27/19 11:17 SRT	J1	
FIELD PARAMETERS									
Depth to Water Level	24.85		Feet		Field		11/21/19 14:34 BGS	C	
Elev Top MW Casing above MSL	476.80		Feet		Field		11/21/19 14:34 BGS	C	
Flow Rate	2.97		gal/min		Field		11/21/19 14:34 BGS	C	
Ground Water Elevation	451.95		ft/MSL		Field		11/21/19 14:34 BGS	C	
pH, Field (SM4500B)	4.78		pH_Units		Field		11/21/19 14:34 BGS	C	
Sample Depth	39.00		Feet		Field		11/21/19 14:34 BGS	C	
Specific Conductance, Field	345		umhos/cm	1	Field		11/21/19 14:34 BGS	C	
Temperature	10.44		Deg. C		Field		11/21/19 14:34 BGS	C	
Total Well Depth	41.50		Feet		Field		11/21/19 14:34 BGS	C	
Volume in Water Column	24.48		Gallons		Field		11/21/19 14:34 BGS	C	
Water Level After Purge	24.94		Feet		Field		11/21/19 14:34 BGS	C	
Well Volumes Purged	3.64		Vol		Field		11/21/19 14:34 BGS	C	

Ms. Susan J Scherer

Project Coordinator

ALS Environmental Laboratory Locations Across North America

Canada: Burlington · Calgary · Centre of Excellence · Edmonton · Fort McMurray · Fort St. John · Grande Prairie · London · Mississauga · Richmond Hill · Saskatoon · Thunder Bay
Vancouver · Waterloo · Winnipeg · Yellowknife · **United States:** Cincinnati · Everett · Fort Collins · Holland · Houston · Middletown · Salt Lake City · Spring City · York · **Mexico:** Monterrey



ALS Environmental



301 Fulling Mill Road - Middletown, PA 17057 - Phone: 717-944-5541 - Fax: 717-944-1430 - www.alsglobal.com

NELAP Certifications: NJ PA010 , NY 11759 , PA 22-293 DoD ELAP: PJLA 74618
State Certifications: FL E871113 , WA C999 , MD 128 , VA 460157 , WV DW 9961-C , WV 343

ANALYTICAL RESULTS

Workorder: 3071453 4TH QTR 2019 GWMP-FORM 19Q

Lab ID:	3071453006	Date Collected:	11/21/2019 14:50	Matrix:	Water
Sample ID:	FIELD BLANK	Date Received:	11/21/2019 15:51		

Parameters	Results	Flag	Units	RDL	Method	Prepared	By	Analyzed	By	Cntr
VOLATILE ORGANICS										
Benzene	ND		ug/L	1.0	SW846 8260B			11/23/19 01:21	VLM	G
1,2-Dibromoethane	ND		ug/L	1.0	SW846 8260B			11/23/19 01:21	VLM	G
1,1-Dichloroethane	ND		ug/L	1.0	SW846 8260B			11/23/19 01:21	VLM	G
1,2-Dichloroethane	ND		ug/L	1.0	SW846 8260B			11/23/19 01:21	VLM	G
1,1-Dichloroethene	ND		ug/L	1.0	SW846 8260B			11/23/19 01:21	VLM	G
cis-1,2-Dichloroethene	ND		ug/L	1.0	SW846 8260B			11/23/19 01:21	VLM	G
trans-1,2-Dichloroethene	ND		ug/L	1.0	SW846 8260B			11/23/19 01:21	VLM	G
Ethylbenzene	ND		ug/L	1.0	SW846 8260B			11/23/19 01:21	VLM	G
Methylene Chloride	3.4		ug/L	1.0	SW846 8260B			11/23/19 01:21	VLM	G
Tetrachloroethene	ND		ug/L	1.0	SW846 8260B			11/23/19 01:21	VLM	G
Toluene	ND		ug/L	1.0	SW846 8260B			11/23/19 01:21	VLM	G
Total Xylenes	ND		ug/L	3.0	SW846 8260B			11/23/19 01:21	VLM	G
1,1,1-Trichloroethane	ND		ug/L	1.0	SW846 8260B			11/23/19 01:21	VLM	G
Trichloroethene	ND		ug/L	1.0	SW846 8260B			11/23/19 01:21	VLM	G
Vinyl Chloride	ND		ug/L	1.0	SW846 8260B			11/23/19 01:21	VLM	G
Surrogate Recoveries										
1,2-Dichloroethane-d4 (S)	99		%	62 - 133	SW846 8260B			11/23/19 01:21	VLM	G
4-Bromofluorobenzene (S)	94		%	79 - 114	SW846 8260B			11/23/19 01:21	VLM	G
Dibromofluoromethane (S)	88.4		%	78 - 116	SW846 8260B			11/23/19 01:21	VLM	G
Toluene-d8 (S)	94		%	76 - 127	SW846 8260B			11/23/19 01:21	VLM	G
WET CHEMISTRY										
Alkalinity, Bicarbonate	ND	3	mg/L	5	SM2320B-2011			11/27/19 13:55	MXO	B
Alkalinity, Total	ND	45	mg/L	5	SM2320B-2011			11/27/19 13:55	MXO	I
Ammonia-N	ND		mg/L	0.100	D6919-09			11/29/19 18:25	NJA	A
Chemical Oxygen Demand (COD)	ND		mg/L	15	EPA 410.4			11/27/19 16:55	AK	A
Chloride	ND		mg/L	1.0	EPA 300.0			11/22/19 13:10	CHW	B
Fluoride	ND		mg/L	0.10	EPA 300.0			11/22/19 13:10	CHW	B
Nitrate-N	ND		mg/L	0.10	EPA 300.0			11/22/19 13:10	CHW	B
pH	6.38	1	pH_Units		S4500HB-11			11/27/19 13:55	MXO	B
Phenolics	ND		mg/L	0.005	SW846 9066	12/2/19 14:11	C_D	12/4/19 07:20	C_D	F
Specific Conductance	ND		umhos/cm	1	SW846 9050A			11/28/19 09:18	MBW	B
Sulfate	ND		mg/L	1.0	EPA 300.0			11/22/19 13:10	CHW	B
Total Dissolved Solids	8	2	mg/L	5	S2540C-11			11/25/19 17:53	D1C	B
Total Organic Carbon (TOC)	ND		mg/L	0.50	SW846 9060A			11/26/19 21:50	PAG	D
Turbidity	ND		NTU	0.10	SM2130B-2011			11/22/19 07:25	R2B	B

ALS Environmental Laboratory Locations Across North America

Canada: Burlington · Calgary · Centre of Excellence · Edmonton · Fort McMurray · Fort St. John · Grande Prairie · London · Mississauga · Richmond Hill · Saskatoon · Thunder Bay
Vancouver Waterloo · Winnipeg · Yellowknife **United States:** Cincinnati · Everett · Fort Collins · Holland · Houston · Middletown · Salt Lake City · Spring City · York **Mexico:** Monterrey



ALS Environmental



301 Fulling Mill Road - Middletown, PA 17057 - Phone: 717-944-5541 - Fax: 717-944-1430 - www.alsglobal.com

NELAP Certifications: NJ PA010 , NY 11759 , PA 22-293 DoD ELAP: PJLA 74618
State Certifications: FL E871113 , WA C999 , MD 128 , VA 460157 , WV DW 9961-C , WV 343

ANALYTICAL RESULTS

Workorder: 3071453 4TH QTR 2019 GWMP-FORM 19Q

Lab ID:	3071453006	Date Collected:	11/21/2019 14:50	Matrix:	Water
Sample ID:	FIELD BLANK	Date Received:	11/21/2019 15:51		

Parameters	Results	Flag	Units	RDL	Method	Prepared By	Analyzed By	By	Cntr
------------	---------	------	-------	-----	--------	-------------	-------------	----	------

METALS

Calcium, Total	ND	mg/L	0.11	SW846 6010C	11/26/19 14:55	SXC	11/27/19 11:21	SRT	J1
Iron, Total	ND	mg/L	0.067	SW846 6010C	11/26/19 14:55	SXC	11/27/19 11:21	SRT	J1
Magnesium, Total	ND	mg/L	0.11	SW846 6010C	11/26/19 14:55	SXC	11/27/19 11:21	SRT	J1
Manganese, Total	ND	mg/L	0.0056	SW846 6010C	11/26/19 14:55	SXC	11/27/19 11:21	SRT	J1
Potassium, Total	ND	mg/L	0.56	SW846 6010C	11/26/19 14:55	SXC	11/27/19 11:21	SRT	J1
Sodium, Total	ND	mg/L	0.56	SW846 6010C	11/26/19 14:55	SXC	11/27/19 11:21	SRT	J1

Ms. Susan J Scherer

Project Coordinator

ALS Environmental Laboratory Locations Across North America

Canada: Burlington · Calgary · Centre of Excellence · Edmonton · Fort McMurray · Fort St. John · Grande Prairie · London · Mississauga · Richmond Hill · Saskatoon · Thunder Bay
Vancouver · Waterloo · Winnipeg · Yellowknife **United States:** Cincinnati · Everett · Fort Collins · Holland · Houston · Middletown · Salt Lake City · Spring City · York **Mexico:** Monterrey



ALS Environmental



301 Fulling Mill Road - Middletown, PA 17057 - Phone: 717-944-5541 - Fax: 717-944-1430 - www.alsglobal.com

NELAP Certifications: NJ PA010 , NY 11759 , PA 22-293 DoD ELAP: PJLA 74618
State Certifications: FL E871113 , WA C999 , MD 128 , VA 460157 , WV DW 9961-C , WV 343

ANALYTICAL RESULTS

Workorder: 3071453 4TH QTR 2019 GWMP-FORM 19Q

Lab ID:	3071453007	Date Collected:	11/21/2019 15:51	Matrix:	Water
Sample ID:	TRIP BLANK	Date Received:	11/21/2019 15:51		

Parameters	Results	Flag	Units	RDL	Method	Prepared	By	Analyzed	By	Cntr
VOLATILE ORGANICS										
Benzene	ND		ug/L	1.0	SW846 8260B			11/23/19 00:58	VLM	A
1,2-Dibromoethane	ND		ug/L	1.0	SW846 8260B			11/23/19 00:58	VLM	A
1,1-Dichloroethane	ND		ug/L	1.0	SW846 8260B			11/23/19 00:58	VLM	A
1,2-Dichloroethane	ND		ug/L	1.0	SW846 8260B			11/23/19 00:58	VLM	A
1,1-Dichloroethene	ND		ug/L	1.0	SW846 8260B			11/23/19 00:58	VLM	A
cis-1,2-Dichloroethene	ND		ug/L	1.0	SW846 8260B			11/23/19 00:58	VLM	A
trans-1,2-Dichloroethene	ND		ug/L	1.0	SW846 8260B			11/23/19 00:58	VLM	A
Ethylbenzene	ND		ug/L	1.0	SW846 8260B			11/23/19 00:58	VLM	A
Methylene Chloride	ND		ug/L	1.0	SW846 8260B			11/23/19 00:58	VLM	A
Tetrachloroethene	ND		ug/L	1.0	SW846 8260B			11/23/19 00:58	VLM	A
Toluene	ND		ug/L	1.0	SW846 8260B			11/23/19 00:58	VLM	A
Total Xylenes	ND		ug/L	3.0	SW846 8260B			11/23/19 00:58	VLM	A
1,1,1-Trichloroethane	ND		ug/L	1.0	SW846 8260B			11/23/19 00:58	VLM	A
Trichloroethene	ND		ug/L	1.0	SW846 8260B			11/23/19 00:58	VLM	A
Vinyl Chloride	ND		ug/L	1.0	SW846 8260B			11/23/19 00:58	VLM	A
<i>Surrogate Recoveries</i>										
1,2-Dichloroethane-d4 (S)	95		%	62 - 133	SW846 8260B			11/23/19 00:58	VLM	A
4-Bromofluorobenzene (S)	94.6		%	79 - 114	SW846 8260B			11/23/19 00:58	VLM	A
Dibromofluoromethane (S)	89.7		%	78 - 116	SW846 8260B			11/23/19 00:58	VLM	A
Toluene-d8 (S)	93.5		%	76 - 127	SW846 8260B			11/23/19 00:58	VLM	A

Ms. Susan J Scherer

Project Coordinator

ALS Environmental Laboratory Locations Across North America

Canada: Burlington · Calgary · Centre of Excellence · Edmonton · Fort McMurray · Fort St. John · Grande Prairie · London · Mississauga · Richmond Hill · Saskatoon · Thunder Bay
United States: Cincinnati · Everett · Fort Collins · Holland · Houston · Middletown · Salt Lake City · Spring City · York **Mexico:** Monterrey
Vancouver Waterloo · Waterloo · Winnipeg · Yellowknife



ALS Environmental



301 Fulling Mill Road - Middletown, PA 17057 - Phone: 717-944-5541 - Fax: 717-944-1430 - www.alsglobal.com

NELAP Certifications: NJ PA010 , NY 11759 , PA 22-293 DoD ELAP: PJLA 74618
State Certifications: FL E871113 , WA C999 , MD 128 , VA 460157 , WV DW 9961-C , WV 343

ANALYTICAL RESULTS

Workorder: 3071453 4TH QTR 2019 GWMP-FORM 19Q

PARAMETER QUALIFIERS

Lab ID	#	Sample ID	Analytical Method	Analyte
3071453001	1	FFMP03AW	S4500HB-11	pH
The pH analysis is an "analyze immediately" analysis. Parameters identified as "analyze immediately" require analysis within 15 minutes of collection, and are therefore analyzed outside of the method holding time when analyzed in the laboratory.				
3071453001	2	FFMP03AW	SM2320B-2011	Alkalinity, Bicarbonate
The Method Blank for method SM2320B-2011 reported a value greater than the reporting level for the analyte Alkalinity, Total. The concentration was 6 mg/L.				
3071453001	3	FFMP03AW	SM2320B-2011	Alkalinity, Total
The Total Alkalinity is titrated to a pH of 4.5 and reported as mg CaCO3/L.				
3071453001	4	FFMP03AW	SM2320B-2011	Alkalinity, Total
The Method Blank for method SM2320B-2011 reported a value greater than the reporting level for the analyte Alkalinity, Total. The concentration was 6 mg/L.				
3071453001	5	FFMP03AW	EPA 300.0	Nitrate-N
The sample was originally run within hold time, but required further analysis that exceeded hold time.				
3071453002	1	FFMP031W	S4500HB-11	pH
The pH analysis is an "analyze immediately" analysis. Parameters identified as "analyze immediately" require analysis within 15 minutes of collection, and are therefore analyzed outside of the method holding time when analyzed in the laboratory.				
3071453002	2	FFMP031W	SM2320B-2011	Alkalinity, Bicarbonate
The Method Blank for method SM2320B-2011 reported a value greater than the reporting level for the analyte Alkalinity, Total. The concentration was 6 mg/L.				
3071453002	3	FFMP031W	SW846 9066	Phenolics
The QC sample type MS for method 420.4/9066 was outside the control limits for the analyte Phenolics. The % Recovery was reported as 18.7 and the control limits were 90 to 110.				
3071453002	4	FFMP031W	SW846 9066	Phenolics
The QC sample type MSD for method 420.4/9066 was outside the control limits for the analyte Phenolics. The % Recovery was reported as 18.8 and the control limits were 90 to 110.				
3071453002	5	FFMP031W	SM2320B-2011	Alkalinity, Total
The Total Alkalinity is titrated to a pH of 4.5 and reported as mg CaCO3/L.				
3071453002	6	FFMP031W	SM2320B-2011	Alkalinity, Total
The Method Blank for method SM2320B-2011 reported a value greater than the reporting level for the analyte Alkalinity, Total. The concentration was 6 mg/L.				
3071453003	1	FFMP002W	S4500HB-11	pH
The pH analysis is an "analyze immediately" analysis. Parameters identified as "analyze immediately" require analysis within 15 minutes of collection, and are therefore analyzed outside of the method holding time when analyzed in the laboratory.				
3071453003	2	FFMP002W	SM2320B-2011	Alkalinity, Bicarbonate
The Method Blank for method SM2320B-2011 reported a value greater than the reporting level for the analyte Alkalinity, Total. The concentration was 6 mg/L.				
3071453003	3	FFMP002W	SM2320B-2011	Alkalinity, Total
The Total Alkalinity is titrated to a pH of 4.5 and reported as mg CaCO3/L.				
3071453003	4	FFMP002W	SM2320B-2011	Alkalinity, Total
The Method Blank for method SM2320B-2011 reported a value greater than the reporting level for the analyte Alkalinity, Total. The concentration was 6 mg/L.				
3071453003	5	FFMP002W	EPA 300.0	Nitrate-N
The sample was originally run within hold time, but required further analysis that exceeded hold time.				

ALS Environmental Laboratory Locations Across North America

Canada: Burlington · Calgary · Centre of Excellence · Edmonton · Fort McMurray · Fort St. John · Grande Prairie · London · Mississauga · Richmond Hill · Saskatoon · Thunder Bay
Vancouver Waterloo · Winnipeg · Yellowknife **United States:** Cincinnati · Everett · Fort Collins · Holland · Houston · Middletown · Salt Lake City · Spring City · York **Mexico:** Monterrey



ALS Environmental



301 Fulling Mill Road - Middletown, PA 17057 - Phone: 717-944-5541 - Fax: 717-944-1430 - www.alsglobal.com

NELAP Certifications: NJ PA010 , NY 11759 , PA 22-293 DoD ELAP: PJLA 74618
State Certifications: FL E871113 , WA C999 , MD 128 , VA 460157 , WV DW 9961-C , WV 343

ANALYTICAL RESULTS

Workorder: 3071453 4TH QTR 2019 GWMP-FORM 19Q

3071453004 1 FFMP032W

S4500HB-11

pH

The pH analysis is an "analyze immediately" analysis. Parameters identified as "analyze immediately" require analysis within 15 minutes of collection, and are therefore analyzed outside of the method holding time when analyzed in the laboratory.

3071453004 2 FFMP032W

SM2320B-2011

Alkalinity, Bicarbonate

The Method Blank for method SM2320B-2011 reported a value greater than the reporting level for the analyte Alkalinity, Total. The concentration was 6 mg/L.

3071453004 3 FFMP032W

SM2320B-2011

Alkalinity, Total

The Total Alkalinity is titrated to a pH of 4.5 and reported as mg CaCO₃/L.

3071453004 4 FFMP032W

SM2320B-2011

Alkalinity, Total

The Method Blank for method SM2320B-2011 reported a value greater than the reporting level for the analyte Alkalinity, Total. The concentration was 6 mg/L.

3071453005 1 FFMP025W

S4500HB-11

pH

The pH analysis is an "analyze immediately" analysis. Parameters identified as "analyze immediately" require analysis within 15 minutes of collection, and are therefore analyzed outside of the method holding time when analyzed in the laboratory.

3071453005 2 FFMP025W

SM2320B-2011

Alkalinity, Bicarbonate

The Method Blank for method SM2320B-2011 reported a value greater than the reporting level for the analyte Alkalinity, Total. The concentration was 6 mg/L.

3071453005 3 FFMP025W

SM2320B-2011

Alkalinity, Total

The Total Alkalinity is titrated to a pH of 4.5 and reported as mg CaCO₃/L.

3071453005 4 FFMP025W

SM2320B-2011

Alkalinity, Total

The Method Blank for method SM2320B-2011 reported a value greater than the reporting level for the analyte Alkalinity, Total. The concentration was 6 mg/L.

3071453006 1 FIELD BLANK

S4500HB-11

pH

The pH analysis is an "analyze immediately" analysis. Parameters identified as "analyze immediately" require analysis within 15 minutes of collection, and are therefore analyzed outside of the method holding time when analyzed in the laboratory.

3071453006 2 FIELD BLANK

S2540C-11

Total Dissolved Solids

The method requires a minimum filter weight after drying of 0.0025g. The sample did not meet these requirements. A bias may exist with the result.

3071453006 3 FIELD BLANK

SM2320B-2011

Alkalinity, Bicarbonate

The Method Blank for method SM2320B-2011 reported a value greater than the reporting level for the analyte Alkalinity, Total. The concentration was 6 mg/L.

3071453006 4 FIELD BLANK

SM2320B-2011

Alkalinity, Total

The Total Alkalinity is titrated to a pH of 4.5 and reported as mg CaCO₃/L.

3071453006 5 FIELD BLANK

SM2320B-2011

Alkalinity, Total

The Method Blank for method SM2320B-2011 reported a value greater than the reporting level for the analyte Alkalinity, Total. The concentration was 6 mg/L.

ALS Environmental Laboratory Locations Across North America

Canada: Burlington · Calgary · Centre of Excellence · Edmonton · Fort McMurray · Fort St. John · Grande Prairie · London · Mississauga · Richmond Hill · Saskatoon · Thunder Bay
Vancouver Waterloo · Winnipeg · Yellowknife **United States:** Cincinnati · Everett · Fort Collins · Holland · Houston · Middletown · Salt Lake City · Spring City · York **Mexico:** Monterrey



ALS Environmental



301 Fulling Mill Road - Middletown, PA 17057 - Phone: 717-944-5541 - Fax: 717-944-1430 - www.alsglobal.com

NELAP Certifications: NJ PA010 , NY 11759 , PA 22-293 DoD ELAP: PJLA 74618
State Certifications: FL E871113 , WA C999 , MD 128 , VA 460157 , WV DW 9961-C , WV 343

ANALYSIS - PREP METHOD CROSS REFERENCE TABLE

Workorder: 3071453 4TH QTR 2019 GWMP-FORM 19Q

Lab ID	Sample ID	Analysis Method	Prep Method
3071453001	FFMP03AW	D6919-09	
3071453001	FFMP03AW	EPA 300.0	
3071453001	FFMP03AW	EPA 410.4	
3071453001	FFMP03AW	Field	
3071453001	FFMP03AW	S2540C-11	
3071453001	FFMP03AW	S4500HB-11	
3071453001	FFMP03AW	SM2130B-2011	
3071453001	FFMP03AW	SM2320B-2011	
3071453001	FFMP03AW	SW846 6010C	SW846 3015
3071453001	FFMP03AW	SW846 8260B	
3071453001	FFMP03AW	SW846 9050A	
3071453001	FFMP03AW	SW846 9060A	
3071453001	FFMP03AW	SW846 9066	420.4/9066
3071453002	FFMP031W	D6919-09	
3071453002	FFMP031W	EPA 300.0	
3071453002	FFMP031W	EPA 410.4	
3071453002	FFMP031W	Field	
3071453002	FFMP031W	S2540C-11	
3071453002	FFMP031W	S4500HB-11	
3071453002	FFMP031W	SM2130B-2011	
3071453002	FFMP031W	SM2320B-2011	
3071453002	FFMP031W	SW846 6010C	SW846 3015
3071453002	FFMP031W	SW846 8260B	
3071453002	FFMP031W	SW846 9050A	
3071453002	FFMP031W	SW846 9060A	
3071453002	FFMP031W	SW846 9066	420.4/9066
3071453003	FFMP002W	D6919-09	
3071453003	FFMP002W	EPA 300.0	
3071453003	FFMP002W	EPA 410.4	
3071453003	FFMP002W	Field	
3071453003	FFMP002W	S2540C-11	
3071453003	FFMP002W	S4500HB-11	
3071453003	FFMP002W	SM2130B-2011	
3071453003	FFMP002W	SM2320B-2011	
3071453003	FFMP002W	SW846 6010C	SW846 3015
3071453003	FFMP002W	SW846 8260B	
3071453003	FFMP002W	SW846 9050A	
3071453003	FFMP002W	SW846 9060A	
3071453003	FFMP002W	SW846 9066	420.4/9066
3071453004	FFMP032W	D6919-09	
3071453004	FFMP032W	EPA 300.0	
3071453004	FFMP032W	EPA 410.4	
3071453004	FFMP032W	Field	
3071453004	FFMP032W	S2540C-11	
3071453004	FFMP032W	S4500HB-11	
3071453004	FFMP032W	SM2130B-2011	

ALS Environmental Laboratory Locations Across North America

Canada: Burlington · Calgary · Centre of Excellence · Edmonton · Fort McMurray · Fort St. John · Grande Prairie · London · Mississauga · Richmond Hill · Saskatoon · Thunder Bay
Vancouver Waterloo · Winnipeg · Yellowknife **United States:** Cincinnati · Everett · Fort Collins · Holland · Houston · Middletown · Salt Lake City · Spring City · York **Mexico:** Monterrey



ALS Environmental



301 Fulling Mill Road - Middletown, PA 17057 - Phone: 717-944-5541 - Fax: 717-944-1430 - www.alsglobal.com

NELAP Certifications: NJ PA010 , NY 11759 , PA 22-293 DoD ELAP: PJLA 74618
State Certifications: FL E871113 , WA C999 , MD 128 , VA 460157 , WV DW 9961-C , WV 343

ANALYSIS - PREP METHOD CROSS REFERENCE TABLE

Workorder: 3071453 4TH QTR 2019 GWMP-FORM 19Q

Lab ID	Sample ID	Analysis Method	Prep Method
3071453004	FFMP032W	SM2320B-2011	
3071453004	FFMP032W	SW846 6010C	SW846 3015
3071453004	FFMP032W	SW846 8260B	
3071453004	FFMP032W	SW846 9050A	
3071453004	FFMP032W	SW846 9060A	
3071453004	FFMP032W	SW846 9066	420.4/9066
3071453005	FFMP025W	D6919-09	
3071453005	FFMP025W	EPA 300.0	
3071453005	FFMP025W	EPA 410.4	
3071453005	FFMP025W	Field	
3071453005	FFMP025W	S2540C-11	
3071453005	FFMP025W	S4500HB-11	
3071453005	FFMP025W	SM2130B-2011	
3071453005	FFMP025W	SM2320B-2011	
3071453005	FFMP025W	SW846 6010C	SW846 3015
3071453005	FFMP025W	SW846 8260B	
3071453005	FFMP025W	SW846 9050A	
3071453005	FFMP025W	SW846 9060A	
3071453005	FFMP025W	SW846 9066	420.4/9066
3071453006	FIELD BLANK	D6919-09	
3071453006	FIELD BLANK	EPA 300.0	
3071453006	FIELD BLANK	EPA 410.4	
3071453006	FIELD BLANK	S2540C-11	
3071453006	FIELD BLANK	S4500HB-11	
3071453006	FIELD BLANK	SM2130B-2011	
3071453006	FIELD BLANK	SM2320B-2011	
3071453006	FIELD BLANK	SW846 6010C	SW846 3015
3071453006	FIELD BLANK	SW846 8260B	
3071453006	FIELD BLANK	SW846 9050A	
3071453006	FIELD BLANK	SW846 9060A	
3071453006	FIELD BLANK	SW846 9066	420.4/9066
3071453007	TRIP BLANK	SW846 8260B	

ALS Environmental Laboratory Locations Across North America

Canada: Burlington · Calgary · Centre of Excellence · Edmonton · Fort McMurray · Fort St. John · Grande Prairie · London · Mississauga · Richmond Hill · Saskatoon · Thunder Bay
Vancouver · Waterloo · Winnipeg · Yellowknife **United States:** Cincinnati · Everett · Fort Collins · Holland · Houston · Middletown · Salt Lake City · Spring City · York **Mexico:** Monterrey



CHAIN OF CUSTODY/ REQUEST FOR ANALYSIS

Generated by ALS

1	of 1

34 Oldwood Lane • Middletown, PA 17057 • Phone: 717.544.5541 • Fax: 717.544.1430

Project Name: **Lancaster County Solid Waste MA**Address: **1299 Harrisburg Pike, P.O. Box 4424**

Lancaster, PA 17604

Contact: **Dan Brown**Phone#: **(717) 735-0193**Project Name#: **Frey Farm Quarterly (GWMF)**Bill To: **Lancaster County Solid Waste MA**TAT Normal-Standard TAT is 10-12 business days. Rush-Subject to ALS approval and surcharges.

Date Required:

Approved By:

Email? YFax? YNo.: **(717) 397-9973**

Sample Description/Location

as it will appear on the lab report

Sample

Date

Time

Matrix

G or C

TOC

O-H

VOC

Field Measurements

NHC-N, COD

PH, Cl, SPC-E, SO4, TDS, NO3,

Metals: Fe, Mn, Na, Ca, K, Mg

Turb.,

Alkalinity/Bicarbonates

Sample Depth for AUX Data

NH3-N, COD

Field Measurements

VOC-Form 19Q+

Enter Number of Containers Per Sample or Field Results Below.

#

Enter Number of Containers Per Sample or Field Results Below.

#

Enter Number of Containers Per Sample or Field Results Below.

#

Enter Number of Containers Per Sample or Field Results Below.

#

Enter Number of Containers Per Sample or Field Results Below.

#

Enter Number of Containers Per Sample or Field Results Below.

#

Enter Number of Containers Per Sample or Field Results Below.

#

Enter Number of Containers Per Sample or Field Results Below.

#

Enter Number of Containers Per Sample or Field Results Below.

#

Enter Number of Containers Per Sample or Field Results Below.

#

Enter Number of Containers Per Sample or Field Results Below.

#

Enter Number of Containers Per Sample or Field Results Below.

#

Enter Number of Containers Per Sample or Field Results Below.

#

Enter Number of Containers Per Sample or Field Results Below.

#

Enter Number of Containers Per Sample or Field Results Below.

#

Enter Number of Containers Per Sample or Field Results Below.

#

Enter Number of Containers Per Sample or Field Results Below.

#

Enter Number of Containers Per Sample or Field Results Below.

#

Enter Number of Containers Per Sample or Field Results Below.

#

Enter Number of Containers Per Sample or Field Results Below.

#

Enter Number of Containers Per Sample or Field Results Below.

#

Enter Number of Containers Per Sample or Field Results Below.

#

Enter Number of Containers Per Sample or Field Results Below.

#

Enter Number of Containers Per Sample or Field Results Below.

#

Enter Number of Containers Per Sample or Field Results Below.

#

Enter Number of Containers Per Sample or Field Results Below.

#

Enter Number of Containers Per Sample or Field Results Below.

#

Enter Number of Containers Per Sample or Field Results Below.

#

ALL SHADED AREAS MUST BE COMPLETED BY THE CLIENT /
SAMPLER. INSTRUCTIONS ON THE BACK.

Relinquished By / Company Name

Date

Time

Received By / Company Name

Date

Time

Reportable to PADEP?

Yes

PWSID #

EDDS: Format Type-

REVIEWED BY (Signature):

Reviewed By / Company Name

Date

Time

Received By / Company Name

Date

Time

Reportable to PADEP?

Yes

PWSID #

EDDS: Format Type-

REVIEWED BY (Signature):

Reviewed By / Company Name

Date

Time

Received By / Company Name

Date

Time

Reportable to PADEP?

Yes

PWSID #

EDDS: Format Type-

REVIEWED BY (Signature):

Reviewed By / Company Name

Date

Time

Received By / Company Name

Date

Time

Reportable to PADEP?

Yes

PWSID #

EDDS: Format Type-

REVIEWED BY (Signature):

Reviewed By / Company Name

Date

Time

Received By / Company Name

Date

Time

Reportable to PADEP?

Yes

PWSID #

EDDS: Format Type-

REVIEWED BY (Signature):

Reviewed By / Company Name

Date

Time

Received By / Company Name

Date

Time

Reportable to PADEP?

Yes

PWSID #

EDDS: Format Type-

REVIEWED BY (Signature):

Reviewed By / Company Name

Date

Time

Received By / Company Name

Date

Time

Reportable to PADEP?

Yes

PWSID #

EDDS: Format Type-

REVIEWED BY (Signature):

Reviewed By / Company Name

Date

Time

Received By / Company Name

Date

Time

Reportable to PADEP?

Yes

PWSID #

EDDS: Format Type-

REVIEWED BY (Signature):

Reviewed By / Company Name

Date

Time

Received By / Company Name

Date

Time

Reportable to PADEP?

Yes

PWSID #

EDDS: Format Type-

REVIEWED BY (Signature):

Reviewed By / Company Name

Date

Time

Received By / Company Name

Date

Time

Reportable to PADEP?

Yes

PWSID #

EDDS: Format Type-

REVIEWED BY (Signature):

Reviewed By / Company Name

Date

Time

Received By / Company Name

Date

Time

Reportable to PADEP?

Yes

PWSID #

EDDS: Format Type-

REVIEWED BY (Signature):

Reviewed By / Company Name

Date

Time

Received By / Company Name

Date

Time

Reportable to PADEP?

Yes

PWSID #

EDDS: Format Type-

REVIEWED BY (Signature):

Reviewed By / Company Name

Date

Time

Received By / Company Name

Date

Time

Reportable to PADEP?

Yes

PWSID #

EDDS: Format Type-

REVIEWED BY (Signature):

Reviewed By / Company Name

Date

Time

Received By / Company Name

Date

Time

Reportable to PADEP?

Yes

PWSID #

EDDS: Format Type-

REVIEWED BY (Signature):

Reviewed By / Company Name

Date

Time

Received By / Company Name

Date

Time

Reportable to PADEP?

Yes

PWSID #

EDDS: Format Type-

REVIEWED BY (Signature):

Reviewed By / Company Name

Date

Time

Received By / Company Name

Date

Time

Reportable to PADEP?

Yes

PWSID #

EDDS: Format Type-

REVIEWED BY (Signature):

Reviewed By / Company Name

Date

Time

Received By / Company Name

Date

Time

Reportable to PADEP?

Yes

PWSID #

EDDS: Format Type-

REVIEWED BY (Signature):

Reviewed By / Company Name

Date

Time

Received By / Company Name

Date

Time

Reportable to PADEP?

Yes

PWSID #

EDDS: Format Type-

REVIEWED BY (Signature):

Reviewed By / Company Name

Date

Time

Received By / Company Name

Date

Time

Reportable to PADEP?

Yes

PWSID #

EDDS: Format Type-

REVIEWED BY (Signature):

Reviewed By / Company Name

Date

Time

Received By / Company Name

Date

Time

Reportable to PADEP?

Yes

PWSID #

EDDS: Format Type-

REVIEWED BY (Signature):

Reviewed By / Company Name

Date

Time

Received By / Company Name

Date

Time

Reportable to PADEP?

Yes

PWSID #

EDDS: Format Type-

REVIEWED BY (Signature):

Reviewed By / Company Name</div



301 Fulling Mill Road
Middletown, PA 17057
P: (717) 944-5541
F: (717) 944-1430

Condition of Sample Receipt Form

Client:	Work Order #:	Initials:	Date:
Lancaster County		3071453	CD 11/21/19
1. Were airbills / tracking numbers present and recorded?.....			
Tracking number: _____			
<input checked="" type="radio"/> NONE	<input type="radio"/> YES	<input type="radio"/> NO	
2. Are Custody Seals on shipping containers intact?.....			
<input checked="" type="radio"/> NONE	<input type="radio"/> YES	<input type="radio"/> NO	
3. Are Custody Seals on sample containers intact?.....			
<input checked="" type="radio"/> NONE	<input type="radio"/> YES	<input type="radio"/> NO	
4. Is there a COC (Chain-of-Custody) present?.....			
<input checked="" type="radio"/> YES	<input type="radio"/> NO		
5. Are the COC and bottle labels complete, legible and in agreement?.....			
<input checked="" type="radio"/> YES	<input type="radio"/> NO		
5a. Does the COC contain sample locations?.....			
<input checked="" type="radio"/> YES	<input type="radio"/> NO		
5b. Does the COC contain date and time of sample collection for all samples?.....			
<input checked="" type="radio"/> YES	<input type="radio"/> NO		
5c. Does the COC contain sample collectors name?.....			
<input checked="" type="radio"/> YES	<input type="radio"/> NO		
5d. Does the COC note the type(s) of preservation for all bottles?.....			
<input checked="" type="radio"/> YES	<input type="radio"/> NO		
5e. Does the COC note the number of bottles submitted for each sample?.....			
<input checked="" type="radio"/> YES	<input type="radio"/> NO		
5f. Does the COC note the type of sample, composite or grab?.....			
<input checked="" type="radio"/> YES	<input type="radio"/> NO		
5g. Does the COC note the matrix of the sample(s)?.....			
<input checked="" type="radio"/> YES	<input type="radio"/> NO		
6. Are all aqueous samples requiring preservation preserved correctly?.....			
<input checked="" type="radio"/> YES	<input type="radio"/> NO		
7. Were all samples placed in the proper containers for the requested analyses, with sufficient volume?.....			
<input checked="" type="radio"/> YES	<input type="radio"/> NO		
8. Are all samples within holding times for the requested analyses?.....			
<input checked="" type="radio"/> YES	<input type="radio"/> NO		
9. Were all sample containers received intact and headspace free when required? (not broken, leaking, frozen, etc.).....			
<input checked="" type="radio"/> YES	<input type="radio"/> NO		
10. Did we receive trip blanks (applies only for methods EPA 504, EPA 524.2 and 1631E (LL Hg)?.....			
<input checked="" type="radio"/> N/A	<input type="radio"/> YES	<input type="radio"/> NO	
11. Were the samples received on ice?.....			
<input checked="" type="radio"/> YES	<input type="radio"/> NO		
12. Were sample temperatures measured at 0.0-6.0°C.....			
<input checked="" type="radio"/> YES	<input type="radio"/> NO		
13. Are the samples DW matrix ? If YES, fill out Reportable Drinking Water questions below.....			
13a. Are the samples required for SDWA compliance reporting?.....			
<input checked="" type="radio"/> N/A	<input type="radio"/> YES	<input type="radio"/> NO	
13b. Did the client provide a SDWA PWS ID#?.....			
<input checked="" type="radio"/> N/A	<input type="radio"/> YES	<input type="radio"/> NO	
13c. Are all aqueous unpreserved SDWA samples pH 5-9?.....			
<input checked="" type="radio"/> N/A	<input type="radio"/> YES	<input type="radio"/> NO	
13d. Did the client provide the SDWA sample location ID/Description?.....			
<input checked="" type="radio"/> N/A	<input type="radio"/> YES	<input type="radio"/> NO	
13e. Did the client provide the SDWA sample type (D, E, R, C, P, S)?.....			
<input checked="" type="radio"/> N/A	<input type="radio"/> YES	<input type="radio"/> NO	

Cooler #: _____

Temperature (°C): 2 _____

Thermometer ID: SZS _____

Radiological (μ Ci): _____

COMMENTS (Required for all NO responses above and any sample non-conformance):



ALS Environmental



301 Fulling Mill Road - Middletown, PA 17057 - Phone: 717-944-5541 - Fax: 717-944-1430 - www.alsglobal.com

NELAP Certifications: NJ PA010 , NY 11759 , PA 22-293 DoD ELAP: PJLA 74618
State Certifications: FL E871113 , WA C999 , MD 128 , VA 460157 , WV DW 9961-C , WV 343

December 2, 2019

Mr. Daniel Brown
Lancaster County Solid Waste Authority
1299 Hbg Pike, P.O. Box 4425
Lancaster, PA 17604

Certificate of Analysis

Project Name:	FREY FARM	Workorder:	3071088
Purchase Order:	PO1000126	Workorder ID:	4TH QTR 2019 GWMP-FORM 19Q

Dear Mr. Brown:

Enclosed are the analytical results for samples received by the laboratory on Wednesday, November 20, 2019.

The ALS Environmental laboratory in Middletown, Pennsylvania is a National Environmental Laboratory Accreditation Program (NELAP) accredited laboratory and as such, certifies that all applicable test results meet the requirements of NELAP.

If you have any questions regarding this certificate of analysis, please contact Ms. Susan J Scherer (Project Coordinator) at (717) 944-5541.

Analyses were performed according to our laboratory's NELAP-approved quality assurance program and any applicable state requirements. The test results meet requirements of the current NELAP standards or state requirements, where applicable. For a specific list of accredited analytes, refer to the certifications section of the ALS website at www.alsglobal.com/en/Our-Services/Life-Sciences/Environmental/Downloads.

This laboratory report may not be reproduced, except in full, without the written approval of ALS Environmental.

ALS Spring City: 10 Riverside Drive, Spring City, PA 19475 610-948-4903

CC: Mr. Nicholas Rogers , Ms. Jordan Gallagher , Mr. Jeff Musser

This page is included as part of the Analytical Report and must be retained as a permanent record thereof.

Ms. Susan J Scherer
Project Coordinator

ALS Environmental Laboratory Locations Across North America

Canada: Burlington · Calgary · Centre of Excellence · Edmonton · Fort McMurray · Fort St. John · Grande Prairie · London · Mississauga · Richmond Hill · Saskatoon · Thunder Bay
Vancouver Waterloo · Winnipeg · Yellowknife **United States:** Cincinnati · Everett · Fort Collins · Holland · Houston · Middletown · Salt Lake City · Spring City · York **Mexico:** Monterrey



ALS Environmental



301 Fulling Mill Road - Middletown, PA 17057 - Phone: 717-944-5541 - Fax: 717-944-1430 - www.alsglobal.com

NELAP Certifications: NJ PA010 , NY 11759 , PA 22-293 DoD ELAP: PJLA 74618
State Certifications: FL E871113 , WA C999 , MD 128 , VA 460157 , WV DW 9961-C , WV 343

SAMPLE SUMMARY

Workorder: 3071088 4TH QTR 2019 GWMP-FORM 19Q

Lab ID	Sample ID	Matrix	Date Collected	Date Received	Collected By
3071088001	FFMP26RW	Ground Water	11/20/2019 10:14	11/20/2019 15:35	Mr. Brian G Shade
3071088002	FFMP018W	Ground Water	11/20/2019 10:40	11/20/2019 15:35	Mr. Brian G Shade
3071088003	FFMP019W	Ground Water	11/20/2019 11:27	11/20/2019 15:35	Mr. Brian G Shade
3071088004	FFMP029W	Ground Water	11/20/2019 12:32	11/20/2019 15:35	Mr. Brian G Shade
3071088005	FFMP02DW	Ground Water	11/20/2019 13:52	11/20/2019 15:35	Mr. Brian G Shade
3071088006	FFMP02SW	Ground Water	11/20/2019 14:17	11/20/2019 15:35	Mr. Brian G Shade

ALS Environmental Laboratory Locations Across North America

Canada: Burlington · Calgary · Centre of Excellence · Edmonton · Fort McMurray · Fort St. John · Grande Prairie · London · Mississauga · Richmond Hill · Saskatoon · Thunder Bay
Vancouver · Waterloo · Winnipeg · Yellowknife **United States:** Cincinnati · Everett · Fort Collins · Holland · Houston · Middletown · Salt Lake City · Spring City · York **Mexico:** Monterrey



ALS Environmental



301 Fulling Mill Road - Middletown, PA 17057 - Phone: 717-944-5541 - Fax: 717-944-1430 - www.alsglobal.com

NELAP Certifications: NJ PA010 , NY 11759 , PA 22-293 DoD ELAP: PJLA 74618
State Certifications: FL E871113 , WA C999 , MD 128 , VA 460157 , WV DW 9961-C , WV 343

SAMPLE SUMMARY

Workorder: 3071088 4TH QTR 2019 GWMP-FORM 19Q

Notes

- Samples collected by ALS personnel are done so in accordance with the procedures set forth in the ALS Field Sampling Plan (20 - Field Services Sampling Plan).
- All Waste Water analyses comply with methodology requirements of 40 CFR Part 136.
- All Drinking Water analyses comply with methodology requirements of 40 CFR Part 141.
- Unless otherwise noted, all quantitative results for soils are reported on a dry weight basis.
- The Chain of Custody document is included as part of this report.
- All Library Search analytes should be regarded as tentative identifications based on the presumptive evidence of the mass spectra. Concentrations reported are estimated values.
- Parameters identified as "analyze immediately" require analysis within 15 minutes of collection. Any "analyze immediately" parameters not listed under the header "Field Parameters" are preformed in the laboratory and are therefore analyzed out of hold time.
- Method references listed on this report beginning with the prefix "S" followed by a method number (such as S2310B-97) refer to methods from "Standard Methods for the Examination of Water and Wastewater".
- For microbiological analyses, the "Prepared" value is the date/time into the incubator and the "Analyzed" value is the date/time out the incubator.
- An Analysis-Prep Method Cross Reference Table is included after Analytical Results & Qualifiers section in this report.

Standard Acronyms/Flags

J	Indicates an estimated value between the Method Detection Limit (MDL) and the Practical Quantitation Limit (PQL) for the analyte
U	Indicates that the analyte was Not Detected (ND)
N	Indicates presumptive evidence of the presence of a compound
MDL	Method Detection Limit
PQL	Practical Quantitation Limit
RDL	Reporting Detection Limit
ND	Not Detected - indicates that the analyte was Not Detected at the RDL
Cntr	Analysis was performed using this container
RegLmt	Regulatory Limit
LCS	Laboratory Control Sample
MS	Matrix Spike
MSD	Matrix Spike Duplicate
DUP	Sample Duplicate
%Rec	Percent Recovery
RPD	Relative Percent Difference
LOD	DoD Limit of Detection
LOQ	DoD Limit of Quantitation
DL	DoD Detection Limit
I	Indicates reported value is greater than or equal to the Method Detection Limit (MDL) but less than the Report Detection Limit (RDL)
(S)	Surrogate Compound
NC	Not Calculated
*	Result outside of QC limits

ALS Environmental Laboratory Locations Across North America

Canada: Burlington · Calgary · Centre of Excellence · Edmonton · Fort McMurray · Fort St. John · Grande Prairie · London · Mississauga · Richmond Hill · Saskatoon · Thunder Bay
Vancouver · Waterloo · Winnipeg · Yellowknife **United States:** Cincinnati · Everett · Fort Collins · Holland · Houston · Middletown · Salt Lake City · Spring City · York **Mexico:** Monterrey



ALS Environmental



301 Fulling Mill Road - Middletown, PA 17057 - Phone: 717-944-5541 - Fax: 717-944-1430 - www.alsglobal.com

NELAP Certifications: NJ PA010 , NY 11759 , PA 22-293 DoD ELAP: PJLA 74618
State Certifications: FL E871113 , WA C999 , MD 128 , VA 460157 , WV DW 9961-C , WV 343

ANALYTICAL RESULTS

Workorder: 3071088 4TH QTR 2019 GWMP-FORM 19Q

Lab ID:	3071088001	Date Collected:	11/20/2019 10:14	Matrix:	Ground Water
Sample ID:	FFMP26RW	Date Received:	11/20/2019 15:35		

Parameters	Results	Flag	Units	RDL	Method	Prepared	By	Analyzed	By	Cntr
VOLATILE ORGANICS										
Benzene	ND		ug/L	1.0	SW846 8260B			11/22/19 18:56	TMP	G
1,2-Dibromoethane	ND		ug/L	1.0	SW846 8260B			11/22/19 18:56	TMP	G
1,1-Dichloroethane	ND		ug/L	1.0	SW846 8260B			11/22/19 18:56	TMP	G
1,2-Dichloroethane	ND		ug/L	1.0	SW846 8260B			11/22/19 18:56	TMP	G
1,1-Dichloroethene	ND		ug/L	1.0	SW846 8260B			11/22/19 18:56	TMP	G
cis-1,2-Dichloroethene	ND		ug/L	1.0	SW846 8260B			11/22/19 18:56	TMP	G
trans-1,2-Dichloroethene	ND		ug/L	1.0	SW846 8260B			11/22/19 18:56	TMP	G
Ethylbenzene	ND		ug/L	1.0	SW846 8260B			11/22/19 18:56	TMP	G
Methylene Chloride	ND		ug/L	1.0	SW846 8260B			11/22/19 18:56	TMP	G
Tetrachloroethene	ND		ug/L	1.0	SW846 8260B			11/22/19 18:56	TMP	G
Toluene	ND		ug/L	1.0	SW846 8260B			11/22/19 18:56	TMP	G
Total Xylenes	ND		ug/L	3.0	SW846 8260B			11/22/19 18:56	TMP	G
1,1,1-Trichloroethane	ND		ug/L	1.0	SW846 8260B			11/22/19 18:56	TMP	G
Trichloroethene	ND		ug/L	1.0	SW846 8260B			11/22/19 18:56	TMP	G
Vinyl Chloride	ND		ug/L	1.0	SW846 8260B			11/22/19 18:56	TMP	G
Surrogate Recoveries										
1,2-Dichloroethane-d4 (S)	109		%	62 - 133	SW846 8260B			11/22/19 18:56	TMP	G
4-Bromofluorobenzene (S)	91.9		%	79 - 114	SW846 8260B			11/22/19 18:56	TMP	G
Dibromofluoromethane (S)	99.7		%	78 - 116	SW846 8260B			11/22/19 18:56	TMP	G
Toluene-d8 (S)	91.1		%	76 - 127	SW846 8260B			11/22/19 18:56	TMP	G
WET CHEMISTRY										
Alkalinity, Bicarbonate	50		mg/L	5	SM2320B-2011			11/26/19 06:07	MXO	B
Alkalinity, Total	50	3	mg/L	5	SM2320B-2011			11/26/19 06:07	MXO	I
Ammonia-N	0.154		mg/L	0.100	D6919-09			11/27/19 12:14	NJA	A
Chemical Oxygen Demand (COD)	ND		mg/L	15	EPA 410.4			11/27/19 16:56	AK	A
Chloride	195		mg/L	5.0	EPA 300.0			11/23/19 13:58	CHW	B
Fluoride	ND		mg/L	0.20	EPA 300.0			11/21/19 11:17	CHW	B
Nitrate-N	2.1		mg/L	0.20	EPA 300.0			11/21/19 11:17	CHW	B
pH	5.96	1	pH_Units		S4500HB-11			11/26/19 06:07	MXO	B
Phenolics	ND		mg/L	0.005	SW846 9066	11/26/19 09:15	C_D	11/26/19 11:19	C_D	F
Specific Conductance	1020	2	umhos/cm	1	SW846 9050A			11/26/19 06:07	MXO	B
Sulfate	65.5		mg/L	2.0	EPA 300.0			11/21/19 11:17	CHW	B
Total Dissolved Solids	502		mg/L	5	S2540C-11			11/22/19 14:50	D1C	B
Total Organic Carbon (TOC)	1.5		mg/L	0.50	SW846 9060A			11/22/19 04:15	PAG	D
Turbidity	0.70		NTU	0.10	SM2130B-2011			11/21/19 07:39	R2B	B

ALS Environmental Laboratory Locations Across North America

Canada: Burlington · Calgary · Centre of Excellence · Edmonton · Fort McMurray · Fort St. John · Grande Prairie · London · Mississauga · Richmond Hill · Saskatoon · Thunder Bay
Vancouver Waterloo - Winnipeg - Yellowknife **United States:** Cincinnati · Everett · Fort Collins · Holland · Houston · Middletown · Salt Lake City · Spring City · York **Mexico:** Monterrey



ALS Environmental



301 Fulling Mill Road - Middletown, PA 17057 - Phone: 717-944-5541 - Fax: 717-944-1430 - www.alsglobal.com

NELAP Certifications: NJ PA010 , NY 11759 , PA 22-293 DoD ELAP: PJLA 74618
State Certifications: FL E871113 , WA C999 , MD 128 , VA 460157 , WV DW 9961-C , WV 343

ANALYTICAL RESULTS

Workorder: 3071088 4TH QTR 2019 GWMP-FORM 19Q

Lab ID:	3071088001	Date Collected:	11/20/2019 10:14	Matrix:	Ground Water
Sample ID:	FFMP26RW	Date Received:	11/20/2019 15:35		

Parameters	Results	Flag	Units	RDL	Method	Prepared By	Analyzed By	By	Cntr
METALS									
Calcium, Total	72.0		mg/L	0.11	SW846 6010C	11/21/19 17:10 SXC	11/22/19 10:00 SRT	J1	
Iron, Total	ND		mg/L	0.067	SW846 6010C	11/21/19 17:10 SXC	11/22/19 10:00 SRT	J1	
Magnesium, Total	19.9		mg/L	0.11	SW846 6010C	11/21/19 17:10 SXC	11/22/19 10:00 SRT	J1	
Manganese, Total	0.50		mg/L	0.0056	SW846 6010C	11/21/19 17:10 SXC	11/22/19 10:00 SRT	J1	
Potassium, Total	8.4		mg/L	0.56	SW846 6010C	11/21/19 17:10 SXC	11/22/19 10:00 SRT	J1	
Sodium, Total	64.0		mg/L	0.56	SW846 6010C	11/21/19 17:10 SXC	11/22/19 10:00 SRT	J1	
FIELD PARAMETERS									
Depth to Water Level	80.96		Feet		Field		11/20/19 10:14 BGS	C	
Elev Top MW Casing above MSL	547.40		Feet		Field		11/20/19 10:14 BGS	C	
Flow Rate	2.07		gal/min		Field		11/20/19 10:14 BGS	C	
Ground Water Elevation	466.44		ft/MSL		Field		11/20/19 10:14 BGS	C	
pH, Field (SM4500B)	5.23		pH_Units		Field		11/20/19 10:14 BGS	C	
Sample Depth	105.00		Feet		Field		11/20/19 10:14 BGS	C	
Specific Conductance, Field	956		umhos/cm	1	Field		11/20/19 10:14 BGS	C	
Temperature	11.34		Deg. C		Field		11/20/19 10:14 BGS	C	
Total Well Depth	118.30		Feet		Field		11/20/19 10:14 BGS	C	
Volume in Water Column	54.89		Gallons		Field		11/20/19 10:14 BGS	C	
Water Level After Purge	98.97		Feet		Field		11/20/19 10:14 BGS	C	
Well Volumes Purged	1.51		Vol		Field		11/20/19 10:14 BGS	C	

Ms. Susan J Scherer

Project Coordinator

ALS Environmental Laboratory Locations Across North America

Canada: Burlington · Calgary · Centre of Excellence · Edmonton · Fort McMurray · Fort St. John · Grande Prairie · London · Mississauga · Richmond Hill · Saskatoon · Thunder Bay
Vancouver · Waterloo · Winnipeg · Yellowknife · **United States:** Cincinnati · Everett · Fort Collins · Holland · Houston · Middletown · Salt Lake City · Spring City · York · **Mexico:** Monterrey



ALS Environmental



301 Fulling Mill Road - Middletown, PA 17057 - Phone: 717-944-5541 - Fax: 717-944-1430 - www.alsglobal.com

NELAP Certifications: NJ PA010 , NY 11759 , PA 22-293 DoD ELAP: PJLA 74618
State Certifications: FL E871113 , WA C999 , MD 128 , VA 460157 , WV DW 9961-C , WV 343

ANALYTICAL RESULTS

Workorder: 3071088 4TH QTR 2019 GWMP-FORM 19Q

Lab ID:	3071088002	Date Collected:	11/20/2019 10:40	Matrix:	Ground Water
Sample ID:	FFMP018W	Date Received:	11/20/2019 15:35		

Parameters	Results	Flag	Units	RDL	Method	Prepared	By	Analyzed	By	Cntr
VOLATILE ORGANICS										
Benzene	ND		ug/L	1.0	SW846 8260B			11/22/19 19:18	TMP	G
1,2-Dibromoethane	ND		ug/L	1.0	SW846 8260B			11/22/19 19:18	TMP	G
1,1-Dichloroethane	ND		ug/L	1.0	SW846 8260B			11/22/19 19:18	TMP	G
1,2-Dichloroethane	ND		ug/L	1.0	SW846 8260B			11/22/19 19:18	TMP	G
1,1-Dichloroethene	ND		ug/L	1.0	SW846 8260B			11/22/19 19:18	TMP	G
cis-1,2-Dichloroethene	ND		ug/L	1.0	SW846 8260B			11/22/19 19:18	TMP	G
trans-1,2-Dichloroethene	ND		ug/L	1.0	SW846 8260B			11/22/19 19:18	TMP	G
Ethylbenzene	ND		ug/L	1.0	SW846 8260B			11/22/19 19:18	TMP	G
Methylene Chloride	1.0		ug/L	1.0	SW846 8260B			11/22/19 19:18	TMP	G
Tetrachloroethene	ND		ug/L	1.0	SW846 8260B			11/22/19 19:18	TMP	G
Toluene	ND		ug/L	1.0	SW846 8260B			11/22/19 19:18	TMP	G
Total Xylenes	ND		ug/L	3.0	SW846 8260B			11/22/19 19:18	TMP	G
1,1,1-Trichloroethane	ND		ug/L	1.0	SW846 8260B			11/22/19 19:18	TMP	G
Trichloroethene	ND		ug/L	1.0	SW846 8260B			11/22/19 19:18	TMP	G
Vinyl Chloride	ND		ug/L	1.0	SW846 8260B			11/22/19 19:18	TMP	G
Surrogate Recoveries										
1,2-Dichloroethane-d4 (S)	112		%	62 - 133	SW846 8260B			11/22/19 19:18	TMP	G
4-Bromofluorobenzene (S)	91.6		%	79 - 114	SW846 8260B			11/22/19 19:18	TMP	G
Dibromofluoromethane (S)	95.2		%	78 - 116	SW846 8260B			11/22/19 19:18	TMP	G
Toluene-d8 (S)	90.6		%	76 - 127	SW846 8260B			11/22/19 19:18	TMP	G
WET CHEMISTRY										
Alkalinity, Bicarbonate	30		mg/L	5	SM2320B-2011			11/26/19 06:07	MXO	B
Alkalinity, Total	30	4	mg/L	5	SM2320B-2011			11/26/19 06:07	MXO	I
Ammonia-N	0.174		mg/L	0.100	D6919-09			11/27/19 12:27	NJA	A
Chemical Oxygen Demand (COD)	ND		mg/L	15	EPA 410.4			11/27/19 16:56	AK	A
Chloride	99.2		mg/L	2.0	EPA 300.0			11/21/19 11:33	CHW	B
Fluoride	ND		mg/L	0.20	EPA 300.0			11/21/19 11:33	CHW	B
Nitrate-N	5.5		mg/L	0.20	EPA 300.0			11/21/19 11:33	CHW	B
pH	6.15	1	pH_Units		S4500HB-11			11/26/19 06:07	MXO	B
Phenolics	ND	3	mg/L	0.005	SW846 9066	11/26/19 09:15	C_D	11/26/19 11:19	C_D	F
Specific Conductance	613	2	umhos/cm	1	SW846 9050A			11/26/19 06:07	MXO	B
Sulfate	39.9		mg/L	2.0	EPA 300.0			11/21/19 11:33	CHW	B
Total Dissolved Solids	290		mg/L	5	S2540C-11			11/22/19 14:50	D1C	B
Total Organic Carbon (TOC)	1.1		mg/L	0.50	SW846 9060A			11/22/19 04:15	PAG	D
Turbidity	ND		NTU	0.10	SM2130B-2011			11/21/19 07:39	R2B	B

ALS Environmental Laboratory Locations Across North America

Canada: Burlington · Calgary · Centre of Excellence · Edmonton · Fort McMurray · Fort St. John · Grande Prairie · London · Mississauga · Richmond Hill · Saskatoon · Thunder Bay
Vancouver Waterloo · Winnipeg · Yellowknife **United States:** Cincinnati · Everett · Fort Collins · Holland · Houston · Middletown · Salt Lake City · Spring City · York **Mexico:** Monterrey



ALS Environmental



301 Fulling Mill Road - Middletown, PA 17057 - Phone: 717-944-5541 - Fax: 717-944-1430 - www.alsglobal.com

NELAP Certifications: NJ PA010 , NY 11759 , PA 22-293 DoD ELAP: PJLA 74618
State Certifications: FL E871113 , WA C999 , MD 128 , VA 460157 , WV DW 9961-C , WV 343

ANALYTICAL RESULTS

Workorder: 3071088 4TH QTR 2019 GWMP-FORM 19Q

Lab ID:	3071088002	Date Collected:	11/20/2019 10:40	Matrix:	Ground Water
Sample ID:	FFMP018W	Date Received:	11/20/2019 15:35		

Parameters	Results	Flag	Units	RDL	Method	Prepared By	Analyzed By	By	Cntr
------------	---------	------	-------	-----	--------	-------------	-------------	----	------

METALS

Calcium, Total	35.5	mg/L	0.11	SW846 6010C	11/21/19 17:10	SXC	11/22/19 10:04	SRT	J1
Iron, Total	ND	mg/L	0.067	SW846 6010C	11/21/19 17:10	SXC	11/22/19 10:04	SRT	J1
Magnesium, Total	16.2	mg/L	0.11	SW846 6010C	11/21/19 17:10	SXC	11/22/19 10:04	SRT	J1
Manganese, Total	0.35	mg/L	0.0056	SW846 6010C	11/21/19 17:10	SXC	11/22/19 10:04	SRT	J1
Potassium, Total	6.5	mg/L	0.56	SW846 6010C	11/21/19 17:10	SXC	11/22/19 10:04	SRT	J1
Sodium, Total	35.8	mg/L	0.56	SW846 6010C	11/21/19 17:10	SXC	11/22/19 10:04	SRT	J1

FIELD PARAMETERS

Depth to Water Level	28.06	Feet	Field		11/20/19 10:40	BGS	C
Elev Top MW Casing above MSL	472.20	Feet	Field		11/20/19 10:40	BGS	C
Flow Rate	3.95	gal/min	Field		11/20/19 10:40	BGS	C
Ground Water Elevation	444.14	ft/MSL	Field		11/20/19 10:40	BGS	C
pH, Field (SM4500B)	5.51	pH_Units	Field		11/20/19 10:40	BGS	C
Sample Depth	40.00	Feet	Field		11/20/19 10:40	BGS	C
Specific Conductance, Field	572	umhos/cm	1	Field	11/20/19 10:40	BGS	C
Temperature	12.18	Deg. C	Field		11/20/19 10:40	BGS	C
Total Well Depth	51.46	Feet	Field		11/20/19 10:40	BGS	C
Volume in Water Column	15.21	Gallons	Field		11/20/19 10:40	BGS	C
Well Volumes Purged	3.12	Vol	Field		11/20/19 10:40	BGS	C

Ms. Susan J Scherer
Project Coordinator

ALS Environmental Laboratory Locations Across North America

Canada: Burlington · Calgary · Centre of Excellence · Edmonton · Fort McMurray · Fort St. John · Grande Prairie · London · Mississauga · Richmond Hill · Saskatoon · Thunder Bay
Vancouver · Waterloo · Winnipeg · Yellowknife · **United States:** Cincinnati · Everett · Fort Collins · Holland · Houston · Middletown · Salt Lake City · Spring City · York · **Mexico:** Monterrey



ALS Environmental



301 Fulling Mill Road - Middletown, PA 17057 - Phone: 717-944-5541 - Fax: 717-944-1430 - www.alsglobal.com

NELAP Certifications: NJ PA010 , NY 11759 , PA 22-293 DoD ELAP: PJLA 74618
State Certifications: FL E871113 , WA C999 , MD 128 , VA 460157 , WV DW 9961-C , WV 343

ANALYTICAL RESULTS

Workorder: 3071088 4TH QTR 2019 GWMP-FORM 19Q

Lab ID:	3071088003	Date Collected:	11/20/2019 11:27	Matrix:	Ground Water
Sample ID:	FFMP019W	Date Received:	11/20/2019 15:35		

Parameters	Results	Flag	Units	RDL	Method	Prepared	By	Analyzed	By	Cntr
VOLATILE ORGANICS										
Benzene	ND		ug/L	1.0	SW846 8260B			11/22/19 19:40	TMP	G
1,2-Dibromoethane	ND		ug/L	1.0	SW846 8260B			11/22/19 19:40	TMP	G
1,1-Dichloroethane	ND		ug/L	1.0	SW846 8260B			11/22/19 19:40	TMP	G
1,2-Dichloroethane	ND		ug/L	1.0	SW846 8260B			11/22/19 19:40	TMP	G
1,1-Dichloroethene	ND	3,4	ug/L	1.0	SW846 8260B			11/22/19 19:40	TMP	G
cis-1,2-Dichloroethene	ND		ug/L	1.0	SW846 8260B			11/22/19 19:40	TMP	G
trans-1,2-Dichloroethene	ND	5,6	ug/L	1.0	SW846 8260B			11/22/19 19:40	TMP	G
Ethylbenzene	ND		ug/L	1.0	SW846 8260B			11/22/19 19:40	TMP	G
Methylene Chloride	1.5		ug/L	1.0	SW846 8260B			11/22/19 19:40	TMP	G
Tetrachloroethene	ND		ug/L	1.0	SW846 8260B			11/22/19 19:40	TMP	G
Toluene	ND		ug/L	1.0	SW846 8260B			11/22/19 19:40	TMP	G
Total Xylenes	ND		ug/L	3.0	SW846 8260B			11/22/19 19:40	TMP	G
1,1,1-Trichloroethane	ND		ug/L	1.0	SW846 8260B			11/22/19 19:40	TMP	G
Trichloroethene	ND		ug/L	1.0	SW846 8260B			11/22/19 19:40	TMP	G
Vinyl Chloride	ND		ug/L	1.0	SW846 8260B			11/22/19 19:40	TMP	G
Surrogate Recoveries										
1,2-Dichloroethane-d4 (S)	113		%	62 - 133	SW846 8260B			11/22/19 19:40	TMP	G
4-Bromofluorobenzene (S)	91.7		%	79 - 114	SW846 8260B			11/22/19 19:40	TMP	G
Dibromofluoromethane (S)	95.7		%	78 - 116	SW846 8260B			11/22/19 19:40	TMP	G
Toluene-d8 (S)	92.2		%	76 - 127	SW846 8260B			11/22/19 19:40	TMP	G
WET CHEMISTRY										
Alkalinity, Bicarbonate	80		mg/L	5	SM2320B-2011			11/26/19 06:07	MXO	B
Alkalinity, Total	80	7	mg/L	5	SM2320B-2011			11/26/19 06:07	MXO	I
Ammonia-N	0.175		mg/L	0.100	D6919-09			11/27/19 12:40	NJA	A
Chemical Oxygen Demand (COD)	ND		mg/L	15	EPA 410.4			11/27/19 16:56	AK	A
Chloride	81.1		mg/L	2.0	EPA 300.0			11/21/19 13:21	CHW	B
Fluoride	ND		mg/L	0.20	EPA 300.0			11/21/19 13:21	CHW	B
Nitrate-N	0.32		mg/L	0.20	EPA 300.0			11/21/19 13:21	CHW	B
pH	7.28	1	pH_Units		S4500HB-11			11/26/19 06:07	MXO	B
Phenolics	ND		mg/L	0.005	SW846 9066	11/26/19 09:15	C_D	11/26/19 11:19	C_D	F
Specific Conductance	478	2	umhos/cm	1	SW846 9050A			11/26/19 06:07	MXO	B
Sulfate	16.4		mg/L	2.0	EPA 300.0			11/21/19 13:21	CHW	B
Total Dissolved Solids	256		mg/L	5	S2540C-11			11/22/19 14:50	D1C	B
Total Organic Carbon (TOC)	0.92		mg/L	0.50	SW846 9060A			11/25/19 20:58	PAG	D
Turbidity	ND		NTU	0.10	SM2130B-2011			11/21/19 07:39	R2B	B

ALS Environmental Laboratory Locations Across North America

Canada: Burlington · Calgary · Centre of Excellence · Edmonton · Fort McMurray · Fort St. John · Grande Prairie · London · Mississauga · Richmond Hill · Saskatoon · Thunder Bay
Vancouver Waterloo · Winnipeg · Yellowknife **United States:** Cincinnati · Everett · Fort Collins · Holland · Houston · Middletown · Salt Lake City · Spring City · York **Mexico:** Monterrey



ALS Environmental



301 Fulling Mill Road - Middletown, PA 17057 - Phone: 717-944-5541 - Fax: 717-944-1430 - www.alsglobal.com

NELAP Certifications: NJ PA010 , NY 11759 , PA 22-293 DoD ELAP: PJLA 74618
State Certifications: FL E871113 , WA C999 , MD 128 , VA 460157 , WV DW 9961-C , WV 343

ANALYTICAL RESULTS

Workorder: 3071088 4TH QTR 2019 GWMP-FORM 19Q

Lab ID:	3071088003	Date Collected:	11/20/2019 11:27	Matrix:	Ground Water
Sample ID:	FFMP019W	Date Received:	11/20/2019 15:35		

Parameters	Results	Flag	Units	RDL	Method	Prepared By	Analyzed By	By	Cntr
METALS									
Calcium, Total	59.0		mg/L	0.11	SW846 6010C	11/21/19 17:10 SXC	11/22/19 10:08 SRT	J1	
Iron, Total	ND		mg/L	0.067	SW846 6010C	11/21/19 17:10 SXC	11/22/19 10:08 SRT	J1	
Magnesium, Total	5.8		mg/L	0.11	SW846 6010C	11/21/19 17:10 SXC	11/22/19 10:08 SRT	J1	
Manganese, Total	ND		mg/L	0.0056	SW846 6010C	11/21/19 17:10 SXC	11/22/19 10:08 SRT	J1	
Potassium, Total	1.2		mg/L	0.56	SW846 6010C	11/21/19 17:10 SXC	11/22/19 10:08 SRT	J1	
Sodium, Total	10.5		mg/L	0.56	SW846 6010C	11/21/19 17:10 SXC	11/22/19 10:08 SRT	J1	
FIELD PARAMETERS									
Depth to Water Level	28.84		Feet		Field		11/20/19 11:27	BGS	C
Elev Top MW Casing above MSL	471.95		Feet		Field		11/20/19 11:27	BGS	C
Flow Rate	3.95		gal/min		Field		11/20/19 11:27	BGS	C
Ground Water Elevation	443.11		ft/MSL		Field		11/20/19 11:27	BGS	C
pH, Field (SM4500B)	6.53		pH_Units		Field		11/20/19 11:27	BGS	C
Sample Depth	49.00		Feet		Field		11/20/19 11:27	BGS	C
Specific Conductance, Field	454		umhos/cm	1	Field		11/20/19 11:27	BGS	C
Temperature	11.13		Deg. C		Field		11/20/19 11:27	BGS	C
Total Well Depth	132.79		Feet		Field		11/20/19 11:27	BGS	C
Volume in Water Column	67.57		Gallons		Field		11/20/19 11:27	BGS	C
Water Level After Purge	34.35		Feet		Field		11/20/19 11:27	BGS	C
Well Volumes Purged	2.34		Vol		Field		11/20/19 11:27	BGS	C

Ms. Susan J Scherer

Project Coordinator

ALS Environmental Laboratory Locations Across North America

Canada: Burlington · Calgary · Centre of Excellence · Edmonton · Fort McMurray · Fort St. John · Grande Prairie · London · Mississauga · Richmond Hill · Saskatoon · Thunder Bay
Vancouver Waterloo · Winnipeg · Yellowknife · **United States:** Cincinnati · Everett · Fort Collins · Holland · Houston · Middletown · Salt Lake City · Spring City · York · **Mexico:** Monterrey



ALS Environmental



301 Fulling Mill Road - Middletown, PA 17057 - Phone: 717-944-5541 - Fax: 717-944-1430 - www.alsglobal.com

NELAP Certifications: NJ PA010 , NY 11759 , PA 22-293 DoD ELAP: PJLA 74618
State Certifications: FL E871113 , WA C999 , MD 128 , VA 460157 , WV DW 9961-C , WV 343

ANALYTICAL RESULTS

Workorder: 3071088 4TH QTR 2019 GWMP-FORM 19Q

Lab ID:	3071088004	Date Collected:	11/20/2019 12:32	Matrix:	Ground Water
Sample ID:	FFMP029W	Date Received:	11/20/2019 15:35		

Parameters	Results	Flag	Units	RDL	Method	Prepared	By	Analyzed	By	Cntr
VOLATILE ORGANICS										
Benzene	ND		ug/L	1.0	SW846 8260B			11/22/19 17:01	TMP	G
1,2-Dibromoethane	ND		ug/L	1.0	SW846 8260B			11/22/19 17:01	TMP	G
1,1-Dichloroethane	ND		ug/L	1.0	SW846 8260B			11/22/19 17:01	TMP	G
1,2-Dichloroethane	ND		ug/L	1.0	SW846 8260B			11/22/19 17:01	TMP	G
1,1-Dichloroethene	ND		ug/L	1.0	SW846 8260B			11/22/19 17:01	TMP	G
cis-1,2-Dichloroethene	ND		ug/L	1.0	SW846 8260B			11/22/19 17:01	TMP	G
trans-1,2-Dichloroethene	ND		ug/L	1.0	SW846 8260B			11/22/19 17:01	TMP	G
Ethylbenzene	ND		ug/L	1.0	SW846 8260B			11/22/19 17:01	TMP	G
Methylene Chloride	1.9		ug/L	1.0	SW846 8260B			11/22/19 17:01	TMP	G
Tetrachloroethene	ND		ug/L	1.0	SW846 8260B			11/22/19 17:01	TMP	G
Toluene	ND		ug/L	1.0	SW846 8260B			11/22/19 17:01	TMP	G
Total Xylenes	ND		ug/L	3.0	SW846 8260B			11/22/19 17:01	TMP	G
1,1,1-Trichloroethane	ND		ug/L	1.0	SW846 8260B			11/22/19 17:01	TMP	G
Trichloroethene	ND		ug/L	1.0	SW846 8260B			11/22/19 17:01	TMP	G
Vinyl Chloride	ND		ug/L	1.0	SW846 8260B			11/22/19 17:01	TMP	G
Surrogate Recoveries										
1,2-Dichloroethane-d4 (S)	97		%	62 - 133	SW846 8260B			11/22/19 17:01	TMP	G
4-Bromofluorobenzene (S)	95		%	79 - 114	SW846 8260B			11/22/19 17:01	TMP	G
Dibromofluoromethane (S)	91.9		%	78 - 116	SW846 8260B			11/22/19 17:01	TMP	G
Toluene-d8 (S)	91.7		%	76 - 127	SW846 8260B			11/22/19 17:01	TMP	G
WET CHEMISTRY										
Alkalinity, Bicarbonate	14		mg/L	5	SM2320B-2011			11/26/19 06:07	MXO	B
Alkalinity, Total	14	3	mg/L	5	SM2320B-2011			11/26/19 06:07	MXO	I
Ammonia-N	0.196		mg/L	0.100	D6919-09			11/27/19 12:52	NJA	A
Chemical Oxygen Demand (COD)	ND		mg/L	15	EPA 410.4			11/27/19 16:56	AK	A
Chloride	61.9		mg/L	2.0	EPA 300.0			11/21/19 13:36	CHW	B
Fluoride	ND		mg/L	0.20	EPA 300.0			11/21/19 13:36	CHW	B
Nitrate-N	3.9		mg/L	0.20	EPA 300.0			11/21/19 13:36	CHW	B
pH	6.00	1	pH_Units		S4500HB-11			11/26/19 06:07	MXO	B
Phenolics	ND		mg/L	0.005	SW846 9066	11/26/19 09:15	C_D	11/26/19 11:19	C_D	F
Specific Conductance	323	2	umhos/cm	1	SW846 9050A			11/26/19 06:07	MXO	B
Sulfate	6.8		mg/L	2.0	EPA 300.0			11/21/19 13:36	CHW	B
Total Dissolved Solids	146		mg/L	5	S2540C-11			11/22/19 14:50	D1C	B
Total Organic Carbon (TOC)	ND		mg/L	0.50	SW846 9060A			11/25/19 20:58	PAG	D
Turbidity	0.18		NTU	0.10	SM2130B-2011			11/21/19 07:39	R2B	B

ALS Environmental Laboratory Locations Across North America

Canada: Burlington · Calgary · Centre of Excellence · Edmonton · Fort McMurray · Fort St. John · Grande Prairie · London · Mississauga · Richmond Hill · Saskatoon · Thunder Bay
Vancouver Waterloo · Winnipeg · Yellowknife **United States:** Cincinnati · Everett · Fort Collins · Holland · Houston · Middletown · Salt Lake City · Spring City · York **Mexico:** Monterrey



ALS Environmental



301 Fulling Mill Road - Middletown, PA 17057 - Phone: 717-944-5541 - Fax: 717-944-1430 - www.alsglobal.com

NELAP Certifications: NJ PA010 , NY 11759 , PA 22-293 DoD ELAP: PJLA 74618
State Certifications: FL E871113 , WA C999 , MD 128 , VA 460157 , WV DW 9961-C , WV 343

ANALYTICAL RESULTS

Workorder: 3071088 4TH QTR 2019 GWMP-FORM 19Q

Lab ID:	3071088004	Date Collected:	11/20/2019 12:32	Matrix:	Ground Water
Sample ID:	FFMP029W	Date Received:	11/20/2019 15:35		

Parameters	Results	Flag	Units	RDL	Method	Prepared By	Analyzed By	By	Cntr
METALS									
Calcium, Total	14.6		mg/L	0.11	SW846 6010C	11/21/19 17:10 SXC	11/22/19 10:12 SRT	J1	
Iron, Total	ND		mg/L	0.067	SW846 6010C	11/21/19 17:10 SXC	11/22/19 10:12 SRT	J1	
Magnesium, Total	10.1		mg/L	0.11	SW846 6010C	11/21/19 17:10 SXC	11/22/19 10:12 SRT	J1	
Manganese, Total	0.032		mg/L	0.0056	SW846 6010C	11/21/19 17:10 SXC	11/22/19 10:12 SRT	J1	
Potassium, Total	2.4		mg/L	0.56	SW846 6010C	11/21/19 17:10 SXC	11/22/19 10:12 SRT	J1	
Sodium, Total	21.2		mg/L	0.56	SW846 6010C	11/21/19 17:10 SXC	11/22/19 10:12 SRT	J1	
FIELD PARAMETERS									
Depth to Water Level	39.43		Feet		Field		11/20/19 12:32 BGS	C	
Elev Top MW Casing above MSL	477.30		Feet		Field		11/20/19 12:32 BGS	C	
Flow Rate	2.05		gal/min		Field		11/20/19 12:32 BGS	C	
Ground Water Elevation	437.87		ft/MSL		Field		11/20/19 12:32 BGS	C	
pH, Field (SM4500B)	5.04		pH_Units		Field		11/20/19 12:32 BGS	C	
Sample Depth	55.00		Feet		Field		11/20/19 12:32 BGS	C	
Specific Conductance, Field	307		umhos/cm	1	Field		11/20/19 12:32 BGS	C	
Temperature	11.55		Deg. C		Field		11/20/19 12:32 BGS	C	
Total Well Depth	60.50		Feet		Field		11/20/19 12:32 BGS	C	
Volume in Water Column	30.97		Gallons		Field		11/20/19 12:32 BGS	C	
Water Level After Purge	45.31		Feet		Field		11/20/19 12:32 BGS	C	
Well Volumes Purged	3.31		Vol		Field		11/20/19 12:32 BGS	C	

Ms. Susan J Scherer

Project Coordinator

ALS Environmental Laboratory Locations Across North America

Canada: Burlington · Calgary · Centre of Excellence · Edmonton · Fort McMurray · Fort St. John · Grande Prairie · London · Mississauga · Richmond Hill · Saskatoon · Thunder Bay
Vancouver · Waterloo · Winnipeg · Yellowknife · **United States:** Cincinnati · Everett · Fort Collins · Holland · Houston · Middletown · Salt Lake City · Spring City · York · **Mexico:** Monterrey



ALS Environmental



301 Fulling Mill Road - Middletown, PA 17057 - Phone: 717-944-5541 - Fax: 717-944-1430 - www.alsglobal.com

NELAP Certifications: NJ PA010 , NY 11759 , PA 22-293 DoD ELAP: PJLA 74618
State Certifications: FL E871113 , WA C999 , MD 128 , VA 460157 , WV DW 9961-C , WV 343

ANALYTICAL RESULTS

Workorder: 3071088 4TH QTR 2019 GWMP-FORM 19Q

Lab ID:	3071088005	Date Collected:	11/20/2019 13:52	Matrix:	Ground Water
Sample ID:	FFMP02DW	Date Received:	11/20/2019 15:35		

Parameters	Results	Flag	Units	RDL	Method	Prepared	By	Analyzed	By	Cntr
VOLATILE ORGANICS										
Benzene	ND		ug/L	1.0	SW846 8260B			11/22/19 17:23	TMP	G
1,2-Dibromoethane	ND		ug/L	1.0	SW846 8260B			11/22/19 17:23	TMP	G
1,1-Dichloroethane	ND		ug/L	1.0	SW846 8260B			11/22/19 17:23	TMP	G
1,2-Dichloroethane	ND		ug/L	1.0	SW846 8260B			11/22/19 17:23	TMP	G
1,1-Dichloroethene	ND		ug/L	1.0	SW846 8260B			11/22/19 17:23	TMP	G
cis-1,2-Dichloroethene	ND		ug/L	1.0	SW846 8260B			11/22/19 17:23	TMP	G
trans-1,2-Dichloroethene	ND		ug/L	1.0	SW846 8260B			11/22/19 17:23	TMP	G
Ethylbenzene	ND		ug/L	1.0	SW846 8260B			11/22/19 17:23	TMP	G
Methylene Chloride	1.4		ug/L	1.0	SW846 8260B			11/22/19 17:23	TMP	G
Tetrachloroethene	ND		ug/L	1.0	SW846 8260B			11/22/19 17:23	TMP	G
Toluene	ND		ug/L	1.0	SW846 8260B			11/22/19 17:23	TMP	G
Total Xylenes	ND		ug/L	3.0	SW846 8260B			11/22/19 17:23	TMP	G
1,1,1-Trichloroethane	ND		ug/L	1.0	SW846 8260B			11/22/19 17:23	TMP	G
Trichloroethene	ND		ug/L	1.0	SW846 8260B			11/22/19 17:23	TMP	G
Vinyl Chloride	ND		ug/L	1.0	SW846 8260B			11/22/19 17:23	TMP	G
Surrogate Recoveries										
1,2-Dichloroethane-d4 (S)	97.7		%	62 - 133	SW846 8260B			11/22/19 17:23	TMP	G
4-Bromofluorobenzene (S)	93		%	79 - 114	SW846 8260B			11/22/19 17:23	TMP	G
Dibromofluoromethane (S)	90.9		%	78 - 116	SW846 8260B			11/22/19 17:23	TMP	G
Toluene-d8 (S)	92		%	76 - 127	SW846 8260B			11/22/19 17:23	TMP	G
WET CHEMISTRY										
Alkalinity, Bicarbonate	138		mg/L	5	SM2320B-2011			11/26/19 06:07	MXO	B
Alkalinity, Total	138	3	mg/L	5	SM2320B-2011			11/26/19 06:07	MXO	I
Ammonia-N	0.322		mg/L	0.100	D6919-09			11/27/19 13:05	NJA	A
Chemical Oxygen Demand (COD)	ND		mg/L	15	EPA 410.4			11/26/19 16:48	AK	A
Chloride	264		mg/L	5.0	EPA 300.0			11/23/19 14:13	CHW	B
Fluoride	ND		mg/L	0.20	EPA 300.0			11/21/19 13:51	CHW	B
Nitrate-N	10.3		mg/L	0.20	EPA 300.0			11/21/19 13:51	CHW	B
pH	7.77	1	pH_Units		S4500HB-11			11/26/19 06:07	MXO	B
Phenolics	ND		mg/L	0.005	SW846 9066	11/26/19 09:15	C_D	11/26/19 11:19	C_D	F
Specific Conductance	1370	2	umhos/cm	1	SW846 9050A			11/26/19 06:07	MXO	B
Sulfate	29.9		mg/L	2.0	EPA 300.0			11/21/19 13:51	CHW	B
Total Dissolved Solids	714		mg/L	5	S2540C-11			11/22/19 14:50	D1C	B
Total Organic Carbon (TOC)	0.74		mg/L	0.50	SW846 9060A			11/25/19 20:58	PAG	D
Turbidity	6.51		NTU	0.10	SM2130B-2011			11/21/19 07:39	R2B	B

ALS Environmental Laboratory Locations Across North America

Canada: Burlington · Calgary · Centre of Excellence · Edmonton · Fort McMurray · Fort St. John · Grande Prairie · London · Mississauga · Richmond Hill · Saskatoon · Thunder Bay
Vancouver Waterloo · Winnipeg · Yellowknife · **United States:** Cincinnati · Everett · Fort Collins · Holland · Houston · Middletown · Salt Lake City · Spring City · York · **Mexico:** Monterrey



ALS Environmental



301 Fulling Mill Road - Middletown, PA 17057 - Phone: 717-944-5541 - Fax: 717-944-1430 - www.alsglobal.com

NELAP Certifications: NJ PA010 , NY 11759 , PA 22-293 DoD ELAP: PJLA 74618
State Certifications: FL E871113 , WA C999 , MD 128 , VA 460157 , WV DW 9961-C , WV 343

ANALYTICAL RESULTS

Workorder: 3071088 4TH QTR 2019 GWMP-FORM 19Q

Lab ID:	3071088005	Date Collected:	11/20/2019 13:52	Matrix:	Ground Water
Sample ID:	FFMP02DW	Date Received:	11/20/2019 15:35		

Parameters	Results	Flag	Units	RDL	Method	Prepared By	Analyzed By	By	Cntr
METALS									
Calcium, Total	107		mg/L	0.11	SW846 6010C	11/21/19 17:10 SXC	11/22/19 10:15	SRT	J1
Iron, Total	0.66		mg/L	0.067	SW846 6010C	11/21/19 17:10 SXC	11/22/19 10:15	SRT	J1
Magnesium, Total	17.0		mg/L	0.11	SW846 6010C	11/21/19 17:10 SXC	11/22/19 10:15	SRT	J1
Manganese, Total	0.45		mg/L	0.0056	SW846 6010C	11/21/19 17:10 SXC	11/22/19 10:15	SRT	J1
Potassium, Total	2.0		mg/L	0.56	SW846 6010C	11/21/19 17:10 SXC	11/22/19 10:15	SRT	J1
Sodium, Total	102		mg/L	0.56	SW846 6010C	11/21/19 17:10 SXC	11/22/19 10:15	SRT	J1
FIELD PARAMETERS									
Depth to Water Level	20.59		Feet		Field		11/20/19 13:52	BGS	C
Elev Top MW Casing above MSL	509.60		Feet		Field		11/20/19 13:52	BGS	C
Flow Rate	1.35		gal/min		Field		11/20/19 13:52	BGS	C
Ground Water Elevation	489.01		ft/MSL		Field		11/20/19 13:52	BGS	C
pH, Field (SM4500B)	7.23		pH_Units		Field		11/20/19 13:52	BGS	C
Sample Depth	120.00		Feet		Field		11/20/19 13:52	BGS	C
Specific Conductance, Field	1286		umhos/cm	1	Field		11/20/19 13:52	BGS	C
Temperature	9.90		Deg. C		Field		11/20/19 13:52	BGS	C
Total Well Depth	153.00		Feet		Field		11/20/19 13:52	BGS	C
Volume in Water Column	194.64		Gallons		Field		11/20/19 13:52	BGS	C
Water Level After Purge	48.63		Feet		Field		11/20/19 13:52	BGS	C
Well Volumes Purged	0.42		Vol		Field		11/20/19 13:52	BGS	C

Ms. Susan J Scherer

Project Coordinator

ALS Environmental Laboratory Locations Across North America

Canada: Burlington · Calgary · Centre of Excellence · Edmonton · Fort McMurray · Fort St. John · Grande Prairie · London · Mississauga · Richmond Hill · Saskatoon · Thunder Bay
Vancouver · Waterloo · Winnipeg · Yellowknife · **United States:** Cincinnati · Everett · Fort Collins · Holland · Houston · Middletown · Salt Lake City · Spring City · York · **Mexico:** Monterrey



ALS Environmental



301 Fulling Mill Road - Middletown, PA 17057 - Phone: 717-944-5541 - Fax: 717-944-1430 - www.alsglobal.com

NELAP Certifications: NJ PA010 , NY 11759 , PA 22-293 DoD ELAP: PJLA 74618
State Certifications: FL E871113 , WA C999 , MD 128 , VA 460157 , WV DW 9961-C , WV 343

ANALYTICAL RESULTS

Workorder: 3071088 4TH QTR 2019 GWMP-FORM 19Q

Lab ID:	3071088006	Date Collected:	11/20/2019 14:17	Matrix:	Ground Water
Sample ID:	FFMP02SW	Date Received:	11/20/2019 15:35		

Parameters	Results	Flag	Units	RDL	Method	Prepared	By	Analyzed	By	Cntr
VOLATILE ORGANICS										
Benzene	ND		ug/L	1.0	SW846 8260B			11/22/19 17:46	TMP	G
1,2-Dibromoethane	ND		ug/L	1.0	SW846 8260B			11/22/19 17:46	TMP	G
1,1-Dichloroethane	ND		ug/L	1.0	SW846 8260B			11/22/19 17:46	TMP	G
1,2-Dichloroethane	ND		ug/L	1.0	SW846 8260B			11/22/19 17:46	TMP	G
1,1-Dichloroethene	ND		ug/L	1.0	SW846 8260B			11/22/19 17:46	TMP	G
cis-1,2-Dichloroethene	ND		ug/L	1.0	SW846 8260B			11/22/19 17:46	TMP	G
trans-1,2-Dichloroethene	ND		ug/L	1.0	SW846 8260B			11/22/19 17:46	TMP	G
Ethylbenzene	ND		ug/L	1.0	SW846 8260B			11/22/19 17:46	TMP	G
Methylene Chloride	1.4		ug/L	1.0	SW846 8260B			11/22/19 17:46	TMP	G
Tetrachloroethene	ND		ug/L	1.0	SW846 8260B			11/22/19 17:46	TMP	G
Toluene	ND		ug/L	1.0	SW846 8260B			11/22/19 17:46	TMP	G
Total Xylenes	ND		ug/L	3.0	SW846 8260B			11/22/19 17:46	TMP	G
1,1,1-Trichloroethane	ND		ug/L	1.0	SW846 8260B			11/22/19 17:46	TMP	G
Trichloroethene	ND		ug/L	1.0	SW846 8260B			11/22/19 17:46	TMP	G
Vinyl Chloride	ND		ug/L	1.0	SW846 8260B			11/22/19 17:46	TMP	G
Surrogate Recoveries										
1,2-Dichloroethane-d4 (S)	96.5		%	62 - 133	SW846 8260B			11/22/19 17:46	TMP	G
4-Bromofluorobenzene (S)	93		%	79 - 114	SW846 8260B			11/22/19 17:46	TMP	G
Dibromofluoromethane (S)	91.4		%	78 - 116	SW846 8260B			11/22/19 17:46	TMP	G
Toluene-d8 (S)	90.1		%	76 - 127	SW846 8260B			11/22/19 17:46	TMP	G
WET CHEMISTRY										
Alkalinity, Bicarbonate	19		mg/L	5	SM2320B-2011			11/26/19 06:07	MXO	B
Alkalinity, Total	19	3	mg/L	5	SM2320B-2011			11/26/19 06:07	MXO	I
Ammonia-N	0.160		mg/L	0.100	D6919-09			11/27/19 13:18	NJA	A
Chemical Oxygen Demand (COD)	ND		mg/L	15	EPA 410.4			11/27/19 16:56	AK	A
Chloride	133		mg/L	2.0	EPA 300.0			11/21/19 14:07	CHW	B
Fluoride	ND		mg/L	0.20	EPA 300.0			11/21/19 14:07	CHW	B
Nitrate-N	14.8		mg/L	0.20	EPA 300.0			11/21/19 14:07	CHW	B
pH	6.10	1	pH_Units		S4500HB-11			11/26/19 06:07	MXO	B
Phenolics	ND		mg/L	0.005	SW846 9066	11/26/19 09:15	C_D	11/26/19 11:19	C_D	F
Specific Conductance	719	2	umhos/cm	1	SW846 9050A			11/26/19 06:07	MXO	B
Sulfate	29.9		mg/L	2.0	EPA 300.0			11/21/19 14:07	CHW	B
Total Dissolved Solids	360		mg/L	5	S2540C-11			11/22/19 14:50	D1C	B
Total Organic Carbon (TOC)	1.5		mg/L	0.50	SW846 9060A			11/25/19 20:58	PAG	D
Turbidity	62.7		NTU	0.10	SM2130B-2011			11/21/19 07:39	R2B	B

ALS Environmental Laboratory Locations Across North America

Canada: Burlington · Calgary · Centre of Excellence · Edmonton · Fort McMurray · Fort St. John · Grande Prairie · London · Mississauga · Richmond Hill · Saskatoon · Thunder Bay
Vancouver Waterloo - Winnipeg - Yellowknife · **United States:** Cincinnati · Everett · Fort Collins · Holland · Houston · Middletown · Salt Lake City · Spring City · York · **Mexico:** Monterrey



ALS Environmental



301 Fulling Mill Road - Middletown, PA 17057 - Phone: 717-944-5541 - Fax: 717-944-1430 - www.alsglobal.com

NELAP Certifications: NJ PA010 , NY 11759 , PA 22-293 DoD ELAP: PJLA 74618
State Certifications: FL E871113 , WA C999 , MD 128 , VA 460157 , WV DW 9961-C , WV 343

ANALYTICAL RESULTS

Workorder: 3071088 4TH QTR 2019 GWMP-FORM 19Q

Lab ID:	3071088006	Date Collected:	11/20/2019 14:17	Matrix:	Ground Water
Sample ID:	FFMP02SW	Date Received:	11/20/2019 15:35		

Parameters	Results	Flag	Units	RDL	Method	Prepared By	Analyzed By	By	Cntr
METALS									
Calcium, Total	24.7		mg/L	0.11	SW846 6010C	11/21/19 17:10 SXC	11/22/19 10:19 SRT	J1	
Iron, Total	1.7		mg/L	0.067	SW846 6010C	11/21/19 17:10 SXC	11/22/19 10:19 SRT	J1	
Magnesium, Total	9.6		mg/L	0.11	SW846 6010C	11/21/19 17:10 SXC	11/22/19 10:19 SRT	J1	
Manganese, Total	0.038		mg/L	0.0056	SW846 6010C	11/21/19 17:10 SXC	11/22/19 10:19 SRT	J1	
Potassium, Total	5.1		mg/L	0.56	SW846 6010C	11/21/19 17:10 SXC	11/22/19 10:19 SRT	J1	
Sodium, Total	88.5		mg/L	0.56	SW846 6010C	11/21/19 17:10 SXC	11/22/19 10:19 SRT	J1	
FIELD PARAMETERS									
Depth to Water Level	15.96		Feet		Field		11/20/19 14:17	BGS	C
Elev Top MW Casing above MSL	509.90		Feet		Field		11/20/19 14:17	BGS	C
Flow Rate	0.30		gal/min		Field		11/20/19 14:17	BGS	C
Ground Water Elevation	493.94		ft/MSL		Field		11/20/19 14:17	BGS	C
pH, Field (SM4500B)	5.46		pH_Units		Field		11/20/19 14:17	BGS	C
Sample Depth	18.00		Feet		Field		11/20/19 14:17	BGS	C
Specific Conductance, Field	395		umhos/cm	1	Field		11/20/19 14:17	BGS	C
Temperature	12.15		Deg. C		Field		11/20/19 14:17	BGS	C
Total Well Depth	22.70		Feet		Field		11/20/19 14:17	BGS	C
Volume in Water Column	4.38		Gallons		Field		11/20/19 14:17	BGS	C
Water Level After Purge	18.51		Feet		Field		11/20/19 14:17	BGS	C
Well Volumes Purged	0.69		Vol		Field		11/20/19 14:17	BGS	C

Ms. Susan J Scherer

Project Coordinator

ALS Environmental Laboratory Locations Across North America

Canada: Burlington · Calgary · Centre of Excellence · Edmonton · Fort McMurray · Fort St. John · Grande Prairie · London · Mississauga · Richmond Hill · Saskatoon · Thunder Bay
Vancouver · Waterloo · Winnipeg · Yellowknife · **United States:** Cincinnati · Everett · Fort Collins · Holland · Houston · Middletown · Salt Lake City · Spring City · York · **Mexico:** Monterrey



ALS Environmental



301 Fulling Mill Road - Middletown, PA 17057 - Phone: 717-944-5541 - Fax: 717-944-1430 - www.alsglobal.com

NELAP Certifications: NJ PA010 , NY 11759 , PA 22-293 DoD ELAP: PJLA 74618
State Certifications: FL E871113 , WA C999 , MD 128 , VA 460157 , WV DW 9961-C , WV 343

ANALYTICAL RESULTS

Workorder: 3071088 4TH QTR 2019 GWMP-FORM 19Q

PARAMETER QUALIFIERS

Lab ID	#	Sample ID	Analytical Method	Analyte
3071088001	1	FFMP26RW	S4500HB-11	pH
The pH analysis is an "analyze immediately" analysis. Parameters identified as "analyze immediately" require analysis within 15 minutes of collection, and are therefore analyzed outside of the method holding time when analyzed in the laboratory.				
3071088001	2	FFMP26RW	SW846 9050A	Specific Conductance
The QC sample type CCV1 for method SM2510B-2011 was outside the control limits for the analyte Specific Conductance. The % Recovery was reported as 114 and the control limits were 90 to 110.				
3071088001	3	FFMP26RW	SM2320B-2011	Alkalinity, Total
The Total Alkalinity is titrated to a pH of 4.5 and reported as mg CaCO3/L.				
3071088002	1	FFMP018W	S4500HB-11	pH
The pH analysis is an "analyze immediately" analysis. Parameters identified as "analyze immediately" require analysis within 15 minutes of collection, and are therefore analyzed outside of the method holding time when analyzed in the laboratory.				
3071088002	2	FFMP018W	SW846 9050A	Specific Conductance
The QC sample type CCV1 for method SM2510B-2011 was outside the control limits for the analyte Specific Conductance. The % Recovery was reported as 114 and the control limits were 90 to 110.				
3071088002	3	FFMP018W	SW846 9066	Phenolics
The QC sample type MS for method 420.4/9066 was outside the control limits for the analyte Phenolics. The % Recovery was reported as 88.5 and the control limits were 90 to 110.				
3071088002	4	FFMP018W	SM2320B-2011	Alkalinity, Total
The Total Alkalinity is titrated to a pH of 4.5 and reported as mg CaCO3/L.				
3071088003	1	FFMP019W	S4500HB-11	pH
The pH analysis is an "analyze immediately" analysis. Parameters identified as "analyze immediately" require analysis within 15 minutes of collection, and are therefore analyzed outside of the method holding time when analyzed in the laboratory.				
3071088003	2	FFMP019W	SW846 9050A	Specific Conductance
The QC sample type CCV1 for method SM2510B-2011 was outside the control limits for the analyte Specific Conductance. The % Recovery was reported as 114 and the control limits were 90 to 110.				
3071088003	3	FFMP019W	SW846 8260B	1,1-Dichloroethene
The QC sample type MS for method SW846 8260B was outside the control limits for the analyte 1,1-Dichloroethene. The % Recovery was reported as 151 and the control limits were 63 to 128.				
3071088003	4	FFMP019W	SW846 8260B	1,1-Dichloroethene
The QC sample type MSD for method SW846 8260B was outside the control limits for the analyte 1,1-Dichloroethene. The % Recovery was reported as 138 and the control limits were 63 to 128.				
3071088003	5	FFMP019W	SW846 8260B	trans-1,2-Dichloroethene
The QC sample type MS for method SW846 8260B was outside the control limits for the analyte trans-1,2-Dichloroethene. The % Recovery was reported as 139 and the control limits were 71 to 122.				
3071088003	6	FFMP019W	SW846 8260B	trans-1,2-Dichloroethene
The QC sample type MSD for method SW846 8260B was outside the control limits for the analyte trans-1,2-Dichloroethene. The % Recovery was reported as 126 and the control limits were 71 to 122.				
3071088003	7	FFMP019W	SM2320B-2011	Alkalinity, Total
The Total Alkalinity is titrated to a pH of 4.5 and reported as mg CaCO3/L.				
3071088004	1	FFMP029W	S4500HB-11	pH
The pH analysis is an "analyze immediately" analysis. Parameters identified as "analyze immediately" require analysis within 15 minutes of collection, and are therefore analyzed outside of the method holding time when analyzed in the laboratory.				

ALS Environmental Laboratory Locations Across North America

Canada: Burlington · Calgary · Centre of Excellence · Edmonton · Fort McMurray · Fort St. John · Grande Prairie · London · Mississauga · Richmond Hill · Saskatoon · Thunder Bay
Vancouver Waterloo · Winnipeg · Yellowknife · **United States:** Cincinnati · Everett · Fort Collins · Holland · Houston · Middletown · Salt Lake City · Spring City · York · **Mexico:** Monterrey



ALS Environmental



301 Fulling Mill Road - Middletown, PA 17057 - Phone: 717-944-5541 - Fax: 717-944-1430 - www.alsglobal.com

NELAP Certifications: NJ PA010 , NY 11759 , PA 22-293 DoD ELAP: PJLA 74618
State Certifications: FL E871113 , WA C999 , MD 128 , VA 460157 , WV DW 9961-C , WV 343

ANALYTICAL RESULTS

Workorder: 3071088 4TH QTR 2019 GWMP-FORM 19Q

3071088004 2 FFMP029W

SW846 9050A

Specific Conductance

The QC sample type CCV1 for method SM2510B-2011 was outside the control limits for the analyte Specific Conductance. The % Recovery was reported as 114 and the control limits were 90 to 110.

3071088004 3 FFMP029W

SM2320B-2011

Alkalinity, Total

The Total Alkalinity is titrated to a pH of 4.5 and reported as mg CaCO₃/L.

3071088005 1 FFMP02DW

S4500HB-11

pH

The pH analysis is an "analyze immediately" analysis. Parameters identified as "analyze immediately" require analysis within 15 minutes of collection, and are therefore analyzed outside of the method holding time when analyzed in the laboratory.

3071088005 2 FFMP02DW

SW846 9050A

Specific Conductance

The QC sample type CCV1 for method SM2510B-2011 was outside the control limits for the analyte Specific Conductance. The % Recovery was reported as 114 and the control limits were 90 to 110.

3071088005 3 FFMP02DW

SM2320B-2011

Alkalinity, Total

The Total Alkalinity is titrated to a pH of 4.5 and reported as mg CaCO₃/L.

3071088006 1 FFMP02SW

S4500HB-11

pH

The pH analysis is an "analyze immediately" analysis. Parameters identified as "analyze immediately" require analysis within 15 minutes of collection, and are therefore analyzed outside of the method holding time when analyzed in the laboratory.

3071088006 2 FFMP02SW

SW846 9050A

Specific Conductance

The QC sample type CCV1 for method SM2510B-2011 was outside the control limits for the analyte Specific Conductance. The % Recovery was reported as 114 and the control limits were 90 to 110.

3071088006 3 FFMP02SW

SM2320B-2011

Alkalinity, Total

The Total Alkalinity is titrated to a pH of 4.5 and reported as mg CaCO₃/L.

ALS Environmental Laboratory Locations Across North America

Canada: Burlington · Calgary · Centre of Excellence · Edmonton · Fort McMurray · Fort St. John · Grande Prairie · London · Mississauga · Richmond Hill · Saskatoon · Thunder Bay
Vancouver · Waterloo · Winnipeg · Yellowknife · **United States:** Cincinnati · Everett · Fort Collins · Holland · Houston · Middletown · Salt Lake City · Spring City · York · **Mexico:** Monterrey



ALS Environmental



301 Fulling Mill Road - Middletown, PA 17057 - Phone: 717-944-5541 - Fax: 717-944-1430 - www.alsglobal.com

NELAP Certifications: NJ PA010 , NY 11759 , PA 22-293 DoD ELAP: PJLA 74618
State Certifications: FL E871113 , WA C999 , MD 128 , VA 460157 , WV DW 9961-C , WV 343

ANALYSIS - PREP METHOD CROSS REFERENCE TABLE

Workorder: 3071088 4TH QTR 2019 GWMP-FORM 19Q

Lab ID	Sample ID	Analysis Method	Prep Method
3071088001	FFMP26RW	D6919-09	
3071088001	FFMP26RW	EPA 300.0	
3071088001	FFMP26RW	EPA 410.4	
3071088001	FFMP26RW	Field	
3071088001	FFMP26RW	S2540C-11	
3071088001	FFMP26RW	S4500HB-11	
3071088001	FFMP26RW	SM2130B-2011	
3071088001	FFMP26RW	SM2320B-2011	
3071088001	FFMP26RW	SW846 6010C	SW846 3015
3071088001	FFMP26RW	SW846 8260B	
3071088001	FFMP26RW	SW846 9050A	
3071088001	FFMP26RW	SW846 9060A	
3071088001	FFMP26RW	SW846 9066	420.4/9066
3071088002	FFMP018W	D6919-09	
3071088002	FFMP018W	EPA 300.0	
3071088002	FFMP018W	EPA 410.4	
3071088002	FFMP018W	Field	
3071088002	FFMP018W	S2540C-11	
3071088002	FFMP018W	S4500HB-11	
3071088002	FFMP018W	SM2130B-2011	
3071088002	FFMP018W	SM2320B-2011	
3071088002	FFMP018W	SW846 6010C	SW846 3015
3071088002	FFMP018W	SW846 8260B	
3071088002	FFMP018W	SW846 9050A	
3071088002	FFMP018W	SW846 9060A	
3071088002	FFMP018W	SW846 9066	420.4/9066
3071088003	FFMP019W	D6919-09	
3071088003	FFMP019W	EPA 300.0	
3071088003	FFMP019W	EPA 410.4	
3071088003	FFMP019W	Field	
3071088003	FFMP019W	S2540C-11	
3071088003	FFMP019W	S4500HB-11	
3071088003	FFMP019W	SM2130B-2011	
3071088003	FFMP019W	SM2320B-2011	
3071088003	FFMP019W	SW846 6010C	SW846 3015
3071088003	FFMP019W	SW846 8260B	
3071088003	FFMP019W	SW846 9050A	
3071088003	FFMP019W	SW846 9060A	
3071088003	FFMP019W	SW846 9066	420.4/9066
3071088004	FFMP029W	D6919-09	
3071088004	FFMP029W	EPA 300.0	
3071088004	FFMP029W	EPA 410.4	
3071088004	FFMP029W	Field	
3071088004	FFMP029W	S2540C-11	
3071088004	FFMP029W	S4500HB-11	
3071088004	FFMP029W	SM2130B-2011	

ALS Environmental Laboratory Locations Across North America

Canada: Burlington · Calgary · Centre of Excellence · Edmonton · Fort McMurray · Fort St. John · Grande Prairie · London · Mississauga · Richmond Hill · Saskatoon · Thunder Bay
Vancouver Waterloo · Winnipeg · Yellowknife **United States:** Cincinnati · Everett · Fort Collins · Holland · Houston · Middletown · Salt Lake City · Spring City · York **Mexico:** Monterrey



ALS Environmental



301 Fulling Mill Road - Middletown, PA 17057 - Phone: 717-944-5541 - Fax: 717-944-1430 - www.alsglobal.com

NELAP Certifications: NJ PA010 , NY 11759 , PA 22-293 DoD ELAP: PJLA 74618
State Certifications: FL E871113 , WA C999 , MD 128 , VA 460157 , WV DW 9961-C , WV 343

ANALYSIS - PREP METHOD CROSS REFERENCE TABLE

Workorder: 3071088 4TH QTR 2019 GWMP-FORM 19Q

Lab ID	Sample ID	Analysis Method	Prep Method
3071088004	FFMP029W	SM2320B-2011	
3071088004	FFMP029W	SW846 6010C	SW846 3015
3071088004	FFMP029W	SW846 8260B	
3071088004	FFMP029W	SW846 9050A	
3071088004	FFMP029W	SW846 9060A	
3071088004	FFMP029W	SW846 9066	420.4/9066
3071088005	FFMP02DW	D6919-09	
3071088005	FFMP02DW	EPA 300.0	
3071088005	FFMP02DW	EPA 410.4	
3071088005	FFMP02DW	Field	
3071088005	FFMP02DW	S2540C-11	
3071088005	FFMP02DW	S4500HB-11	
3071088005	FFMP02DW	SM2130B-2011	
3071088005	FFMP02DW	SM2320B-2011	
3071088005	FFMP02DW	SW846 6010C	SW846 3015
3071088005	FFMP02DW	SW846 8260B	
3071088005	FFMP02DW	SW846 9050A	
3071088005	FFMP02DW	SW846 9060A	
3071088005	FFMP02DW	SW846 9066	420.4/9066
3071088006	FFMP02SW	D6919-09	
3071088006	FFMP02SW	EPA 300.0	
3071088006	FFMP02SW	EPA 410.4	
3071088006	FFMP02SW	Field	
3071088006	FFMP02SW	S2540C-11	
3071088006	FFMP02SW	S4500HB-11	
3071088006	FFMP02SW	SM2130B-2011	
3071088006	FFMP02SW	SM2320B-2011	
3071088006	FFMP02SW	SW846 6010C	SW846 3015
3071088006	FFMP02SW	SW846 8260B	
3071088006	FFMP02SW	SW846 9050A	
3071088006	FFMP02SW	SW846 9060A	
3071088006	FFMP02SW	SW846 9066	420.4/9066

ALS Environmental Laboratory Locations Across North America

Canada: Burlington · Calgary · Centre of Excellence · Edmonton · Fort McMurray · Fort St. John · Grande Prairie · London · Mississauga · Richmond Hill · Saskatoon · Thunder Bay
Vancouver · Waterloo · Winnipeg · Yellowknife **United States:** Cincinnati · Everett · Fort Collins · Holland · Houston · Middletown · Salt Lake City · Spring City · York **Mexico:** Monterrey



ALS Environmental



301 Fulling Mill Road - Middletown, PA 17057 - Phone: 717-944-5541 - Fax: 717-944-1430 - www.alsglobal.com

NELAP Certifications: NJ PA010 , NY 11759 , PA 22-293 DoD ELAP: PJLA 74618
State Certifications: FL E871113 , WA C999 , MD 128 , VA 460157 , WV DW 9961-C , WV 343

December 2, 2019

Mr. Daniel Brown
Lancaster County Solid Waste Authority
1299 Hbg Pike, P.O. Box 4425
Lancaster, PA 17604

Certificate of Analysis

Project Name:	FREY FARM	Workorder:	3070806
Purchase Order:	PO1000126	Workorder ID:	4th QTR 2019 GWMP-FORM 19Q

Dear Mr. Brown:

Enclosed are the analytical results for samples received by the laboratory on Tuesday, November 19, 2019.

The ALS Environmental laboratory in Middletown, Pennsylvania is a National Environmental Laboratory Accreditation Program (NELAP) accredited laboratory and as such, certifies that all applicable test results meet the requirements of NELAP.

If you have any questions regarding this certificate of analysis, please contact Ms. Susan J Scherer (Project Coordinator) at (717) 944-5541.

Analyses were performed according to our laboratory's NELAP-approved quality assurance program and any applicable state requirements. The test results meet requirements of the current NELAP standards or state requirements, where applicable. For a specific list of accredited analytes, refer to the certifications section of the ALS website at www.alsglobal.com/en/Our-Services/Life-Sciences/Environmental/Downloads.

This laboratory report may not be reproduced, except in full, without the written approval of ALS Environmental.

ALS Spring City: 10 Riverside Drive, Spring City, PA 19475 610-948-4903

CC: Mr. Nicholas Rogers , Ms. Jordan Gallagher , Mr. Jeff Musser

This page is included as part of the Analytical Report and must be retained as a permanent record thereof.

Ms. Susan J Scherer
Project Coordinator

ALS Environmental Laboratory Locations Across North America

Canada: Burlington · Calgary · Centre of Excellence · Edmonton · Fort McMurray · Fort St. John · Grande Prairie · London · Mississauga · Richmond Hill · Saskatoon · Thunder Bay
Vancouver Waterloo · Winnipeg · Yellowknife **United States:** Cincinnati · Everett · Fort Collins · Holland · Houston · Middletown · Salt Lake City · Spring City · York **Mexico:** Monterrey



ALS Environmental



301 Fulling Mill Road - Middletown, PA 17057 - Phone: 717-944-5541 - Fax: 717-944-1430 - www.alsglobal.com

NELAP Certifications: NJ PA010 , NY 11759 , PA 22-293 DoD ELAP: PJLA 74618
State Certifications: FL E871113 , WA C999 , MD 128 , VA 460157 , WV DW 9961-C , WV 343

SAMPLE SUMMARY

Workorder: 3070806 4th QTR 2019 GWMP-FORM 19Q

Lab ID	Sample ID	Matrix	Date Collected	Date Received	Collected By
3070806001	FFMP30RW	Ground Water	11/19/2019 10:59	11/19/2019 16:23	Mr. Brian G Shade
3070806002	FFMP04AW	Ground Water	11/19/2019 12:06	11/19/2019 16:23	Mr. Brian G Shade
3070806003	FFMP017W	Ground Water	11/19/2019 13:50	11/19/2019 16:23	Mr. Brian G Shade
3070806004	FFMP005W	Ground Water	11/19/2019 15:10	11/19/2019 16:23	Mr. Brian G Shade

ALS Environmental Laboratory Locations Across North America

Canada: Burlington · Calgary · Centre of Excellence · Edmonton · Fort McMurray · Fort St. John · Grande Prairie · London · Mississauga · Richmond Hill · Saskatoon · Thunder Bay · Vancouver Waterloo · Waterloo · Winnipeg · Yellowknife **United States:** Cincinnati · Everett · Fort Collins · Holland · Houston · Middletown · Salt Lake City · Spring City · York **Mexico:** Monterrey



ALS Environmental



301 Fulling Mill Road - Middletown, PA 17057 - Phone: 717-944-5541 - Fax: 717-944-1430 - www.alsglobal.com

NELAP Certifications: NJ PA010 , NY 11759 , PA 22-293 DoD ELAP: PJLA 74618
State Certifications: FL E871113 , WA C999 , MD 128 , VA 460157 , WV DW 9961-C , WV 343

SAMPLE SUMMARY

Workorder: 3070806 4th QTR 2019 GWMP-FORM 19Q

Notes

- Samples collected by ALS personnel are done so in accordance with the procedures set forth in the ALS Field Sampling Plan (20 - Field Services Sampling Plan).
- All Waste Water analyses comply with methodology requirements of 40 CFR Part 136.
- All Drinking Water analyses comply with methodology requirements of 40 CFR Part 141.
- Unless otherwise noted, all quantitative results for soils are reported on a dry weight basis.
- The Chain of Custody document is included as part of this report.
- All Library Search analytes should be regarded as tentative identifications based on the presumptive evidence of the mass spectra. Concentrations reported are estimated values.
- Parameters identified as "analyze immediately" require analysis within 15 minutes of collection. Any "analyze immediately" parameters not listed under the header "Field Parameters" are preformed in the laboratory and are therefore analyzed out of hold time.
- Method references listed on this report beginning with the prefix "S" followed by a method number (such as S2310B-97) refer to methods from "Standard Methods for the Examination of Water and Wastewater".
- For microbiological analyses, the "Prepared" value is the date/time into the incubator and the "Analyzed" value is the date/time out the incubator.
- An Analysis-Prep Method Cross Reference Table is included after Analytical Results & Qualifiers section in this report.

Standard Acronyms/Flags

J	Indicates an estimated value between the Method Detection Limit (MDL) and the Practical Quantitation Limit (PQL) for the analyte
U	Indicates that the analyte was Not Detected (ND)
N	Indicates presumptive evidence of the presence of a compound
MDL	Method Detection Limit
PQL	Practical Quantitation Limit
RDL	Reporting Detection Limit
ND	Not Detected - indicates that the analyte was Not Detected at the RDL
Cntr	Analysis was performed using this container
RegLmt	Regulatory Limit
LCS	Laboratory Control Sample
MS	Matrix Spike
MSD	Matrix Spike Duplicate
DUP	Sample Duplicate
%Rec	Percent Recovery
RPD	Relative Percent Difference
LOD	DoD Limit of Detection
LOQ	DoD Limit of Quantitation
DL	DoD Detection Limit
I	Indicates reported value is greater than or equal to the Method Detection Limit (MDL) but less than the Report Detection Limit (RDL)
(S)	Surrogate Compound
NC	Not Calculated
*	Result outside of QC limits

ALS Environmental Laboratory Locations Across North America

Canada: Burlington · Calgary · Centre of Excellence · Edmonton · Fort McMurray · Fort St. John · Grande Prairie · London · Mississauga · Richmond Hill · Saskatoon · Thunder Bay
Vancouver · Waterloo · Winnipeg · Yellowknife · **United States:** Cincinnati · Everett · Fort Collins · Holland · Houston · Middletown · Salt Lake City · Spring City · York · **Mexico:** Monterrey



ALS Environmental



301 Fulling Mill Road - Middletown, PA 17057 - Phone: 717-944-5541 - Fax: 717-944-1430 - www.alsglobal.com

NELAP Certifications: NJ PA010 , NY 11759 , PA 22-293 DoD ELAP: PJLA 74618
State Certifications: FL E871113 , WA C999 , MD 128 , VA 460157 , WV DW 9961-C , WV 343

ANALYSIS - PREP METHOD CROSS REFERENCE TABLE

Workorder: 3070806 4th QTR 2019 GWMP-FORM 19Q

Lab ID	Sample ID	Analysis Method	Prep Method
3070806001	FFMP30RW	D6919-09	
3070806001	FFMP30RW	EPA 300.0	
3070806001	FFMP30RW	EPA 410.4	
3070806001	FFMP30RW	Field	
3070806001	FFMP30RW	S2540C-11	
3070806001	FFMP30RW	S4500HB-11	
3070806001	FFMP30RW	SM2130B-2011	
3070806001	FFMP30RW	SM2320B-2011	
3070806001	FFMP30RW	SW846 6010C	SW846 3015
3070806001	FFMP30RW	SW846 8260B	
3070806001	FFMP30RW	SW846 9050A	
3070806001	FFMP30RW	SW846 9060A	
3070806001	FFMP30RW	SW846 9066	420.4/9066
3070806002	FFMP04AW	D6919-09	
3070806002	FFMP04AW	EPA 300.0	
3070806002	FFMP04AW	EPA 410.4	
3070806002	FFMP04AW	Field	
3070806002	FFMP04AW	S2540C-11	
3070806002	FFMP04AW	S4500HB-11	
3070806002	FFMP04AW	SM2130B-2011	
3070806002	FFMP04AW	SM2320B-2011	
3070806002	FFMP04AW	SW846 6010C	SW846 3015
3070806002	FFMP04AW	SW846 8260B	
3070806002	FFMP04AW	SW846 9050A	
3070806002	FFMP04AW	SW846 9060A	
3070806002	FFMP04AW	SW846 9066	420.4/9066
3070806003	FFMP017W	D6919-09	
3070806003	FFMP017W	EPA 300.0	
3070806003	FFMP017W	EPA 410.4	
3070806003	FFMP017W	Field	
3070806003	FFMP017W	S2540C-11	
3070806003	FFMP017W	S4500HB-11	
3070806003	FFMP017W	SM2130B-2011	
3070806003	FFMP017W	SM2320B-2011	
3070806003	FFMP017W	SW846 6010C	SW846 3015
3070806003	FFMP017W	SW846 8260B	
3070806003	FFMP017W	SW846 9050A	
3070806003	FFMP017W	SW846 9060A	
3070806003	FFMP017W	SW846 9066	420.4/9066
3070806004	FFMP005W	D6919-09	
3070806004	FFMP005W	EPA 300.0	
3070806004	FFMP005W	EPA 410.4	
3070806004	FFMP005W	Field	
3070806004	FFMP005W	S2540C-11	
3070806004	FFMP005W	S4500HB-11	
3070806004	FFMP005W	SM2130B-2011	

ALS Environmental Laboratory Locations Across North America

Canada: Burlington · Calgary · Centre of Excellence · Edmonton · Fort McMurray · Fort St. John · Grande Prairie · London · Mississauga · Richmond Hill · Saskatoon · Thunder Bay
Vancouver Waterloo · Winnipeg · Yellowknife **United States:** Cincinnati · Everett · Fort Collins · Holland · Houston · Middletown · Salt Lake City · Spring City · York **Mexico:** Monterrey



ALS Environmental



301 Fulling Mill Road - Middletown, PA 17057 - Phone: 717-944-5541 - Fax: 717-944-1430 - www.alsglobal.com

NELAP Certifications: NJ PA010 , NY 11759 , PA 22-293 DoD ELAP: PJLA 74618
State Certifications: FL E871113 , WA C999 , MD 128 , VA 460157 , WV DW 9961-C , WV 343

ANALYSIS - PREP METHOD CROSS REFERENCE TABLE

Workorder: 3070806 4th QTR 2019 GWMP-FORM 19Q

Lab ID	Sample ID	Analysis Method	Prep Method
3070806004	FFMP005W	SM2320B-2011	
3070806004	FFMP005W	SW846 6010C	SW846 3015
3070806004	FFMP005W	SW846 8260B	
3070806004	FFMP005W	SW846 9050A	
3070806004	FFMP005W	SW846 9060A	
3070806004	FFMP005W	SW846 9066	420.4/9066

ALS Environmental Laboratory Locations Across North America

Canada: Burlington · Calgary · Centre of Excellence · Edmonton · Fort McMurray · Fort St. John · Grande Prairie · London · Mississauga · Richmond Hill · Saskatoon · Thunder Bay
Vancouver Waterloo · Winnipeg · Yellowknife **United States:** Cincinnati · Everett · Fort Collins · Holland · Houston · Middletown · Salt Lake City · Spring City · York **Mexico:** Monterrey



ALS Environmental



301 Fulling Mill Road - Middletown, PA 17057 - Phone: 717-944-5541 - Fax: 717-944-1430 - www.alsglobal.com

NELAP Certifications: NJ PA010 , NY 11759 , PA 22-293 DoD ELAP: PJLA 74618
State Certifications: FL E871113 , WA C999 , MD 128 , VA 460157 , WV DW 9961-C , WV 343

December 2, 2019

Mr. Daniel Brown
Lancaster County Solid Waste Authority
1299 Hbg Pike, P.O. Box 4425
Lancaster, PA 17604

Certificate of Analysis

Project Name:	FREY FARM	Workorder:	3070614
Purchase Order:	PO1000126	Workorder ID:	4th QTR 2019 GWMP-FORM 19Q

Dear Mr. Brown:

Enclosed are the analytical results for samples received by the laboratory on Monday, November 18, 2019.

The ALS Environmental laboratory in Middletown, Pennsylvania is a National Environmental Laboratory Accreditation Program (NELAP) accredited laboratory and as such, certifies that all applicable test results meet the requirements of NELAP.

If you have any questions regarding this certificate of analysis, please contact Ms. Susan J Scherer (Project Coordinator) at (717) 944-5541.

Analyses were performed according to our laboratory's NELAP-approved quality assurance program and any applicable state requirements. The test results meet requirements of the current NELAP standards or state requirements, where applicable. For a specific list of accredited analytes, refer to the certifications section of the ALS website at www.alsglobal.com/en/Our-Services/Life-Sciences/Environmental/Downloads.

This laboratory report may not be reproduced, except in full, without the written approval of ALS Environmental.

ALS Spring City: 10 Riverside Drive, Spring City, PA 19475 610-948-4903

CC: Mr. Nicholas Rogers , Ms. Jordan Gallagher , Mr. Jeff Musser

This page is included as part of the Analytical Report and must be retained as a permanent record thereof.

Ms. Susan J Scherer
Project Coordinator

ALS Environmental Laboratory Locations Across North America

Canada: Burlington · Calgary · Centre of Excellence · Edmonton · Fort McMurray · Fort St. John · Grande Prairie · London · Mississauga · Richmond Hill · Saskatoon · Thunder Bay
Vancouver Waterloo · Winnipeg · Yellowknife **United States:** Cincinnati · Everett · Fort Collins · Holland · Houston · Middletown · Salt Lake City · Spring City · York **Mexico:** Monterrey



ALS Environmental



301 Fulling Mill Road - Middletown, PA 17057 - Phone: 717-944-5541 - Fax: 717-944-1430 - www.alsglobal.com

NELAP Certifications: NJ PA010 , NY 11759 , PA 22-293 DoD ELAP: PJLA 74618
State Certifications: FL E871113 , WA C999 , MD 128 , VA 460157 , WV DW 9961-C , WV 343

SAMPLE SUMMARY

Workorder: 3070614 4th QTR 2019 GWMP-FORM 19Q

Lab ID	Sample ID	Matrix	Date Collected	Date Received	Collected By
3070614001	FFMP015W	Ground Water	11/18/2019 10:40	11/18/2019 16:23	Mr. Brian G Shade
3070614002	FFMP028W	Ground Water	11/18/2019 13:45	11/18/2019 16:23	Mr. Brian G Shade
3070614003	FFMP033W	Ground Water	11/18/2019 15:03	11/18/2019 16:23	Mr. Brian G Shade

ALS Environmental Laboratory Locations Across North America

Canada: Burlington · Calgary · Centre of Excellence · Edmonton · Fort McMurray · Fort St. John · Grande Prairie · London · Mississauga · Richmond Hill · Saskatoon · Thunder Bay
Vancouver · Waterloo · Winnipeg · Yellowknife · **United States:** Cincinnati · Everett · Fort Collins · Holland · Houston · Middletown · Salt Lake City · Spring City · York · **Mexico:** Monterrey



ALS Environmental



301 Fulling Mill Road - Middletown, PA 17057 - Phone: 717-944-5541 - Fax: 717-944-1430 - www.alsglobal.com

NELAP Certifications: NJ PA010 , NY 11759 , PA 22-293 DoD ELAP: PJLA 74618
State Certifications: FL E871113 , WA C999 , MD 128 , VA 460157 , WV DW 9961-C , WV 343

SAMPLE SUMMARY

Workorder: 3070614 4th QTR 2019 GWMP-FORM 19Q

Notes

- Samples collected by ALS personnel are done so in accordance with the procedures set forth in the ALS Field Sampling Plan (20 - Field Services Sampling Plan).
- All Waste Water analyses comply with methodology requirements of 40 CFR Part 136.
- All Drinking Water analyses comply with methodology requirements of 40 CFR Part 141.
- Unless otherwise noted, all quantitative results for soils are reported on a dry weight basis.
- The Chain of Custody document is included as part of this report.
- All Library Search analytes should be regarded as tentative identifications based on the presumptive evidence of the mass spectra. Concentrations reported are estimated values.
- Parameters identified as "analyze immediately" require analysis within 15 minutes of collection. Any "analyze immediately" parameters not listed under the header "Field Parameters" are preformed in the laboratory and are therefore analyzed out of hold time.
- Method references listed on this report beginning with the prefix "S" followed by a method number (such as S2310B-97) refer to methods from "Standard Methods for the Examination of Water and Wastewater".
- For microbiological analyses, the "Prepared" value is the date/time into the incubator and the "Analyzed" value is the date/time out the incubator.
- An Analysis-Prep Method Cross Reference Table is included after Analytical Results & Qualifiers section in this report.

Standard Acronyms/Flags

J	Indicates an estimated value between the Method Detection Limit (MDL) and the Practical Quantitation Limit (PQL) for the analyte
U	Indicates that the analyte was Not Detected (ND)
N	Indicates presumptive evidence of the presence of a compound
MDL	Method Detection Limit
PQL	Practical Quantitation Limit
RDL	Reporting Detection Limit
ND	Not Detected - indicates that the analyte was Not Detected at the RDL
Cntr	Analysis was performed using this container
RegLmt	Regulatory Limit
LCS	Laboratory Control Sample
MS	Matrix Spike
MSD	Matrix Spike Duplicate
DUP	Sample Duplicate
%Rec	Percent Recovery
RPD	Relative Percent Difference
LOD	DoD Limit of Detection
LOQ	DoD Limit of Quantitation
DL	DoD Detection Limit
I	Indicates reported value is greater than or equal to the Method Detection Limit (MDL) but less than the Report Detection Limit (RDL)
(S)	Surrogate Compound
NC	Not Calculated
*	Result outside of QC limits

ALS Environmental Laboratory Locations Across North America

Canada: Burlington · Calgary · Centre of Excellence · Edmonton · Fort McMurray · Fort St. John · Grande Prairie · London · Mississauga · Richmond Hill · Saskatoon · Thunder Bay
Vancouver · Waterloo · Winnipeg · Yellowknife · **United States:** Cincinnati · Everett · Fort Collins · Holland · Houston · Middletown · Salt Lake City · Spring City · York · **Mexico:** Monterrey



ALS Environmental



301 Fulling Mill Road - Middletown, PA 17057 - Phone: 717-944-5541 - Fax: 717-944-1430 - www.alsglobal.com

NELAP Certifications: NJ PA010 , NY 11759 , PA 22-293 DoD ELAP: PJLA 74618
State Certifications: FL E871113 , WA C999 , MD 128 , VA 460157 , WV DW 9961-C , WV 343

ANALYTICAL RESULTS

Workorder: 3070614 4th QTR 2019 GWMP-FORM 19Q

Lab ID:	3070614001	Date Collected:	11/18/2019 10:40	Matrix:	Ground Water
Sample ID:	FFMP015W	Date Received:	11/18/2019 16:23		

Parameters	Results	Flag	Units	RDL	Method	Prepared By	Analyzed By	By Cntr
VOLATILE ORGANICS								
Benzene	ND		ug/L	1.0	SW846 8260B		11/21/19 02:29 PDK	G
1,2-Dibromoethane	ND		ug/L	1.0	SW846 8260B		11/21/19 02:29 PDK	G
1,1-Dichloroethane	ND		ug/L	1.0	SW846 8260B		11/21/19 02:29 PDK	G
1,2-Dichloroethane	ND		ug/L	1.0	SW846 8260B		11/21/19 02:29 PDK	G
1,1-Dichloroethene	ND		ug/L	1.0	SW846 8260B		11/21/19 02:29 PDK	G
cis-1,2-Dichloroethene	ND		ug/L	1.0	SW846 8260B		11/21/19 02:29 PDK	G
trans-1,2-Dichloroethene	ND		ug/L	1.0	SW846 8260B		11/21/19 02:29 PDK	G
Ethylbenzene	ND		ug/L	1.0	SW846 8260B		11/21/19 02:29 PDK	G
Methylene Chloride	ND		ug/L	1.0	SW846 8260B		11/21/19 02:29 PDK	G
Tetrachloroethene	ND		ug/L	1.0	SW846 8260B		11/21/19 02:29 PDK	G
Toluene	ND		ug/L	1.0	SW846 8260B		11/21/19 02:29 PDK	G
Total Xylenes	ND		ug/L	3.0	SW846 8260B		11/21/19 02:29 PDK	G
1,1,1-Trichloroethane	ND		ug/L	1.0	SW846 8260B		11/21/19 02:29 PDK	G
Trichloroethene	ND		ug/L	1.0	SW846 8260B		11/21/19 02:29 PDK	G
Vinyl Chloride	ND		ug/L	1.0	SW846 8260B		11/21/19 02:29 PDK	G
Surrogate Recoveries	Results	Flag	Units	Limits	Method	Prepared By	Analyzed By	By Cntr
1,2-Dichloroethane-d4 (S)	116		%	62 - 133	SW846 8260B		11/21/19 02:29 PDK	G
4-Bromofluorobenzene (S)	110		%	79 - 114	SW846 8260B		11/21/19 02:29 PDK	G
Dibromofluoromethane (S)	99.1		%	78 - 116	SW846 8260B		11/21/19 02:29 PDK	G
Toluene-d8 (S)	109		%	76 - 127	SW846 8260B		11/21/19 02:29 PDK	G
WET CHEMISTRY								
Alkalinity, Bicarbonate	19		mg/L	5	SM2320B-2011		11/24/19 02:51 MXO	B
Alkalinity, Total	19	3	mg/L	5	SM2320B-2011		11/24/19 02:51 MXO	I
Ammonia-N	ND		mg/L	0.100	D6919-09		11/26/19 13:07 NJA	A
Chemical Oxygen Demand (COD)	ND		mg/L	15	EPA 410.4		11/25/19 16:51 AK	A
Chloride	13.4		mg/L	2.0	EPA 300.0		11/19/19 14:34 CHW	B
Fluoride	ND		mg/L	0.20	EPA 300.0		11/19/19 14:34 CHW	B
Nitrate-N	14.9		mg/L	0.20	EPA 300.0		11/19/19 14:34 CHW	B
pH	5.92	1	pH_Units		S4500HB-11		11/24/19 02:51 MXO	B
Phenolics	ND		mg/L	0.005	SW846 9066	11/19/19 14:45 C_D	11/20/19 06:11 C_D	F
Specific Conductance	252		umhos/cm	1	SW846 9050A		11/27/19 03:26 MBW	B
Sulfate	36.5		mg/L	2.0	EPA 300.0		11/19/19 14:34 CHW	B
Total Dissolved Solids	304	2	mg/L	5	S2540C-11		11/20/19 14:36 D1C	B
Total Organic Carbon (TOC)	1.0		mg/L	0.50	SW846 9060A		11/21/19 09:06 PAG	D
Turbidity	ND		NTU	0.10	SM2130B-2011		11/19/19 09:15 R2B	B

ALS Environmental Laboratory Locations Across North America

Canada: Burlington · Calgary · Centre of Excellence · Edmonton · Fort McMurray · Fort St. John · Grande Prairie · London · Mississauga · Richmond Hill · Saskatoon · Thunder Bay
United States: Cincinnati · Everett · Fort Collins · Holland · Houston · Middletown · Salt Lake City · Spring City · York **Mexico:** Monterrey
Vancouver Waterloo · Winnipeg · Yellowknife



ALS Environmental



301 Fulling Mill Road - Middletown, PA 17057 - Phone: 717-944-5541 - Fax: 717-944-1430 - www.alsglobal.com

NELAP Certifications: NJ PA010 , NY 11759 , PA 22-293 DoD ELAP: PJLA 74618
State Certifications: FL E871113 , WA C999 , MD 128 , VA 460157 , WV DW 9961-C , WV 343

ANALYTICAL RESULTS

Workorder: 3070614 4th QTR 2019 GWMP-FORM 19Q

Lab ID:	3070614001	Date Collected:	11/18/2019 10:40	Matrix:	Ground Water
Sample ID:	FFMP015W	Date Received:	11/18/2019 16:23		

Parameters	Results	Flag	Units	RDL	Method	Prepared By	Analyzed By	By	Cntr
METALS									
Calcium, Total	11.7		mg/L	0.11	SW846 6010C	11/21/19 17:40 SXC	11/22/19 11:49	SRT	J1
Iron, Total	ND		mg/L	0.067	SW846 6010C	11/21/19 17:40 SXC	11/22/19 11:49	SRT	J1
Magnesium, Total	12.0		mg/L	0.11	SW846 6010C	11/21/19 17:40 SXC	11/22/19 11:49	SRT	J1
Manganese, Total	0.030		mg/L	0.0056	SW846 6010C	11/21/19 17:40 SXC	11/22/19 11:49	SRT	J1
Potassium, Total	2.1		mg/L	0.56	SW846 6010C	11/21/19 17:40 SXC	11/22/19 11:49	SRT	J1
Sodium, Total	18.9		mg/L	0.56	SW846 6010C	11/21/19 17:40 SXC	11/22/19 11:49	SRT	J1
FIELD PARAMETERS									
Depth to Water Level	59.81		Feet		Field		11/18/19 10:40	BGS	C
Elev Top MW Casing above MSL	576.40		Feet		Field		11/18/19 10:40	BGS	C
Flow Rate	2.15		gal/min		Field		11/18/19 10:40	BGS	C
Ground Water Elevation	516.59		ft/MSL		Field		11/18/19 10:40	BGS	C
pH, Field (SM4500B)	5.31		pH_Units		Field		11/18/19 10:40	BGS	C
Sample Depth	135.00		Feet		Field		11/18/19 10:40	BGS	C
Specific Conductance, Field	293		umhos/cm	1	Field		11/18/19 10:40	BGS	C
Temperature	10.85		Deg. C		Field		11/18/19 10:40	BGS	C
Total Well Depth	149.90		Feet		Field		11/18/19 10:40	BGS	C
Volume in Water Column	132.43		Gallons		Field		11/18/19 10:40	BGS	C
Water Level After Purge	103.60		Feet		Field		11/18/19 10:40	BGS	C
Well Volumes Purged	1.30		Vol		Field		11/18/19 10:40	BGS	C

Ms. Susan J Scherer

Project Coordinator

ALS Environmental Laboratory Locations Across North America

Canada: Burlington · Calgary · Centre of Excellence · Edmonton · Fort McMurray · Fort St. John · Grande Prairie · London · Mississauga · Richmond Hill · Saskatoon · Thunder Bay
Vancouver · Waterloo · Winnipeg · Yellowknife · **United States:** Cincinnati · Everett · Fort Collins · Holland · Houston · Middletown · Salt Lake City · Spring City · York · **Mexico:** Monterrey



ALS Environmental



301 Fulling Mill Road - Middletown, PA 17057 - Phone: 717-944-5541 - Fax: 717-944-1430 - www.alsglobal.com

NELAP Certifications: NJ PA010 , NY 11759 , PA 22-293 DoD ELAP: PJLA 74618
State Certifications: FL E871113 , WA C999 , MD 128 , VA 460157 , WV DW 9961-C , WV 343

ANALYTICAL RESULTS

Workorder: 3070614 4th QTR 2019 GWMP-FORM 19Q

Lab ID:	3070614002	Date Collected:	11/18/2019 13:45	Matrix:	Ground Water
Sample ID:	FFMP028W	Date Received:	11/18/2019 16:23		

Parameters	Results	Flag	Units	RDL	Method	Prepared By	Analyzed By	By Cntr
VOLATILE ORGANICS								
Benzene	ND		ug/L	1.0	SW846 8260B		11/21/19 02:52 PDK	G
1,2-Dibromoethane	ND		ug/L	1.0	SW846 8260B		11/21/19 02:52 PDK	G
1,1-Dichloroethane	ND		ug/L	1.0	SW846 8260B		11/21/19 02:52 PDK	G
1,2-Dichloroethane	ND		ug/L	1.0	SW846 8260B		11/21/19 02:52 PDK	G
1,1-Dichloroethene	ND		ug/L	1.0	SW846 8260B		11/21/19 02:52 PDK	G
cis-1,2-Dichloroethene	ND		ug/L	1.0	SW846 8260B		11/21/19 02:52 PDK	G
trans-1,2-Dichloroethene	ND		ug/L	1.0	SW846 8260B		11/21/19 02:52 PDK	G
Ethylbenzene	ND		ug/L	1.0	SW846 8260B		11/21/19 02:52 PDK	G
Methylene Chloride	1.1		ug/L	1.0	SW846 8260B		11/21/19 02:52 PDK	G
Tetrachloroethene	ND		ug/L	1.0	SW846 8260B		11/21/19 02:52 PDK	G
Toluene	ND		ug/L	1.0	SW846 8260B		11/21/19 02:52 PDK	G
Total Xylenes	ND		ug/L	3.0	SW846 8260B		11/21/19 02:52 PDK	G
1,1,1-Trichloroethane	ND		ug/L	1.0	SW846 8260B		11/21/19 02:52 PDK	G
Trichloroethene	ND		ug/L	1.0	SW846 8260B		11/21/19 02:52 PDK	G
Vinyl Chloride	ND		ug/L	1.0	SW846 8260B		11/21/19 02:52 PDK	G
Surrogate Recoveries								
1,2-Dichloroethane-d4 (S)	117		%	62 - 133	SW846 8260B		11/21/19 02:52 PDK	G
4-Bromofluorobenzene (S)	111		%	79 - 114	SW846 8260B		11/21/19 02:52 PDK	G
Dibromofluoromethane (S)	99.6		%	78 - 116	SW846 8260B		11/21/19 02:52 PDK	G
Toluene-d8 (S)	110		%	76 - 127	SW846 8260B		11/21/19 02:52 PDK	G
WET CHEMISTRY								
Alkalinity, Bicarbonate	34		mg/L	5	SM2320B-2011		11/24/19 02:51 MXO	B
Alkalinity, Total	34	3	mg/L	5	SM2320B-2011		11/24/19 02:51 MXO	I
Ammonia-N	ND		mg/L	0.100	D6919-09		11/26/19 13:19 NJA	A
Chemical Oxygen Demand (COD)	ND		mg/L	15	EPA 410.4		11/26/19 16:48 AK	A
Chloride	89.4		mg/L	2.0	EPA 300.0		11/19/19 16:06 CHW	B
Fluoride	ND		mg/L	0.20	EPA 300.0		11/19/19 16:06 CHW	B
Nitrate-N	18.6		mg/L	0.20	EPA 300.0		11/19/19 16:06 CHW	B
pH	6.01	1	pH_Units		S4500HB-11		11/24/19 02:51 MXO	B
Phenolics	ND		mg/L	0.005	SW846 9066	11/19/19 14:45 C_D	11/20/19 06:11 C_D	F
Specific Conductance	552		umhos/cm	1	SW846 9050A		11/27/19 03:35 MBW	B
Sulfate	26.7		mg/L	2.0	EPA 300.0		11/19/19 16:06 CHW	B
Total Dissolved Solids	426	2	mg/L	5	S2540C-11		11/20/19 14:36 D1C	B
Total Organic Carbon (TOC)	1.1		mg/L	0.50	SW846 9060A		11/21/19 09:06 PAG	D
Turbidity	ND		NTU	0.10	SM2130B-2011		11/19/19 09:15 R2B	B

ALS Environmental Laboratory Locations Across North America

Canada: Burlington · Calgary · Centre of Excellence · Edmonton · Fort McMurray · Fort St. John · Grande Prairie · London · Mississauga · Richmond Hill · Saskatoon · Thunder Bay
United States: Cincinnati · Everett · Fort Collins · Holland · Houston · Middletown · Salt Lake City · Spring City · York **Mexico:** Monterrey
Vancouver Waterloo · Winnipeg · Yellowknife



ALS Environmental



301 Fulling Mill Road - Middletown, PA 17057 - Phone: 717-944-5541 - Fax: 717-944-1430 - www.alsglobal.com

NELAP Certifications: NJ PA010 , NY 11759 , PA 22-293 DoD ELAP: PJLA 74618
State Certifications: FL E871113 , WA C999 , MD 128 , VA 460157 , WV DW 9961-C , WV 343

ANALYTICAL RESULTS

Workorder: 3070614 4th QTR 2019 GWMP-FORM 19Q

Lab ID:	3070614002	Date Collected:	11/18/2019 13:45	Matrix:	Ground Water
Sample ID:	FFMP028W	Date Received:	11/18/2019 16:23		

Parameters	Results	Flag	Units	RDL	Method	Prepared By	Analyzed By	By	Cntr
METALS									
Calcium, Total	41.4		mg/L	0.11	SW846 6010C	11/21/19 17:40 SXC	11/22/19 11:52	SRT	J1
Iron, Total	ND		mg/L	0.067	SW846 6010C	11/21/19 17:40 SXC	11/22/19 11:52	SRT	J1
Magnesium, Total	17.5		mg/L	0.11	SW846 6010C	11/21/19 17:40 SXC	11/22/19 11:52	SRT	J1
Manganese, Total	0.0092		mg/L	0.0056	SW846 6010C	11/21/19 17:40 SXC	11/22/19 11:52	SRT	J1
Potassium, Total	2.2		mg/L	0.56	SW846 6010C	11/21/19 17:40 SXC	11/22/19 11:52	SRT	J1
Sodium, Total	28.0		mg/L	0.56	SW846 6010C	11/21/19 17:40 SXC	11/22/19 11:52	SRT	J1
FIELD PARAMETERS									
Depth to Water Level	12.31		Feet		Field		11/18/19 13:45	BGS	C
Elev Top MW Casing above MSL	465.00		Feet		Field		11/18/19 13:45	BGS	C
Flow Rate	2.73		gal/min		Field		11/18/19 13:45	BGS	C
Ground Water Elevation	452.69		ft/MSL		Field		11/18/19 13:45	BGS	C
pH, Field (SM4500B)	5.44		pH_Units		Field		11/18/19 13:45	BGS	C
Sample Depth	50.00		Feet		Field		11/18/19 13:45	BGS	C
Specific Conductance, Field	573		umhos/cm	1	Field		11/18/19 13:45	BGS	C
Temperature	10.27		Deg. C		Field		11/18/19 13:45	BGS	C
Total Well Depth	60.00		Feet		Field		11/18/19 13:45	BGS	C
Volume in Water Column	70.10		Gallons		Field		11/18/19 13:45	BGS	C
Water Level After Purge	37.28		Feet		Field		11/18/19 13:45	BGS	C
Well Volumes Purged	2.34		Vol		Field		11/18/19 13:45	BGS	C

Ms. Susan J Scherer

Project Coordinator

ALS Environmental Laboratory Locations Across North America

Canada: Burlington · Calgary · Centre of Excellence · Edmonton · Fort McMurray · Fort St. John · Grande Prairie · London · Mississauga · Richmond Hill · Saskatoon · Thunder Bay
Vancouver · Waterloo · Winnipeg · Yellowknife · **United States:** Cincinnati · Everett · Fort Collins · Holland · Houston · Middletown · Salt Lake City · Spring City · York · **Mexico:** Monterrey



ALS Environmental



301 Fulling Mill Road - Middletown, PA 17057 - Phone: 717-944-5541 - Fax: 717-944-1430 - www.alsglobal.com

NELAP Certifications: NJ PA010 , NY 11759 , PA 22-293 DoD ELAP: PJLA 74618
State Certifications: FL E871113 , WA C999 , MD 128 , VA 460157 , WV DW 9961-C , WV 343

ANALYTICAL RESULTS

Workorder: 3070614 4th QTR 2019 GWMP-FORM 19Q

Lab ID:	3070614003	Date Collected:	11/18/2019 15:03	Matrix:	Ground Water
Sample ID:	FFMP033W	Date Received:	11/18/2019 16:23		

Parameters	Results	Flag	Units	RDL	Method	Prepared By	Analyzed By	Cntr
VOLATILE ORGANICS								
Benzene	ND		ug/L	1.0	SW846 8260B		11/21/19 03:14 PDK	G
1,2-Dibromoethane	ND		ug/L	1.0	SW846 8260B		11/21/19 03:14 PDK	G
1,1-Dichloroethane	ND		ug/L	1.0	SW846 8260B		11/21/19 03:14 PDK	G
1,2-Dichloroethane	ND		ug/L	1.0	SW846 8260B		11/21/19 03:14 PDK	G
1,1-Dichloroethene	ND	4,5	ug/L	1.0	SW846 8260B		11/21/19 03:14 PDK	G
cis-1,2-Dichloroethene	ND		ug/L	1.0	SW846 8260B		11/21/19 03:14 PDK	G
trans-1,2-Dichloroethene	ND	6	ug/L	1.0	SW846 8260B		11/21/19 03:14 PDK	G
Ethylbenzene	ND		ug/L	1.0	SW846 8260B		11/21/19 03:14 PDK	G
Methylene Chloride	ND		ug/L	1.0	SW846 8260B		11/21/19 03:14 PDK	G
Tetrachloroethene	ND		ug/L	1.0	SW846 8260B		11/21/19 03:14 PDK	G
Toluene	ND		ug/L	1.0	SW846 8260B		11/21/19 03:14 PDK	G
Total Xylenes	ND		ug/L	3.0	SW846 8260B		11/21/19 03:14 PDK	G
1,1,1-Trichloroethane	ND		ug/L	1.0	SW846 8260B		11/21/19 03:14 PDK	G
Trichloroethene	ND		ug/L	1.0	SW846 8260B		11/21/19 03:14 PDK	G
Vinyl Chloride	ND		ug/L	1.0	SW846 8260B		11/21/19 03:14 PDK	G
Surrogate Recoveries	Results	Flag	Units	Limits	Method	Prepared By	Analyzed By	Cntr
1,2-Dichloroethane-d4 (S)	119		%	62 - 133	SW846 8260B		11/21/19 03:14 PDK	G
4-Bromofluorobenzene (S)	110		%	79 - 114	SW846 8260B		11/21/19 03:14 PDK	G
Dibromofluoromethane (S)	102		%	78 - 116	SW846 8260B		11/21/19 03:14 PDK	G
Toluene-d8 (S)	108		%	76 - 127	SW846 8260B		11/21/19 03:14 PDK	G
WET CHEMISTRY								
Alkalinity, Bicarbonate	55		mg/L	5	SM2320B-2011		11/24/19 02:51 MXO	B
Alkalinity, Total	55	7	mg/L	5	SM2320B-2011		11/24/19 02:51 MXO	I
Ammonia-N	0.702		mg/L	0.100	D6919-09		11/26/19 13:32 NJA	A
Chemical Oxygen Demand (COD)	ND	1	mg/L	15	EPA 410.4		11/25/19 16:51 AK	A
Chloride	39.2		mg/L	2.0	EPA 300.0		11/19/19 16:22 CHW	B
Fluoride	ND		mg/L	0.20	EPA 300.0		11/19/19 16:22 CHW	B
Nitrate-N	11.6		mg/L	0.20	EPA 300.0		11/19/19 16:22 CHW	B
pH	6.46	2	pH_Units		S4500HB-11		11/24/19 02:51 MXO	B
Phenolics	ND		mg/L	0.005	SW846 9066	11/19/19 14:45 C_D	11/20/19 06:11 C_D	F
Specific Conductance	294		umhos/cm	1	SW846 9050A		11/27/19 03:45 MBW	B
Sulfate	7.4		mg/L	2.0	EPA 300.0		11/19/19 16:22 CHW	B
Total Dissolved Solids	284	3	mg/L	5	S2540C-11		11/20/19 16:10 D1C	B
Total Organic Carbon (TOC)	ND		mg/L	0.50	SW846 9060A		11/21/19 09:06 PAG	D
Turbidity	5.81		NTU	0.10	SM2130B-2011		11/19/19 09:15 R2B	B

ALS Environmental Laboratory Locations Across North America

Canada: Burlington · Calgary · Centre of Excellence · Edmonton · Fort McMurray · Fort St. John · Grande Prairie · London · Mississauga · Richmond Hill · Saskatoon · Thunder Bay
United States: Cincinnati · Everett · Fort Collins · Holland · Houston · Middletown · Salt Lake City · Spring City · York **Mexico:** Monterrey
Vancouver Waterloo · Winnipeg · Yellowknife



ALS Environmental



301 Fulling Mill Road - Middletown, PA 17057 - Phone: 717-944-5541 - Fax: 717-944-1430 - www.alsglobal.com

NELAP Certifications: NJ PA010 , NY 11759 , PA 22-293 DoD ELAP: PJLA 74618
State Certifications: FL E871113 , WA C999 , MD 128 , VA 460157 , WV DW 9961-C , WV 343

ANALYTICAL RESULTS

Workorder: 3070614 4th QTR 2019 GWMP-FORM 19Q

Lab ID:	3070614003	Date Collected:	11/18/2019 15:03	Matrix:	Ground Water
Sample ID:	FFMP033W	Date Received:	11/18/2019 16:23		

Parameters	Results	Flag	Units	RDL	Method	Prepared By	Analyzed By	By	Cntr
METALS									
Calcium, Total	26.7		mg/L	0.11	SW846 6010C	11/21/19 17:40 SXC	11/22/19 11:56 SRT	J1	
Iron, Total	6.0		mg/L	0.067	SW846 6010C	11/21/19 17:40 SXC	11/22/19 11:56 SRT	J1	
Magnesium, Total	9.0		mg/L	0.11	SW846 6010C	11/21/19 17:40 SXC	11/22/19 11:56 SRT	J1	
Manganese, Total	0.49		mg/L	0.0056	SW846 6010C	11/21/19 17:40 SXC	11/22/19 11:56 SRT	J1	
Potassium, Total	1.7		mg/L	0.56	SW846 6010C	11/21/19 17:40 SXC	11/22/19 11:56 SRT	J1	
Sodium, Total	14.1		mg/L	0.56	SW846 6010C	11/21/19 17:40 SXC	11/22/19 11:56 SRT	J1	
FIELD PARAMETERS									
Depth to Water Level	18.11		Feet		Field		11/18/19 15:03	BGS	C
Elev Top MW Casing above MSL	516.52		Feet		Field		11/18/19 15:03	BGS	C
Flow Rate	1.95		gal/min		Field		11/18/19 15:03	BGS	C
Ground Water Elevation	498.41		ft/MSL		Field		11/18/19 15:03	BGS	C
pH, Field (SM4500B)	5.82		pH_Units		Field		11/18/19 15:03	BGS	C
Sample Depth	79.00		Feet		Field		11/18/19 15:03	BGS	C
Specific Conductance, Field	351		umhos/cm	1	Field		11/18/19 15:03	BGS	C
Temperature	11.84		Deg. C		Field		11/18/19 15:03	BGS	C
Total Well Depth	100.00		Feet		Field		11/18/19 15:03	BGS	C
Volume in Water Column	120.38		Gallons		Field		11/18/19 15:03	BGS	C
Water Level After Purge	28.32		Feet		Field		11/18/19 15:03	BGS	C
Well Volumes Purged	0.97		Vol		Field		11/18/19 15:03	BGS	C

Ms. Susan J Scherer

Project Coordinator

ALS Environmental Laboratory Locations Across North America

Canada: Burlington · Calgary · Centre of Excellence · Edmonton · Fort McMurray · Fort St. John · Grande Prairie · London · Mississauga · Richmond Hill · Saskatoon · Thunder Bay
Vancouver Waterloo · Winnipeg · Yellowknife **United States:** Cincinnati · Everett · Fort Collins · Holland · Houston · Middletown · Salt Lake City · Spring City · York **Mexico:** Monterrey



ALS Environmental



301 Fulling Mill Road - Middletown, PA 17057 - Phone: 717-944-5541 - Fax: 717-944-1430 - www.alsglobal.com

NELAP Certifications: NJ PA010 , NY 11759 , PA 22-293 DoD ELAP: PJLA 74618
State Certifications: FL E871113 , WA C999 , MD 128 , VA 460157 , WV DW 9961-C , WV 343

ANALYTICAL RESULTS

Workorder: 3070614 4th QTR 2019 GWMP-FORM 19Q

PARAMETER QUALIFIERS

Lab ID	#	Sample ID	Analytical Method	Analyte
3070614001	1	FFMP015W	S4500HB-11	pH
The pH analysis is an "analyze immediately" analysis. Parameters identified as "analyze immediately" require analysis within 15 minutes of collection, and are therefore analyzed outside of the method holding time when analyzed in the laboratory.				
3070614001	2	FFMP015W	S2540C-11	Total Dissolved Solids
The Method Blank for method S2540C-11 reported a value equal to/greater than the reporting level for the analyte Total Dissolved Solids. The concentration was 25 mg/L.				
3070614001	3	FFMP015W	SM2320B-2011	Alkalinity, Total
The Total Alkalinity is titrated to a pH of 4.5 and reported as mg CaCO ₃ /L.				
3070614002	1	FFMP028W	S4500HB-11	pH
The pH analysis is an "analyze immediately" analysis. Parameters identified as "analyze immediately" require analysis within 15 minutes of collection, and are therefore analyzed outside of the method holding time when analyzed in the laboratory.				
3070614002	2	FFMP028W	S2540C-11	Total Dissolved Solids
The Method Blank for method S2540C-11 reported a value equal to/greater than the reporting level for the analyte Total Dissolved Solids. The concentration was 25 mg/L.				
3070614002	3	FFMP028W	SM2320B-2011	Alkalinity, Total
The Total Alkalinity is titrated to a pH of 4.5 and reported as mg CaCO ₃ /L.				
3070614003	1	FFMP033W	EPA 410.4	Chemical Oxygen Demand (COD)
The recovery of the Matrix Spike (MS) associated to this analyte was outside of the established control limits.				
3070614003	2	FFMP033W	S4500HB-11	pH
The pH analysis is an "analyze immediately" analysis. Parameters identified as "analyze immediately" require analysis within 15 minutes of collection, and are therefore analyzed outside of the method holding time when analyzed in the laboratory.				
3070614003	3	FFMP033W	S2540C-11	Total Dissolved Solids
The Method Blank for method S2540C-11 reported a value equal to/greater than the reporting level for the analyte Total Dissolved Solids. The concentration was 25 mg/L.				
3070614003	4	FFMP033W	SW846 8260B	1,1-Dichloroethene
The QC sample type MS for method SW846 8260B was outside the control limits for the analyte 1,1-Dichloroethene. The % Recovery was reported as 142 and the control limits were 63 to 128.				
3070614003	5	FFMP033W	SW846 8260B	1,1-Dichloroethene
The QC sample type MSD for method SW846 8260B was outside the control limits for the analyte 1,1-Dichloroethene. The % Recovery was reported as 130 and the control limits were 63 to 128.				
3070614003	6	FFMP033W	SW846 8260B	trans-1,2-Dichloroethene
The QC sample type MS for method SW846 8260B was outside the control limits for the analyte trans-1,2-Dichloroethene. The % Recovery was reported as 132 and the control limits were 71 to 122.				
3070614003	7	FFMP033W	SM2320B-2011	Alkalinity, Total
The Total Alkalinity is titrated to a pH of 4.5 and reported as mg CaCO ₃ /L.				

ALS Environmental Laboratory Locations Across North America

Canada: Burlington · Calgary · Centre of Excellence · Edmonton · Fort McMurray · Fort St. John · Grande Prairie · London · Mississauga · Richmond Hill · Saskatoon · Thunder Bay
Vancouver Waterloo · Winnipeg · Yellowknife · **United States:** Cincinnati · Everett · Fort Collins · Holland · Houston · Middletown · Salt Lake City · Spring City · York · **Mexico:** Monterrey



ALS Environmental



301 Fulling Mill Road - Middletown, PA 17057 - Phone: 717-944-5541 - Fax: 717-944-1430 - www.alsglobal.com

NELAP Certifications: NJ PA010 , NY 11759 , PA 22-293 DoD ELAP: PJLA 74618
State Certifications: FL E871113 , WA C999 , MD 128 , VA 460157 , WV DW 9961-C , WV 343

ANALYSIS - PREP METHOD CROSS REFERENCE TABLE

Workorder: 3070614 4th QTR 2019 GWMP-FORM 19Q

Lab ID	Sample ID	Analysis Method	Prep Method
3070614001	FFMP015W	D6919-09	
3070614001	FFMP015W	EPA 300.0	
3070614001	FFMP015W	EPA 410.4	
3070614001	FFMP015W	Field	
3070614001	FFMP015W	S2540C-11	
3070614001	FFMP015W	S4500HB-11	
3070614001	FFMP015W	SM2130B-2011	
3070614001	FFMP015W	SM2320B-2011	
3070614001	FFMP015W	SW846 6010C	SW846 3015
3070614001	FFMP015W	SW846 8260B	
3070614001	FFMP015W	SW846 9050A	
3070614001	FFMP015W	SW846 9060A	
3070614001	FFMP015W	SW846 9066	420.4/9066
3070614002	FFMP028W	D6919-09	
3070614002	FFMP028W	EPA 300.0	
3070614002	FFMP028W	EPA 410.4	
3070614002	FFMP028W	Field	
3070614002	FFMP028W	S2540C-11	
3070614002	FFMP028W	S4500HB-11	
3070614002	FFMP028W	SM2130B-2011	
3070614002	FFMP028W	SM2320B-2011	
3070614002	FFMP028W	SW846 6010C	SW846 3015
3070614002	FFMP028W	SW846 8260B	
3070614002	FFMP028W	SW846 9050A	
3070614002	FFMP028W	SW846 9060A	
3070614002	FFMP028W	SW846 9066	420.4/9066
3070614003	FFMP033W	D6919-09	
3070614003	FFMP033W	EPA 300.0	
3070614003	FFMP033W	EPA 410.4	
3070614003	FFMP033W	Field	
3070614003	FFMP033W	S2540C-11	
3070614003	FFMP033W	S4500HB-11	
3070614003	FFMP033W	SM2130B-2011	
3070614003	FFMP033W	SM2320B-2011	
3070614003	FFMP033W	SW846 6010C	SW846 3015
3070614003	FFMP033W	SW846 8260B	
3070614003	FFMP033W	SW846 9050A	
3070614003	FFMP033W	SW846 9060A	
3070614003	FFMP033W	SW846 9066	420.4/9066

ALS Environmental Laboratory Locations Across North America

Canada: Burlington · Calgary · Centre of Excellence · Edmonton · Fort McMurray · Fort St. John · Grande Prairie · London · Mississauga · Richmond Hill · Saskatoon · Thunder Bay
Vancouver Waterloo · Winnipeg · Yellowknife **United States:** Cincinnati · Everett · Fort Collins · Holland · Houston · Middletown · Salt Lake City · Spring City · York **Mexico:** Monterrey



ALS Environmental



301 Fulling Mill Road - Middletown, PA 17057 - Phone: 717-944-5541 - Fax: 717-944-1430 - www.alsglobal.com

NELAP Certifications: NJ PA010 , NY 11759 , PA 22-293 DoD ELAP: PJLA 74618
State Certifications: FL E871113 , WA C999 , MD 128 , VA 460157 , WV DW 9961-C , WV 343

December 5, 2019

Mr. Daniel Brown
Lancaster County Solid Waste Authority
1299 Hbg Pike, P.O. Box 4425
Lancaster, PA 17604

Certificate of Analysis

Project Name:	FREY FARM	Workorder:	3071832
Purchase Order:	PO1000126	Workorder ID:	4TH QTR 2019 GWMP-FORM 19Q

Dear Mr. Brown:

Enclosed are the analytical results for samples received by the laboratory on Friday, November 22, 2019.

The ALS Environmental laboratory in Middletown, Pennsylvania is a National Environmental Laboratory Accreditation Program (NELAP) accredited laboratory and as such, certifies that all applicable test results meet the requirements of NELAP.

If you have any questions regarding this certificate of analysis, please contact Ms. Susan J Scherer (Project Coordinator) at (717) 944-5541.

Analyses were performed according to our laboratory's NELAP-approved quality assurance program and any applicable state requirements. The test results meet requirements of the current NELAP standards or state requirements, where applicable. For a specific list of accredited analytes, refer to the certifications section of the ALS website at www.alsglobal.com/en/Our-Services/Life-Sciences/Environmental/Downloads.

This laboratory report may not be reproduced, except in full, without the written approval of ALS Environmental.

ALS Spring City: 10 Riverside Drive, Spring City, PA 19475 610-948-4903

CC: Mr. Nicholas Rogers , Ms. Jordan Gallagher , Mr. Jeff Musser

This page is included as part of the Analytical Report and must be retained as a permanent record thereof.

Ms. Susan J Scherer
Project Coordinator

ALS Environmental Laboratory Locations Across North America

Canada: Burlington · Calgary · Centre of Excellence · Edmonton · Fort McMurray · Fort St. John · Grande Prairie · London · Mississauga · Richmond Hill · Saskatoon · Thunder Bay
Vancouver Waterloo · Winnipeg · Yellowknife **United States:** Cincinnati · Everett · Fort Collins · Holland · Houston · Middletown · Salt Lake City · Spring City · York **Mexico:** Monterrey



ALS Environmental



301 Fulling Mill Road - Middletown, PA 17057 - Phone: 717-944-5541 - Fax: 717-944-1430 - www.alsglobal.com

NELAP Certifications: NJ PA010 , NY 11759 , PA 22-293 DoD ELAP: PJLA 74618
State Certifications: FL E871113 , WA C999 , MD 128 , VA 460157 , WV DW 9961-C , WV 343

SAMPLE SUMMARY

Workorder: 3071832 4TH QTR 2019 GWMP-FORM 19Q

Lab ID	Sample ID	Matrix	Date Collected	Date Received	Collected By
3071832001	FFMP016W	Ground Water	11/22/2019 14:00	11/22/2019 17:24	Mr. Brian G Shade

ALS Environmental Laboratory Locations Across North America

Canada: Burlington · Calgary · Centre of Excellence · Edmonton · Fort McMurray · Fort St. John · Grande Prairie · London · Mississauga · Richmond Hill · Saskatoon · Thunder Bay
Vancouver · Waterloo · Winnipeg · Yellowknife **United States:** Cincinnati · Everett · Fort Collins · Holland · Houston · Middletown · Salt Lake City · Spring City · York **Mexico:** Monterrey



ALS Environmental



301 Fulling Mill Road - Middletown, PA 17057 - Phone: 717-944-5541 - Fax: 717-944-1430 - www.alsglobal.com

NELAP Certifications: NJ PA010 , NY 11759 , PA 22-293 DoD ELAP: PJLA 74618
State Certifications: FL E871113 , WA C999 , MD 128 , VA 460157 , WV DW 9961-C , WV 343

SAMPLE SUMMARY

Workorder: 3071832 4TH QTR 2019 GWMP-FORM 19Q

Notes

- Samples collected by ALS personnel are done so in accordance with the procedures set forth in the ALS Field Sampling Plan (20 - Field Services Sampling Plan).
- All Waste Water analyses comply with methodology requirements of 40 CFR Part 136.
- All Drinking Water analyses comply with methodology requirements of 40 CFR Part 141.
- Unless otherwise noted, all quantitative results for soils are reported on a dry weight basis.
- The Chain of Custody document is included as part of this report.
- All Library Search analytes should be regarded as tentative identifications based on the presumptive evidence of the mass spectra. Concentrations reported are estimated values.
- Parameters identified as "analyze immediately" require analysis within 15 minutes of collection. Any "analyze immediately" parameters not listed under the header "Field Parameters" are preformed in the laboratory and are therefore analyzed out of hold time.
- Method references listed on this report beginning with the prefix "S" followed by a method number (such as S2310B-97) refer to methods from "Standard Methods for the Examination of Water and Wastewater".
- For microbiological analyses, the "Prepared" value is the date/time into the incubator and the "Analyzed" value is the date/time out the incubator.
- An Analysis-Prep Method Cross Reference Table is included after Analytical Results & Qualifiers section in this report.

Standard Acronyms/Flags

J	Indicates an estimated value between the Method Detection Limit (MDL) and the Practical Quantitation Limit (PQL) for the analyte
U	Indicates that the analyte was Not Detected (ND)
N	Indicates presumptive evidence of the presence of a compound
MDL	Method Detection Limit
PQL	Practical Quantitation Limit
RDL	Reporting Detection Limit
ND	Not Detected - indicates that the analyte was Not Detected at the RDL
Cntr	Analysis was performed using this container
RegLmt	Regulatory Limit
LCS	Laboratory Control Sample
MS	Matrix Spike
MSD	Matrix Spike Duplicate
DUP	Sample Duplicate
%Rec	Percent Recovery
RPD	Relative Percent Difference
LOD	DoD Limit of Detection
LOQ	DoD Limit of Quantitation
DL	DoD Detection Limit
I	Indicates reported value is greater than or equal to the Method Detection Limit (MDL) but less than the Report Detection Limit (RDL)
(S)	Surrogate Compound
NC	Not Calculated
*	Result outside of QC limits

ALS Environmental Laboratory Locations Across North America

Canada: Burlington · Calgary · Centre of Excellence · Edmonton · Fort McMurray · Fort St. John · Grande Prairie · London · Mississauga · Richmond Hill · Saskatoon · Thunder Bay
Vancouver · Waterloo · Winnipeg · Yellowknife · **United States:** Cincinnati · Everett · Fort Collins · Holland · Houston · Middletown · Salt Lake City · Spring City · York · **Mexico:** Monterrey



ALS Environmental



301 Fulling Mill Road - Middletown, PA 17057 - Phone: 717-944-5541 - Fax: 717-944-1430 - www.alsglobal.com

NELAP Certifications: NJ PA010 , NY 11759 , PA 22-293 DoD ELAP: PJLA 74618
State Certifications: FL E871113 , WA C999 , MD 128 , VA 460157 , WV DW 9961-C , WV 343

ANALYTICAL RESULTS

Workorder: 3071832 4TH QTR 2019 GWMP-FORM 19Q

Lab ID:	3071832001	Date Collected:	11/22/2019 14:00	Matrix:	Ground Water
Sample ID:	FFMP016W	Date Received:	11/22/2019 17:24		

Parameters	Results	Flag	Units	RDL	Method	Prepared	By	Analyzed	By	Cntr
VOLATILE ORGANICS										
Benzene	ND		ug/L	1.0	SW846 8260B			11/27/19 14:55	TMP	G
1,2-Dibromoethane	ND		ug/L	1.0	SW846 8260B			11/27/19 14:55	TMP	G
1,1-Dichloroethane	ND		ug/L	1.0	SW846 8260B			11/27/19 14:55	TMP	G
1,2-Dichloroethane	ND		ug/L	1.0	SW846 8260B			11/27/19 14:55	TMP	G
1,1-Dichloroethene	ND		ug/L	1.0	SW846 8260B			11/27/19 14:55	TMP	G
cis-1,2-Dichloroethene	ND		ug/L	1.0	SW846 8260B			11/27/19 14:55	TMP	G
trans-1,2-Dichloroethene	ND		ug/L	1.0	SW846 8260B			11/27/19 14:55	TMP	G
Ethylbenzene	ND		ug/L	1.0	SW846 8260B			11/27/19 14:55	TMP	G
Methylene Chloride	1.1		ug/L	1.0	SW846 8260B			11/27/19 14:55	TMP	G
Tetrachloroethene	ND		ug/L	1.0	SW846 8260B			11/27/19 14:55	TMP	G
Toluene	ND		ug/L	1.0	SW846 8260B			11/27/19 14:55	TMP	G
Total Xylenes	ND		ug/L	3.0	SW846 8260B			11/27/19 14:55	TMP	G
1,1,1-Trichloroethane	ND		ug/L	1.0	SW846 8260B			11/27/19 14:55	TMP	G
Trichloroethene	ND		ug/L	1.0	SW846 8260B			11/27/19 14:55	TMP	G
Vinyl Chloride	ND		ug/L	1.0	SW846 8260B			11/27/19 14:55	TMP	G
Surrogate Recoveries										
1,2-Dichloroethane-d4 (S)	115		%	62 - 133	SW846 8260B			11/27/19 14:55	TMP	G
4-Bromofluorobenzene (S)	92.2		%	79 - 114	SW846 8260B			11/27/19 14:55	TMP	G
Dibromofluoromethane (S)	92.6		%	78 - 116	SW846 8260B			11/27/19 14:55	TMP	G
Toluene-d8 (S)	89.2		%	76 - 127	SW846 8260B			11/27/19 14:55	TMP	G
WET CHEMISTRY										
Alkalinity, Bicarbonate	35		mg/L	5	SM2320B-2011			11/28/19 12:09	MXO	B
Alkalinity, Total	35	2	mg/L	5	SM2320B-2011			11/28/19 12:09	MXO	J
Ammonia-N	0.115		mg/L	0.100	D6919-09			12/3/19 23:50	NJA	A
Chemical Oxygen Demand (COD)	ND		mg/L	15	EPA 410.4			12/2/19 15:55	AK	A
Chloride	68.5		mg/L	2.0	EPA 300.0			11/23/19 06:47	CHW	B
Fluoride	ND		mg/L	0.20	EPA 300.0			11/23/19 06:47	CHW	B
Nitrate-N	10.1		mg/L	0.20	EPA 300.0			11/23/19 06:47	CHW	B
pH	6.37	1	pH_Units		S4500HB-11			11/28/19 12:09	MXO	B
Phenolics	ND		mg/L	0.005	SW846 9066	12/2/19 20:00	VXF	12/4/19 07:20	C_D	F
Specific Conductance	428		umhos/cm	1	SW846 9050A			12/3/19 09:39	MBW	B
Sulfate	26.0		mg/L	2.0	EPA 300.0			11/23/19 06:47	CHW	B
Total Dissolved Solids	284		mg/L	5	S2540C-11			11/26/19 15:35	D1C	B
Total Organic Carbon (TOC)	0.88		mg/L	0.50	SW846 9060A			12/2/19 19:28	PAG	D
Turbidity	0.18		NTU	0.10	SM2130B-2011			11/23/19 05:44	R2B	B

ALS Environmental Laboratory Locations Across North America

Canada: Burlington · Calgary · Centre of Excellence · Edmonton · Fort McMurray · Fort St. John · Grande Prairie · London · Mississauga · Richmond Hill · Saskatoon · Thunder Bay
Vancouver Waterloo · Winnipeg · Yellowknife **United States:** Cincinnati · Everett · Fort Collins · Holland · Houston · Middletown · Salt Lake City · Spring City · York **Mexico:** Monterrey



ALS Environmental



301 Fulling Mill Road - Middletown, PA 17057 - Phone: 717-944-5541 - Fax: 717-944-1430 - www.alsglobal.com

NELAP Certifications: NJ PA010 , NY 11759 , PA 22-293 DoD ELAP: PJLA 74618
State Certifications: FL E871113 , WA C999 , MD 128 , VA 460157 , WV DW 9961-C , WV 343

ANALYTICAL RESULTS

Workorder: 3071832 4TH QTR 2019 GWMP-FORM 19Q

Lab ID:	3071832001	Date Collected:	11/22/2019 14:00	Matrix:	Ground Water
Sample ID:	FFMP016W	Date Received:	11/22/2019 17:24		

Parameters	Results	Flag	Units	RDL	Method	Prepared By	Analyzed By	By	Cntr
METALS									
Calcium, Total	29.0		mg/L	0.11	SW846 6010C	11/26/19 18:55 SXC	11/27/19 14:04 SRT	K1	
Iron, Total	ND		mg/L	0.067	SW846 6010C	11/26/19 18:55 SXC	11/27/19 14:04 SRT	K1	
Magnesium, Total	14.6		mg/L	0.11	SW846 6010C	11/26/19 18:55 SXC	11/27/19 14:04 SRT	K1	
Manganese, Total	0.018		mg/L	0.0056	SW846 6010C	11/26/19 18:55 SXC	11/27/19 14:04 SRT	K1	
Potassium, Total	3.0		mg/L	0.56	SW846 6010C	11/26/19 18:55 SXC	11/27/19 14:04 SRT	K1	
Sodium, Total	27.8		mg/L	0.56	SW846 6010C	11/26/19 18:55 SXC	11/27/19 14:04 SRT	K1	
FIELD PARAMETERS									
Depth to Water Level	22.67		Feet		Field		11/22/19 14:27 BGS	C	
Elev Top MW Casing above MSL	474.60		Feet		Field		11/22/19 14:27 BGS	C	
Ground Water Elevation	451.93		ft/MSL		Field		11/22/19 14:27 BGS	C	
pH, Field (SM4500B)	5.18		pH_Units		Field		11/22/19 14:27 BGS	C	
Sample Depth	135.00		Feet		Field		11/22/19 14:27 BGS	C	
Specific Conductance, Field	468		umhos/cm	1	Field		11/22/19 14:27 BGS	C	
Temperature	9.57		Deg. C		Field		11/22/19 14:27 BGS	C	
Total Well Depth	149.80		Feet		Field		11/22/19 14:27 BGS	C	
Volume in Water Column	331.81		Gallons		Field		11/22/19 14:27 BGS	C	

Susan J. Scherer
Ms. Susan J Scherer
Project Coordinator

ALS Environmental Laboratory Locations Across North America

Canada: Burlington · Calgary · Centre of Excellence · Edmonton · Fort McMurray · Fort St. John · Grande Prairie · London · Mississauga · Richmond Hill · Saskatoon · Thunder Bay
Vancouver · Waterloo · Winnipeg · Yellowknife · **United States:** Cincinnati · Everett · Fort Collins · Holland · Houston · Middletown · Salt Lake City · Spring City · York · **Mexico:** Monterrey



ALS Environmental



301 Fulling Mill Road - Middletown, PA 17057 - Phone: 717-944-5541 - Fax: 717-944-1430 - www.alsglobal.com

NELAP Certifications: NJ PA010 , NY 11759 , PA 22-293 DoD ELAP: PJLA 74618
State Certifications: FL E871113 , WA C999 , MD 128 , VA 460157 , WV DW 9961-C , WV 343

ANALYTICAL RESULTS

Workorder: 3071832 4TH QTR 2019 GWMP-FORM 19Q

PARAMETER QUALIFIERS

Lab ID	#	Sample ID	Analytical Method	Analyte
3071832001	1	FFMP016W	S4500HB-11	pH
The pH analysis is an "analyze immediately" analysis. Parameters identified as "analyze immediately" require analysis within 15 minutes of collection, and are therefore analyzed outside of the method holding time when analyzed in the laboratory.				
3071832001	2	FFMP016W	SM2320B-2011	Alkalinity, Total
The Total Alkalinity is titrated to a pH of 4.5 and reported as mg CaCO ₃ /L.				

ALS Environmental Laboratory Locations Across North America

Canada: Burlington · Calgary · Centre of Excellence · Edmonton · Fort McMurray · Fort St. John · Grande Prairie · London · Mississauga · Richmond Hill · Saskatoon · Thunder Bay
Vancouver Waterloo · Waterloo · Winnipeg · Yellowknife **United States:** Cincinnati · Everett · Fort Collins · Holland · Houston · Middletown · Salt Lake City · Spring City · York **Mexico:** Monterrey



ALS Environmental



301 Fulling Mill Road - Middletown, PA 17057 - Phone: 717-944-5541 - Fax: 717-944-1430 - www.alsglobal.com

NELAP Certifications: NJ PA010 , NY 11759 , PA 22-293 DoD ELAP: PJLA 74618
State Certifications: FL E871113 , WA C999 , MD 128 , VA 460157 , WV DW 9961-C , WV 343

ANALYSIS - PREP METHOD CROSS REFERENCE TABLE

Workorder: 3071832 4TH QTR 2019 GWMP-FORM 19Q

Lab ID	Sample ID	Analysis Method	Prep Method
3071832001	FFMP016W	D6919-09	
3071832001	FFMP016W	EPA 300.0	
3071832001	FFMP016W	EPA 410.4	
3071832001	FFMP016W	Field	
3071832001	FFMP016W	S2540C-11	
3071832001	FFMP016W	S4500HB-11	
3071832001	FFMP016W	SM2130B-2011	
3071832001	FFMP016W	SM2320B-2011	
3071832001	FFMP016W	SW846 6010C	SW846 3015
3071832001	FFMP016W	SW846 8260B	
3071832001	FFMP016W	SW846 9050A	
3071832001	FFMP016W	SW846 9060A	
3071832001	FFMP016W	SW846 9066	420.4/9066

ALS Environmental Laboratory Locations Across North America

Canada: Burlington · Calgary · Centre of Excellence · Edmonton · Fort McMurray · Fort St. John · Grande Prairie · London · Mississauga · Richmond Hill · Saskatoon · Thunder Bay
Vancouver Waterloo · Winnipeg · Yellowknife · **United States:** Cincinnati · Everett · Fort Collins · Holland · Houston · Middletown · Salt Lake City · Spring City · York · **Mexico:** Monterrey



301 Fulling Mill Road
Middletown, PA 17057
P: (717) 944-5541
F: (717) 944-1430

Condition of Sample Receipt Form

Client:	Work Order #:	Initials:	Date:
LCSWMA	3071032	TS	11-22-19
1. Were airbills / tracking numbers present and recorded?.....			
Tracking number: _____			
<input checked="" type="radio"/> NONE <input type="radio"/> YES <input type="radio"/> NO			
2. Are Custody Seals on shipping containers intact?.....			
<input checked="" type="radio"/> NONE <input type="radio"/> YES <input type="radio"/> NO			
3. Are Custody Seals on sample containers intact?.....			
<input checked="" type="radio"/> NONE <input type="radio"/> YES <input type="radio"/> NO			
4. Is there a COC (Chain-of-Custody) present?.....			
<input checked="" type="radio"/> YES <input type="radio"/> NO			
5. Are the COC and bottle labels complete, legible and in agreement?.....			
<input checked="" type="radio"/> YES <input type="radio"/> NO			
5a. Does the COC contain sample locations?.....			
<input checked="" type="radio"/> YES <input type="radio"/> NO			
5b. Does the COC contain date and time of sample collection for all samples?.....			
<input checked="" type="radio"/> YES <input type="radio"/> NO			
5c. Does the COC contain sample collectors name?.....			
<input checked="" type="radio"/> YES <input type="radio"/> NO			
5d. Does the COC note the type(s) of preservation for all bottles?.....			
<input checked="" type="radio"/> YES <input type="radio"/> NO			
5e. Does the COC note the number of bottles submitted for each sample?.....			
<input checked="" type="radio"/> YES <input type="radio"/> NO			
5f. Does the COC note the type of sample, composite or grab?.....			
<input checked="" type="radio"/> YES <input type="radio"/> NO			
5g. Does the COC note the matrix of the sample(s)?.....			
<input checked="" type="radio"/> YES <input type="radio"/> NO			
6. Are all aqueous samples requiring preservation preserved correctly?.....			
<input type="radio"/> N/A <input checked="" type="radio"/> YES <input type="radio"/> NO			
7. Were all samples placed in the proper containers for the requested analyses, with sufficient volume?.....			
<input checked="" type="radio"/> YES <input type="radio"/> NO			
8. Are all samples within holding times for the requested analyses?.....			
<input checked="" type="radio"/> YES <input type="radio"/> NO			
9. Were all sample containers received intact and headspace free when required? (not broken, leaking, frozen, etc.).....			
<input checked="" type="radio"/> YES <input type="radio"/> NO			
10. Did we receive trip blanks (applies only for methods EPA 504, EPA 524.2 and 1631E (LL Hg)?.....			
<input type="radio"/> N/A <input checked="" type="radio"/> YES <input type="radio"/> NO			
11. Were the samples received on ice?.....			
<input checked="" type="radio"/> YES <input type="radio"/> NO			
12. Were sample temperatures measured at 0.0-6.0°C.....			
<input checked="" type="radio"/> YES <input type="radio"/> NO			
13. Are the samples DW matrix ? If YES, fill out Reportable Drinking Water questions below.....			
13a. Are the samples required for SDWA compliance reporting?.....			
<input type="radio"/> N/A <input checked="" type="radio"/> YES <input type="radio"/> NO			
13b. Did the client provide a SDWA PWS ID#?.....			
<input type="radio"/> N/A <input checked="" type="radio"/> YES <input type="radio"/> NO			
13c. Are all aqueous unpreserved SDWA samples pH 5-9?.....			
<input type="radio"/> N/A <input checked="" type="radio"/> YES <input type="radio"/> NO			
13d. Did the client provide the SDWA sample location ID/Description?.....			
<input type="radio"/> N/A <input checked="" type="radio"/> YES <input type="radio"/> NO			
13e. Did the client provide the SDWA sample type (D, E, R, C, P, S)?.....			
<input type="radio"/> N/A <input checked="" type="radio"/> YES <input type="radio"/> NO			

Cooler #: 1

Temperature (°C): 0

Thermometer ID: SLF

Radiological (μ Ci):

COMMENTS (Required for all NO responses above and any sample non-conformance):



COMMONWEALTH OF PENNSYLVANIA
DEPARTMENT OF ENVIRONMENTAL PROTECTION
BUREAU OF LAND RECYCLING AND WASTE MANAGEMENT

Date Prepared/Revised

01/09/2020

DEP USE ONLY

Date Received

FORM 8
MUNICIPAL WASTE LANDFILLS
BASELINE GROUND WATER ANALYSES

This form must be fully and accurately completed. All required information must be typed or legibly printed in the spaces provided. If additional space is necessary, identify each attached sheet as Form 8, reference the item number and identify the date prepared. The "date prepared/revised" on any attached sheets needs to match the "date prepared/revised" on this page.

General Reference: Section 273.284

Federal Regulations, Subtitle D: 258.54 and Appendix I to Part 258.

An application for a municipal waste landfill shall contain a description of the chemical characteristics of each aquifer in the proposed permit area and adjacent area, based on at least two quarters of monitoring data, one of which shall include the season of the highest local groundwater levels. Submit separate forms for each sample analysis.

SECTION A. APPLICANT IDENTIFIER

Applicant/permittee: Lancaster County Solid Waste Management Authority

Site Name: Frey Farm Landfill

Facility ID (as issued by DEP): 101389

SECTION B. FACILITY INFORMATION

Monitoring Wells must be designed and constructed in accordance with Department Standards. INDICATE THE LATITUDE AND LONGITUDE TO THE NEAREST ONE TENTH OF A SECOND (DD ° MM' SS.S")

Monitoring Point Number: FFMP034W Well Spring Stream Other
 Upgradient/Upstream Downgradient/Downstream

Location (County): Lancaster County Municipality: _____

Sampling Point: Latitude: ° ' " Longitude: ° ' "
Depth to Water Level: 10.63 ft Measured from: Land Surface TOC

Casing Stickup: ft Elevation of Water Level: 462.25 ft./MSL

Sampling Depth: 25.85 ft Volume of Water Column: gal

Total Well Depth: 121 ft Sampling Method: Pumped Bailed GrabWell Purged: Yes No Well Volumes Purged: _____Sample Field Filtered (must be 0.45 micron)?: Yes No

Spring Flow Rate: gpm

Sample Date (mm/dd/yy): 11/18/2019 Sample Collection Time: 12:33

Sample Collector's Name: Mr. Brian G Sh

Sample Collector's Affiliation: ALS

Laboratory(ies) Performing Analysis: ALS Environmental

Were any holding times exceeded?: Yes No If yes, please explain in comments field.

Lab Certification Number(s): 22-293

Lab Sample Number(s): 3070615001 Final Lab Analysis Completion Date: 11/27/2019

Name/Affiliation of Person who Filled Out Form: Nick R. Rogers

Comments: _____

I.D. No	101389
Monitoring Point No.	FFMP034W
Sample Date	11/18/2019

FORM 8**1. Inorganics (Enter all data in mg/l except as noted)**

ANALYTE	VALUE ^T	ANALYSIS METHOD NUMBER
AMMONIA-NITROGEN	0.1 ND	ASTM D6919-03
BICARBONATE ALKALINITY	37	SM20 2321
CALCIUM, TOTAL	43.3	EPA 200.7
CALCIUM, DISSOLVED	46.3	EPA 200.7
COD (CHEMICAL OXYGEN DEMAND)	15 ND	EPA 410.4
CHLORIDE	124	EPA 300
FLUORIDE	0.2 ND	EPA 300
IRON, TOTAL	1500	EPA 200.7
IRON, DISSOLVED	1000	EPA 200.7
MAGNESIUM, TOTAL	17.6	EPA 200.7
MAGNESIUM, DISSOLVED	18.5	EPA 200.7
MANGANESE, TOTAL	86	EPA 200.7
MANGANESE, DISSOLVED	96	EPA 200.7
NITRATE-NITROGEN	9.5	EPA 300
pH-FIELD	5.65	FIELD
pH-LAB	6.09	EPA 150.1
POTASSIUM, TOTAL	2.3	EPA 200.7
POTASSIUM, DISSOLVED	2.3	EPA 200.7
SODIUM, TOTAL	33.3	EPA 200.7
SODIUM, DISSOLVED	33.7	EPA 200.7
SPEC. COND., FIELD	633	FIELD
SPEC. COND., LAB	607	EPA 120.1
SULFATE	32.7	EPA 300
ALKALINITY	37	SM20 2320B
TDS (TOT. DISSOLVED SOLIDS)	482	SM20 2540C
TOC (TOTAL ORGANIC CARBON)	0.93	SM20 5310B
TOTAL PHENOLICS	5 ND	SW846 9066
TURBIDITY	4.6	SM 2130B

T Please indicate detection limit if analyte is not detected.

I.D. No	101389
Monitoring Point No.	FFMP034W
Sample Date	11/18/2019

FORM 8**2. Metals (Enter all data in ug/l)**

ANALYTE	VALUE^T	ANALYSIS METHOD NUMBER
ARSENIC, TOTAL	3.3 ND	EPA 200.8
ARSENIC, DISSOLVED	3 ND	EPA 200.8
BARIUM, TOTAL	39	EPA 200.8
BARIUM, DISSOLVED	40	EPA 200.8
CADMIUM, TOTAL	1.1 ND	EPA 200.8
CADMIUM, DISSOLVED	1.1 ND	EPA 200.8
CHROMIUM, TOTAL	2.2 ND	EPA 200.8
CHROMIUM, DISSOLVED	2.2 ND	EPA 200.8
COPPER, TOTAL	5.6 ND	EPA 200.8
COPPER, DISSOLVED	5.6 ND	EPA 200.8
LEAD-FLAMELESS, TOTAL	2.2 ND	EPA 200.8
LEAD, DISSOLVED	2.2 ND	EPA 200.8
MERCURY, TOTAL	0.5 ND	EPA 200.8
MERCURY, DISSOLVED	0.5 ND	EPA 200.8
SELENIUM, TOTAL	5.6 ND	EPA 200.8
SELENIUM, DISSOLVED	5.6 ND	EPA 200.8
SILVER, TOTAL	2.2 ND	EPA 200.8
SILVER, DISSOLVED	2.2 ND	EPA 200.8
ZINC, TOTAL	5.6 ND	EPA 200.8
ZINC, DISSOLVED	5.6 ND	EPA 200.8

T Please indicate detection limit if analyte is not detected.

I.D. No	101389
Monitoring Point No.	FFMP034W
Sample Date	11/18/2019

FORM 8**3. Organics (Enter all data in ug/l)**

ANALYTE	VALUE ^T	ANALYSIS METHOD NUMBER
BENZENE	1 ND	EPA 524.2
BROMOFORM	1 ND	EPA 524.2
CARBON TETRACHLORIDE	1 ND	EPA 524.2
CHLOROBENZENE	1 ND	EPA 524.2
CHLOROETHANE	1 ND	EPA 524.2
3-CHLORO-1-PROPENE	1 ND	EPA 524.2
DIBROMOCHLOROMETHANE	1 ND	EPA 524.2
1,2-DIBROMOETHANE	1 ND	EPA 524.2
1,2-DICHLOROBENZENE	1 ND	EPA 524.2
1,3-DICHLOROBENZENE	1 ND	EPA 524.2
1,4-DICHLOROBENZENE	1 ND	EPA 524.2
DICHLORODIFLUOROMETHANE	1 ND	EPA 524.2
1,1-DICHLOROETHANE	1 ND	EPA 524.2
1,1-DICHLOROETHENE	1 ND	EPA 524.2
1,2-DICHLOROETHANE	1 ND	EPA 524.2
CIS 1,2-DICHLOROETHENE	1 ND	EPA 524.2
TRANS 1,2-DICHLOROETHENE	1 ND	EPA 524.2
1,2-DICHLOROPROPANE	1 ND	EPA 524.2
CIS 1,3-DICHLOROPROPENE	1 ND	EPA 524.2
TRANS 1,3-DICHLOROPROPENE	1 ND	EPA 524.2
ETHYLBENZENE	1 ND	EPA 524.2
BROMOMETHANE	1 ND	EPA 524.2
CHLOROMETHANE	1 ND	EPA 524.2
METHYLENE CHLORIDE	1 ND	EPA 524.2
2-BUTANONE (MEK)	10 ND	EPA 524.2
1,1,1,2-TETRACHLOROETHANE	1 ND	EPA 524.2
TETRACHLOROETHENE	1 ND	EPA 524.2
1,1,2,2-TETRACHLOROETHANE	1 ND	EPA 524.2
TOLUENE	1 ND	EPA 524.2
1,1,1-TRICHLOROETHANE	1 ND	EPA 524.2
1,1,2-TRICHLOROETHANE	1 ND	EPA 524.2
TRICHLOROETHENE	1 ND	EPA 524.2
TRICHLOROFLUOROMETHANE	1 ND	EPA 524.2
1,2,3-TRICHLOROPROPANE	2 ND	EPA 524.2
VINYL CHLORIDE	1 ND	EPA 524.2
XYLENES (TOTAL)	3 ND	EPA 524.2
4-METHYL-2-PENTANONE	5 ND	EPA 524.2

T Please indicate detection limit if analyte is not detected.

I.D. No	101389
Monitoring Point No.	FFMP034W
Sample Date	11/18/2019

FORM 8**QUARTERLY AND ANNUAL WATER QUALITY ANALYSES**

SUBTITLE D - Add-On List - For Detection Zone Analytes (mg/l). When the MCLs (where established) of any analyte is exceeded in the detection zone (e.g. established cells) Form 50 monitoring, the following analytes must be monitored during the baseline groundwater analyses .

ORGANICS AND METALS

ANALYTE	VALUE ^T	ANALYSIS METHOD NUMBER
ACETONE	10 ND	EPA 524.2
ACRYLONITRILE	5 ND	EPA 524.2
BROMOCHLOROMETHANE (CHLOROBRO)	1 ND	EPA 524.2
BROMODICHLOROMETHANE	1 ND	EPA 524.2
CARBON DISULFIDE	1 ND	EPA 524.2
CHLOROFORM	1 ND	EPA 524.2
1,2-DIBROMO-3-CHLOROPROPANE	7 ND	EPA 524.2
TRANS 1,4-DICHLORO-2-BUTENE	3 ND	EPA 524.2
2-HEXANONE	5 ND	EPA 524.2
DIBROMOMETHANE	1 ND	EPA 524.2
IODOMETHANE	1 ND	EPA 524.2
STYRENE	1 ND	EPA 524.2
VINYL ACETATE	5 ND	EPA 524.2
ANTIMONY	2.2 ND	EPA 200.8
BERYLLIUM	1.1 ND	EPA 200.8
COBALT	5.6 ND	SW846 6010B
NICKEL	5.6 ND	SW846 6010B
THALLIUM	1.1 ND	EPA 200.8
VANADIUM	2.2 ND	SW846 6010B

T Please indicate detection limit if analyte is not detected.

I.D. No	101389
Monitoring Point No.	FFMP034W
Sample Date	11/18/2019

FORM 8

Qualitatively Identified Organic Compounds

List at least ten volatile organic compounds not otherwise identified in this section. Their identification should be based upon those compounds showing the greatest apparent concentration from the peaks of a mass spectrum of each sample. These ten compounds shall be identified but the concentration of each is not required.



ALS Environmental



301 Fulling Mill Road - Middletown, PA 17057 - Phone: 717-944-5541 - Fax: 717-944-1430 - www.alsglobal.com

NELAP Certifications: NJ PA010 , NY 11759 , PA 22-293 DoD ELAP: PJLA 74618
State Certifications: FL E871113 , WA C999 , MD 128 , VA 460157 , WV DW 9961-C , WV 343

December 3, 2019

Mr. Daniel Brown
Lancaster County Solid Waste Authority
1299 Hbg Pike, P.O. Box 4425
Lancaster, PA 17604

Certificate of Analysis

Revised Report - 12/3/2019 4:56:26 PM - See workorder comment section for explanation

Project Name:	FREY FARM	Workorder:	3070615
Purchase Order:	PO1000126	Workorder ID:	4th QTR 2019 GWMP-FORM 8

Dear Mr. Brown:

Enclosed are the analytical results for samples received by the laboratory on Monday, November 18, 2019.

The ALS Environmental laboratory in Middletown, Pennsylvania is a National Environmental Laboratory Accreditation Program (NELAP) accredited laboratory and as such, certifies that all applicable test results meet the requirements of NELAP.

If you have any questions regarding this certificate of analysis, please contact Ms. Susan J Scherer (Project Coordinator) at (717) 944-5541.

Analyses were performed according to our laboratory's NELAP-approved quality assurance program and any applicable state requirements. The test results meet requirements of the current NELAP standards or state requirements, where applicable. For a specific list of accredited analytes, refer to the certifications section of the ALS website at www.alsglobal.com/en/Our-Services/Life-Sciences/Environmental/Downloads.

This laboratory report may not be reproduced, except in full, without the written approval of ALS Environmental.

ALS Spring City: 10 Riverside Drive, Spring City, PA 19475 610-948-4903

CC: Mr. Nicholas Rogers , Ms. Jordan Gallagher , Mr. Jeff Musser

This page is included as part of the Analytical Report and must be retained as a permanent record thereof.

Ms. Susan J Scherer
Project Coordinator

ALS Environmental Laboratory Locations Across North America

Canada: Burlington · Calgary · Centre of Excellence · Edmonton · Fort McMurray · Fort St. John · Grande Prairie · London · Mississauga · Richmond Hill · Saskatoon · Thunder Bay
Vancouver · Waterloo · Winnipeg · Yellowknife · **United States:** Cincinnati · Everett · Fort Collins · Holland · Houston · Middletown · Salt Lake City · Spring City · York · **Mexico:** Monterrey



ALS Environmental



301 Fulling Mill Road - Middletown, PA 17057 - Phone: 717-944-5541 - Fax: 717-944-1430 - www.alsglobal.com

NELAP Certifications: NJ PA010 , NY 11759 , PA 22-293 DoD ELAP: PJLA 74618
State Certifications: FL E871113 , WA C999 , MD 128 , VA 460157 , WV DW 9961-C , WV 343

SAMPLE SUMMARY

Workorder: 3070615 4th QTR 2019 GWMP-FORM 8

Lab ID	Sample ID	Matrix	Date Collected	Date Received	Collected By
3070615001	FFMP034W	Ground Water	11/18/2019 12:33	11/18/2019 16:23	Mr. Brian G Shade

ALS Environmental Laboratory Locations Across North America

Canada: Burlington · Calgary · Centre of Excellence · Edmonton · Fort McMurray · Fort St. John · Grande Prairie · London · Mississauga · Richmond Hill · Saskatoon · Thunder Bay
Vancouver Waterloo · Winnipeg · Yellowknife **United States:** Cincinnati · Everett · Fort Collins · Holland · Houston · Middletown · Salt Lake City · Spring City · York **Mexico:** Monterrey



ALS Environmental



301 Fulling Mill Road - Middletown, PA 17057 - Phone: 717-944-5541 - Fax: 717-944-1430 - www.alsglobal.com

NELAP Certifications: NJ PA010 , NY 11759 , PA 22-293 DoD ELAP: PJLA 74618
State Certifications: FL E871113 , WA C999 , MD 128 , VA 460157 , WV DW 9961-C , WV 343

SAMPLE SUMMARY

Workorder: 3070615 4th QTR 2019 GWMP-FORM 8

Notes

- Samples collected by ALS personnel are done so in accordance with the procedures set forth in the ALS Field Sampling Plan (20 - Field Services Sampling Plan).
- All Waste Water analyses comply with methodology requirements of 40 CFR Part 136.
- All Drinking Water analyses comply with methodology requirements of 40 CFR Part 141.
- Unless otherwise noted, all quantitative results for soils are reported on a dry weight basis.
- The Chain of Custody document is included as part of this report.
- All Library Search analytes should be regarded as tentative identifications based on the presumptive evidence of the mass spectra. Concentrations reported are estimated values.
- Parameters identified as "analyze immediately" require analysis within 15 minutes of collection. Any "analyze immediately" parameters not listed under the header "Field Parameters" are preformed in the laboratory and are therefore analyzed out of hold time.
- Method references listed on this report beginning with the prefix "S" followed by a method number (such as S2310B-97) refer to methods from "Standard Methods for the Examination of Water and Wastewater".
- For microbiological analyses, the "Prepared" value is the date/time into the incubator and the "Analyzed" value is the date/time out the incubator.
- An Analysis-Prep Method Cross Reference Table is included after Analytical Results & Qualifiers section in this report.

Standard Acronyms/Flags

J	Indicates an estimated value between the Method Detection Limit (MDL) and the Practical Quantitation Limit (PQL) for the analyte
U	Indicates that the analyte was Not Detected (ND)
N	Indicates presumptive evidence of the presence of a compound
MDL	Method Detection Limit
PQL	Practical Quantitation Limit
RDL	Reporting Detection Limit
ND	Not Detected - indicates that the analyte was Not Detected at the RDL
Cntr	Analysis was performed using this container
RegLmt	Regulatory Limit
LCS	Laboratory Control Sample
MS	Matrix Spike
MSD	Matrix Spike Duplicate
DUP	Sample Duplicate
%Rec	Percent Recovery
RPD	Relative Percent Difference
LOD	DoD Limit of Detection
LOQ	DoD Limit of Quantitation
DL	DoD Detection Limit
I	Indicates reported value is greater than or equal to the Method Detection Limit (MDL) but less than the Report Detection Limit (RDL)
(S)	Surrogate Compound
NC	Not Calculated
*	Result outside of QC limits

ALS Environmental Laboratory Locations Across North America

Canada: Burlington · Calgary · Centre of Excellence · Edmonton · Fort McMurray · Fort St. John · Grande Prairie · London · Mississauga · Richmond Hill · Saskatoon · Thunder Bay
Vancouver · Waterloo · Winnipeg · Yellowknife · **United States:** Cincinnati · Everett · Fort Collins · Holland · Houston · Middletown · Salt Lake City · Spring City · York · **Mexico:** Monterrey



ALS Environmental



301 Fulling Mill Road - Middletown, PA 17057 - Phone: 717-944-5541 - Fax: 717-944-1430 - www.alsglobal.com

NELAP Certifications: NJ PA010 , NY 11759 , PA 22-293 DoD ELAP: PJLA 74618
State Certifications: FL E871113 , WA C999 , MD 128 , VA 460157 , WV DW 9961-C , WV 343

PROJECT SUMMARY

Workorder: 3070615 4th QTR 2019 GWMP-FORM 8

Workorder Comments

This certificate of analysis was modified to include the analytical results and chain of custody attachment. SJS 12/03/19

ALS Environmental Laboratory Locations Across North America

Canada: Burlington · Calgary · Centre of Excellence · Edmonton · Fort McMurray · Fort St. John · Grande Prairie · London · Mississauga · Richmond Hill · Saskatoon · Thunder Bay
Vancouver Waterloo · Winnipeg · Yellowknife **United States:** Cincinnati · Everett · Fort Collins · Holland · Houston · Middletown · Salt Lake City · Spring City · York **Mexico:** Monterrey



ALS Environmental



301 Fulling Mill Road - Middletown, PA 17057 - Phone: 717-944-5541 - Fax: 717-944-1430 - www.alsglobal.com

NELAP Certifications: NJ PA010 , NY 11759 , PA 22-293 DoD ELAP: PJLA 74618
State Certifications: FL E871113 , WA C999 , MD 128 , VA 460157 , WV DW 9961-C , WV 343

ANALYTICAL RESULTS

Workorder: 3070615 4th QTR 2019 GWMP-FORM 8

Lab ID:	3070615001	Date Collected:	11/18/2019 12:33	Matrix:	Ground Water
Sample ID:	FFMP034W	Date Received:	11/18/2019 16:23		

Parameters	Results	Flag	Units	RDL	Method	Prepared By	Analyzed By	Cntr
VOLATILE ORGANICS								
Acetone	ND		ug/L	10.0	SW846 8260B		11/21/19 02:07 PDK	J
Acrylonitrile	ND		ug/L	5.0	SW846 8260B		11/21/19 02:07 PDK	J
Benzene	ND		ug/L	1.0	SW846 8260B		11/21/19 02:07 PDK	J
Bromochloromethane	ND		ug/L	1.0	SW846 8260B		11/21/19 02:07 PDK	J
Bromodichloromethane	ND		ug/L	1.0	SW846 8260B		11/21/19 02:07 PDK	J
Bromoform	ND		ug/L	1.0	SW846 8260B		11/21/19 02:07 PDK	J
Bromomethane	ND		ug/L	1.0	SW846 8260B		11/21/19 02:07 PDK	J
2-Butanone	ND		ug/L	10.0	SW846 8260B		11/21/19 02:07 PDK	J
Carbon Disulfide	ND		ug/L	1.0	SW846 8260B		11/21/19 02:07 PDK	J
Carbon Tetrachloride	ND		ug/L	1.0	SW846 8260B		11/21/19 02:07 PDK	J
Chlorobenzene	ND		ug/L	1.0	SW846 8260B		11/21/19 02:07 PDK	J
Chlorodibromomethane	ND		ug/L	1.0	SW846 8260B		11/21/19 02:07 PDK	J
Chloroethane	ND		ug/L	1.0	SW846 8260B		11/21/19 02:07 PDK	J
Chloroform	ND		ug/L	1.0	SW846 8260B		11/21/19 02:07 PDK	J
Chloromethane	ND		ug/L	1.0	SW846 8260B		11/21/19 02:07 PDK	J
3-Chloro-1-propene	ND		ug/L	1.0	SW846 8260B		11/21/19 02:07 PDK	J
1,2-Dibromo-3-chloropropane	ND		ug/L	7.0	SW846 8260B		11/21/19 02:07 PDK	J
1,2-Dibromoethane	ND		ug/L	1.0	SW846 8260B		11/21/19 02:07 PDK	J
Dibromomethane	ND		ug/L	1.0	SW846 8260B		11/21/19 02:07 PDK	J
trans-1,4-Dichloro-2-butene	ND		ug/L	3.0	SW846 8260B		11/21/19 02:07 PDK	J
1,2-Dichlorobenzene	ND		ug/L	1.0	SW846 8260B		11/21/19 02:07 PDK	J
1,3-Dichlorobenzene	ND		ug/L	1.0	SW846 8260B		11/21/19 02:07 PDK	J
1,4-Dichlorobenzene	ND		ug/L	1.0	SW846 8260B		11/21/19 02:07 PDK	J
Dichlorodifluoromethane	ND		ug/L	1.0	SW846 8260B		11/21/19 02:07 PDK	J
1,1-Dichloroethane	ND		ug/L	1.0	SW846 8260B		11/21/19 02:07 PDK	J
1,2-Dichloroethane	ND		ug/L	1.0	SW846 8260B		11/21/19 02:07 PDK	J
1,1-Dichloroethene	ND		ug/L	1.0	SW846 8260B		11/21/19 02:07 PDK	J
cis-1,2-Dichloroethene	ND		ug/L	1.0	SW846 8260B		11/21/19 02:07 PDK	J
trans-1,2-Dichloroethene	ND		ug/L	1.0	SW846 8260B		11/21/19 02:07 PDK	J
1,2-Dichloropropane	ND		ug/L	1.0	SW846 8260B		11/21/19 02:07 PDK	J
cis-1,3-Dichloropropene	ND		ug/L	1.0	SW846 8260B		11/21/19 02:07 PDK	J
trans-1,3-Dichloropropene	ND		ug/L	1.0	SW846 8260B		11/21/19 02:07 PDK	J
Ethylbenzene	ND		ug/L	1.0	SW846 8260B		11/21/19 02:07 PDK	J
2-Hexanone	ND		ug/L	5.0	SW846 8260B		11/21/19 02:07 PDK	J
Iodomethane	ND		ug/L	1.0	SW846 8260B		11/21/19 02:07 PDK	J
4-Methyl-2-Pentanone(MIBK)	ND		ug/L	5.0	SW846 8260B		11/21/19 02:07 PDK	J

ALS Environmental Laboratory Locations Across North America

Canada: Burlington · Calgary · Centre of Excellence · Edmonton · Fort McMurray · Fort St. John · Grande Prairie · London · Mississauga · Richmond Hill · Saskatoon · Thunder Bay
Vancouver Waterloo · Winnipeg · Yellowknife · **United States:** Cincinnati · Everett · Fort Collins · Holland · Houston · Middletown · Salt Lake City · Spring City · York · **Mexico:** Monterrey



ALS Environmental



301 Fulling Mill Road - Middletown, PA 17057 - Phone: 717-944-5541 - Fax: 717-944-1430 - www.alsglobal.com

NELAP Certifications: NJ PA010 , NY 11759 , PA 22-293 DoD ELAP: PJLA 74618
State Certifications: FL E871113 , WA C999 , MD 128 , VA 460157 , WV DW 9961-C , WV 343

ANALYTICAL RESULTS

Workorder: 3070615 4th QTR 2019 GWMP-FORM 8

Lab ID:	3070615001	Date Collected:	11/18/2019 12:33	Matrix:	Ground Water
Sample ID:	FFMP034W	Date Received:	11/18/2019 16:23		

Parameters	Results	Flag	Units	RDL	Method	Prepared	By	Analyzed	By	Cntr
Methylene Chloride	ND		ug/L	1.0	SW846 8260B			11/21/19 02:07	PDK	J
Styrene	ND		ug/L	1.0	SW846 8260B			11/21/19 02:07	PDK	J
1,1,1,2-Tetrachloroethane	ND		ug/L	1.0	SW846 8260B			11/21/19 02:07	PDK	J
1,1,2,2-Tetrachloroethane	ND		ug/L	1.0	SW846 8260B			11/21/19 02:07	PDK	J
Tetrachloroethene	ND		ug/L	1.0	SW846 8260B			11/21/19 02:07	PDK	J
Toluene	ND		ug/L	1.0	SW846 8260B			11/21/19 02:07	PDK	J
Total Xylenes	ND		ug/L	3.0	SW846 8260B			11/21/19 02:07	PDK	J
1,1,1-Trichloroethane	ND		ug/L	1.0	SW846 8260B			11/21/19 02:07	PDK	J
1,1,2-Trichloroethane	ND		ug/L	1.0	SW846 8260B			11/21/19 02:07	PDK	J
Trichloroethene	ND		ug/L	1.0	SW846 8260B			11/21/19 02:07	PDK	J
Trichlorofluoromethane	ND		ug/L	1.0	SW846 8260B			11/21/19 02:07	PDK	J
1,2,3-Trichloropropane	ND		ug/L	2.0	SW846 8260B			11/21/19 02:07	PDK	J
Vinyl Acetate	ND		ug/L	5.0	SW846 8260B			11/21/19 02:07	PDK	J
Vinyl Chloride	ND		ug/L	1.0	SW846 8260B			11/21/19 02:07	PDK	J
Surrogate Recoveries	Results	Flag	Units	Limits	Method	Prepared	By	Analyzed	By	Cntr
1,2-Dichloroethane-d4 (S)	115		%	62 - 133	SW846 8260B			11/21/19 02:07	PDK	J
4-Bromofluorobenzene (S)	112		%	79 - 114	SW846 8260B			11/21/19 02:07	PDK	J
Dibromofluoromethane (S)	99.3		%	78 - 116	SW846 8260B			11/21/19 02:07	PDK	J
Toluene-d8 (S)	110		%	76 - 127	SW846 8260B			11/21/19 02:07	PDK	J

LIBRARY SEARCH - VOLATILES

No TIC's Detected	.	Lib Search VOC	11/21/19 02:07	CPK	J
-------------------	---	----------------	----------------	-----	---

WET CHEMISTRY

Alkalinity, Bicarbonate	37		mg/L	5	SM2320B-2011			11/24/19 02:51	MXO	B
Alkalinity, Total	37	1	mg/L	5	SM2320B-2011			11/24/19 02:51	MXO	A
Ammonia-N	ND		mg/L	0.100	D6919-09			11/26/19 14:10	NJA	C
Chemical Oxygen Demand (COD)	ND		mg/L	15	EPA 410.4			11/26/19 16:48	AK	C
Chloride	124		mg/L	2.0	EPA 300.0			11/19/19 16:37	CHW	B
Fluoride	ND		mg/L	0.20	EPA 300.0			11/19/19 16:37	CHW	B
Nitrate-N	9.5		mg/L	0.20	EPA 300.0			11/19/19 16:37	CHW	B
pH	6.09	2	pH_Units		S4500HB-11			11/24/19 02:51	MXO	B
Phenolics	ND		mg/L	0.005	SW846 9066	11/19/19 14:45	C_D	11/20/19 06:11	C_D	I
Specific Conductance	607		umhos/cm	1	SM2510B-2011			11/27/19 03:54	MBW	B
Sulfate	32.7		mg/L	2.0	EPA 300.0			11/19/19 16:37	CHW	B
Total Dissolved Solids	482	3	mg/L	25	S2540C-11			11/20/19 16:10	D1C	B
Total Organic Carbon (TOC)	0.93		mg/L	0.50	SM5310B-2011			11/21/19 09:06	PAG	G
Turbidity	4.60		NTU	0.10	SM2130B-2011			11/19/19 09:15	R2B	B

ALS Environmental Laboratory Locations Across North America

Canada: Burlington · Calgary · Centre of Excellence · Edmonton · Fort McMurray · Fort St. John · Grande Prairie · London · Mississauga · Richmond Hill · Saskatoon · Thunder Bay
Vancouver Waterloo · Winnipeg · Yellowknife **United States:** Cincinnati · Everett · Fort Collins · Holland · Houston · Middletown · Salt Lake City · Spring City · York **Mexico:** Monterrey



ALS Environmental



301 Fulling Mill Road - Middletown, PA 17057 - Phone: 717-944-5541 - Fax: 717-944-1430 - www.alsglobal.com

NELAP Certifications: NJ PA010 , NY 11759 , PA 22-293 DoD ELAP: PJLA 74618
State Certifications: FL E871113 , WA C999 , MD 128 , VA 460157 , WV DW 9961-C , WV 343

ANALYTICAL RESULTS

Workorder: 3070615 4th QTR 2019 GWMP-FORM 8

Lab ID:	3070615001	Date Collected:	11/18/2019 12:33	Matrix:	Ground Water
Sample ID:	FFMP034W	Date Received:	11/18/2019 16:23		

Parameters	Results	Flag	Units	RDL	Method	Prepared By	Analyzed By	By	Cntr
METALS									
Antimony, Total	ND		mg/L	0.0022	SW846 6020A	11/21/19 21:05 SXC	11/26/19 07:48 MSA	E1	
Arsenic, Total	ND		mg/L	0.0033	SW846 6020A	11/21/19 21:05 SXC	11/26/19 07:48 MSA	E1	
Arsenic, Dissolved	ND		mg/L	0.0030	SW846 6020A	11/21/19 20:00 SXC	11/26/19 16:56 MO	D1	
Barium, Total	0.039		mg/L	0.0056	SW846 6020A	11/21/19 21:05 SXC	11/26/19 07:48 MSA	E1	
Barium, Dissolved	0.040		mg/L	0.0056	SW846 6020A	11/21/19 20:00 SXC	11/26/19 16:56 MO	D1	
Beryllium, Total	ND		mg/L	0.0011	SW846 6020A	11/21/19 21:05 SXC	11/26/19 07:48 MSA	E1	
Cadmium, Total	ND		mg/L	0.0011	SW846 6020A	11/21/19 21:05 SXC	11/26/19 07:48 MSA	E1	
Cadmium, Dissolved	ND		mg/L	0.0011	SW846 6020A	11/21/19 20:00 SXC	11/26/19 16:56 MO	D1	
Calcium, Total	43.3		mg/L	0.11	SW846 6020A	11/21/19 21:05 SXC	11/26/19 07:48 MSA	E1	
Calcium, Dissolved	46.3		mg/L	0.11	SW846 6020A	11/21/19 20:00 SXC	11/26/19 16:56 MO	D1	
Chromium, Total	ND		mg/L	0.0022	SW846 6020A	11/21/19 21:05 SXC	11/26/19 07:48 MSA	E1	
Chromium, Dissolved	ND		mg/L	0.0022	SW846 6020A	11/21/19 20:00 SXC	11/26/19 16:56 MO	D1	
Cobalt, Total	ND		mg/L	0.0056	SW846 6020A	11/21/19 21:05 SXC	11/26/19 07:48 MSA	E1	
Copper, Total	ND		mg/L	0.0056	SW846 6020A	11/21/19 21:05 SXC	11/26/19 07:48 MSA	E1	
Copper, Dissolved	ND		mg/L	0.0056	SW846 6020A	11/21/19 20:00 SXC	11/26/19 16:56 MO	D1	
Iron, Total	1.5		mg/L	0.056	SW846 6020A	11/21/19 21:05 SXC	11/26/19 07:48 MSA	E1	
Iron, Dissolved	1.0		mg/L	0.056	SW846 6020A	11/21/19 20:00 SXC	11/26/19 16:56 MO	D1	
Lead, Total	ND		mg/L	0.0022	SW846 6020A	11/21/19 21:05 SXC	11/26/19 07:48 MSA	E1	
Lead, Dissolved	ND		mg/L	0.0022	SW846 6020A	11/21/19 20:00 SXC	11/26/19 16:56 MO	D1	
Magnesium, Total	17.6		mg/L	0.11	SW846 6020A	11/21/19 21:05 SXC	11/26/19 07:48 MSA	E1	
Magnesium, Dissolved	18.5		mg/L	0.11	SW846 6020A	11/21/19 20:00 SXC	11/26/19 16:56 MO	D1	
Manganese, Total	0.086		mg/L	0.0056	SW846 6020A	11/21/19 21:05 SXC	11/26/19 07:48 MSA	E1	
Manganese, Dissolved	0.096		mg/L	0.0056	SW846 6020A	11/21/19 20:00 SXC	11/26/19 16:56 MO	D1	
Mercury, Total	ND		mg/L	0.00050	SW846 7470A	11/21/19 11:50 AHI	11/21/19 16:33 AHI	E	
Mercury, Dissolved	ND		mg/L	0.00050	SW846 7470A	11/26/19 10:15 AHI	11/26/19 16:15 AHI	D	
Nickel, Total	ND		mg/L	0.0056	SW846 6020A	11/21/19 21:05 SXC	11/26/19 07:48 MSA	E1	
Potassium, Total	2.3		mg/L	0.11	SW846 6020A	11/21/19 21:05 SXC	11/26/19 07:48 MSA	E1	
Potassium, Dissolved	2.3		mg/L	0.11	SW846 6020A	11/21/19 20:00 SXC	11/26/19 16:56 MO	D1	
Selenium, Total	ND		mg/L	0.0056	SW846 6020A	11/21/19 21:05 SXC	11/26/19 07:48 MSA	E1	
Selenium, Dissolved	ND		mg/L	0.0056	SW846 6020A	11/21/19 20:00 SXC	11/26/19 16:56 MO	D1	
Silver, Total	ND		mg/L	0.0022	SW846 6020A	11/21/19 21:05 SXC	11/26/19 07:48 MSA	E1	
Silver, Dissolved	ND		mg/L	0.0022	SW846 6020A	11/21/19 20:00 SXC	11/26/19 16:56 MO	D1	
Sodium, Total	33.3	4.5	mg/L	0.11	SW846 6020A	11/21/19 21:05 SXC	11/26/19 07:48 MSA	E1	
Sodium, Dissolved	33.7		mg/L	0.11	SW846 6020A	11/21/19 20:00 SXC	11/26/19 16:56 MO	D1	
Thallium, Total	ND		mg/L	0.0011	SW846 6020A	11/21/19 21:05 SXC	11/26/19 07:48 MSA	E1	
Vanadium, Total	ND		mg/L	0.0022	SW846 6020A	11/21/19 21:05 SXC	11/26/19 07:48 MSA	E1	
Zinc, Total	ND		mg/L	0.0056	SW846 6020A	11/21/19 21:05 SXC	11/26/19 07:48 MSA	E1	

ALS Environmental Laboratory Locations Across North America

Canada: Burlington · Calgary · Centre of Excellence · Edmonton · Fort McMurray · Fort St. John · Grande Prairie · London · Mississauga · Richmond Hill · Saskatoon · Thunder Bay
Vancouver Waterloo · Winnipeg · Yellowknife **United States:** Cincinnati · Everett · Fort Collins · Holland · Houston · Middletown · Salt Lake City · Spring City · York **Mexico:** Monterrey



ALS Environmental



301 Fulling Mill Road - Middletown, PA 17057 - Phone: 717-944-5541 - Fax: 717-944-1430 - www.alsglobal.com

NELAP Certifications: NJ PA010 , NY 11759 , PA 22-293 DoD ELAP: PJLA 74618
State Certifications: FL E871113 , WA C999 , MD 128 , VA 460157 , WV DW 9961-C , WV 343

ANALYTICAL RESULTS

Workorder: 3070615 4th QTR 2019 GWMP-FORM 8

Lab ID:	3070615001	Date Collected:	11/18/2019 12:33	Matrix:	Ground Water
Sample ID:	FFMP034W	Date Received:	11/18/2019 16:23		

Parameters	Results	Flag	Units	RDL	Method	Prepared By	Analyzed By	Cntr
Zinc, Dissolved	ND		mg/L	0.0056	SW846 6020A	11/21/19 20:00 SXC	11/26/19 16:56 MO	D1
FIELD PARAMETERS								
Depth to Water Level	10.63		Feet		Field		11/18/19 12:33 BGS	F
Elev Top MW Casing above MSL	472.88		Feet		Field		11/18/19 12:33 BGS	F
Flow Rate	1.88		gal/min		Field		11/18/19 12:33 BGS	F
Ground Water Elevation	462.25		ft/MSL		Field		11/18/19 12:33 BGS	F
pH, Field (SM4500B)	5.65		pH_Units		Field		11/18/19 12:33 BGS	F
Sample Depth	25.85		Feet		Field		11/18/19 12:33 BGS	F
Specific Conductance, Field	633		umhos/cm	1	Field		11/18/19 12:33 BGS	F
Temperature	11.28		Deg. C		Field		11/18/19 12:33 BGS	F
Total Well Depth	121.00		Feet		Field		11/18/19 12:33 BGS	F
Volume in Water Column	162.24		Gallons		Field		11/18/19 12:33 BGS	F
Water Level After Purge	11.54		Feet		Field		11/18/19 12:33 BGS	F
Well Volumes Purged	1.00		Vol		Field		11/18/19 12:33 BGS	F

Ms. Susan J Scherer
Project Coordinator

ALS Environmental Laboratory Locations Across North America

Canada: Burlington · Calgary · Centre of Excellence · Edmonton · Fort McMurray · Fort St. John · Grande Prairie · London · Mississauga · Richmond Hill · Saskatoon · Thunder Bay
Vancouver · Waterloo · Winnipeg · Yellowknife · **United States:** Cincinnati · Everett · Fort Collins · Holland · Houston · Middletown · Salt Lake City · Spring City · York · **Mexico:** Monterrey



ALS Environmental



301 Fulling Mill Road - Middletown, PA 17057 - Phone: 717-944-5541 - Fax: 717-944-1430 - www.alsglobal.com

NELAP Certifications: NJ PA010 , NY 11759 , PA 22-293 DoD ELAP: PJLA 74618
State Certifications: FL E871113 , WA C999 , MD 128 , VA 460157 , WV DW 9961-C , WV 343

ANALYTICAL RESULTS

Workorder: 3070615 4th QTR 2019 GWMP-FORM 8

PARAMETER QUALIFIERS

Lab ID	#	Sample ID	Analytical Method	Analyte
3070615001	1	FFMP034W	SM2320B-2011	Alkalinity, Total
The Total Alkalinity is titrated to a pH of 4.5 and reported as mg CaCO ₃ /L.				
3070615001	2	FFMP034W	S4500HB-11	pH
The pH analysis is an "analyze immediately" analysis. Parameters identified as "analyze immediately" require analysis within 15 minutes of collection, and are therefore analyzed outside of the method holding time when analyzed in the laboratory.				
3070615001	3	FFMP034W	S2540C-11	Total Dissolved Solids
The Method Blank for method S2540C-11 reported a value equal to/greater than the reporting level for the analyte Total Dissolved Solids. The concentration was 25 mg/L.				
3070615001	4	FFMP034W	SW846 6020A	Sodium, Total
One of the bracketing Low Level CCVs associated with this sample was recovered outside the required range for sodium, biased high. The concentration of sodium in the sample was greater than the concentration of the CCV. The sample was reported with a comment. MO 11-26-19				
3070615001	5	FFMP034W	SW846 6020A	Sodium, Total
One of the bracketing calibration blanks associated with this sample was positive for sodium. The sample sodium concentration was ten times greater than the concentration in the blank. For this reason, the sample was reported with a comment. MO 11-26-19				

ALS Environmental Laboratory Locations Across North America

Canada: Burlington · Calgary · Centre of Excellence · Edmonton · Fort McMurray · Fort St. John · Grande Prairie · London · Mississauga · Richmond Hill · Saskatoon · Thunder Bay
Vancouver · Waterloo · Winnipeg · Yellowknife **United States:** Cincinnati · Everett · Fort Collins · Holland · Houston · Middletown · Salt Lake City · Spring City · York **Mexico:** Monterrey



ALS Environmental



301 Fulling Mill Road - Middletown, PA 17057 - Phone: 717-944-5541 - Fax: 717-944-1430 - www.alsglobal.com

NELAP Certifications: NJ PA010 , NY 11759 , PA 22-293 DoD ELAP: PJLA 74618
State Certifications: FL E871113 , WA C999 , MD 128 , VA 460157 , WV DW 9961-C , WV 343

ANALYSIS - PREP METHOD CROSS REFERENCE TABLE

Workorder: 3070615 4th QTR 2019 GWMP-FORM 8

Lab ID	Sample ID	Analysis Method	Prep Method
3070615001	FFMP034W	D6919-09	
3070615001	FFMP034W	EPA 300.0	
3070615001	FFMP034W	EPA 410.4	
3070615001	FFMP034W	Field	
3070615001	FFMP034W	Lib Search VOC	
3070615001	FFMP034W	S2540C-11	
3070615001	FFMP034W	S4500HB-11	
3070615001	FFMP034W	SM2130B-2011	
3070615001	FFMP034W	SM2320B-2011	
3070615001	FFMP034W	SM2510B-2011	
3070615001	FFMP034W	SM5310B-2011	
3070615001	FFMP034W	SW846 6020A	SW846 3015
3070615001	FFMP034W	SW846 7470A	SW846 7470A
3070615001	FFMP034W	SW846 8260B	
3070615001	FFMP034W	SW846 9066	420.4/9066

ALS Environmental Laboratory Locations Across North America

Canada: Burlington · Calgary · Centre of Excellence · Edmonton · Fort McMurray · Fort St. John · Grande Prairie · London · Mississauga · Richmond Hill · Saskatoon · Thunder Bay
Vancouver Waterloo · Winnipeg · Yellowknife **United States:** Cincinnati · Everett · Fort Collins · Holland · Houston · Middletown · Salt Lake City · Spring City · York **Mexico:** Monterrey



Environmental

34 Dogwood Lane • Middletown, PA 17057 • 717.944.5541 • FAX: 717.944.1430

CHAIN OF CUSTODY/ REQUEST FOR ANALYSIS

CO

www.als-environmental.com • 800.334.4343 • 717.944.1430

Generated by ALS


AL

**ALL SHADeD AREAS MUST BE COMPLETED BY THE CLIENT /
SAMPLER. INSTRUCTIONS ON THE BACK.**

1

of

1



* 3 0 7 0 6 1 5 *

* Receiving Lab)

Therm ID: 318

Client Name: Lancaster County Solid Waste MA	Container Type	AG	AN	CG	—	—	PL	PL	PL	PL	PL	PL	PL	PL	PL	* 3 0 7 0 6 1 5 *
Address: 1299 Harrisburg Pike, P.O. Box 4424 Lancaster, PA 17604	Container Size	40 ml	125 ml	40 ml	—	—	250 ml	125 ml	125 ml	500 ml	500 ml	500 ml	500 ml	500 ml	Cooler Temp: <u>4</u>	
Contact: Dan Brown	Preservative	HCl	H2SO4	HCl	—	—	H2SO4	HNO3	HNO3	None	None	No. of Coolers: <u>1</u>	Initial No.:	Y N		

ANALYSES/METHOD REQUESTED

Sample Depth for AUX Data	Total Metals, With Subtitle D	Turb.	pH-CI-SPC-F-SO4-TDS-NO3	Akalinity-Bicarbonate	Custody Seals Present?
8260 - Form 8 With Subtitle D	Dissolved Metals Form 8 (Field Filtered)	NH3-N-NO2	Field Measurements	Cont. In Good Cond?	
Matrix	Matrix	O-CH	8260 - Form 8 With Subtitle D	Correct Container?	
g or C	TOC	TOC	Sample Depth for AUX Data	Correct Sample Volumes?	
Date	Time	g	Total Metals, With Subtitle D	Correct Preservation?	
1. FFMP034W	11/18/19	1233	G GW	Headspace/Volatiles?	
2				Counter/Tracking #:	
3					
4					
5					
6					
7					
8					
9					
10					

Project Comments:	LOGGED BY (Signature):				
REVIEWED BY (Signature):					
Relinquished By / Company Name	Date	Time	Received By / Company Name	Date	Time
1. KJG (Kris J. Gandy)	11/18/19	10:23	4	11/18/19	16:23
3	6				
5	8				
7					
9					

Project Comments:	LOGGED BY (Signature):				
REVIEWED BY (Signature):					
Relinquished By / Company Name	Date	Time	Received By / Company Name	Date	Time
1. KJG (Kris J. Gandy)	11/18/19	10:23	4	11/18/19	16:23
3	6				
5	8				
7					
9					

Project Comments:	LOGGED BY (Signature):				
REVIEWED BY (Signature):					
Relinquished By / Company Name	Date	Time	Received By / Company Name	Date	Time
1. KJG (Kris J. Gandy)	11/18/19	10:23	4	11/18/19	16:23
3	6				
5	8				
7					
9					

Project Comments:	LOGGED BY (Signature):				
REVIEWED BY (Signature):					
Relinquished By / Company Name	Date	Time	Received By / Company Name	Date	Time
1. KJG (Kris J. Gandy)	11/18/19	10:23	4	11/18/19	16:23
3	6				
5	8				
7					
9					

Project Comments:	LOGGED BY (Signature):				
REVIEWED BY (Signature):					
Relinquished By / Company Name	Date	Time	Received By / Company Name	Date	Time
1. KJG (Kris J. Gandy)	11/18/19	10:23	4	11/18/19	16:23
3	6				
5	8				
7					
9					

Project Comments:	LOGGED BY (Signature):				
REVIEWED BY (Signature):					
Relinquished By / Company Name	Date	Time	Received By / Company Name	Date	Time
1. KJG (Kris J. Gandy)	11/18/19	10:23	4	11/18/19	16:23
3	6				
5	8				
7					
9					

Project Comments:	LOGGED BY (Signature):				
REVIEWED BY (Signature):					
Relinquished By / Company Name	Date	Time	Received By / Company Name	Date	Time
1. KJG (Kris J. Gandy)	11/18/19	10:23	4	11/18/19	16:23
3	6				
5	8				
7					
9					

Project Comments:	LOGGED BY (Signature):				
REVIEWED BY (Signature):					
Relinquished By / Company Name	Date	Time	Received By / Company Name	Date	Time
1. KJG (Kris J. Gandy)	11/18/19	10:23	4	11/18/19	16:23
3	6				
5	8				
7					
9					

Project Comments:	LOGGED BY (Signature):				
REVIEWED BY (Signature):					
Relinquished By / Company Name	Date	Time	Received By / Company Name	Date	Time
1. KJG (Kris J. Gandy)	11/18/19	10:23	4	11/18/19	16:23
3	6				
5	8				
7					
9					

Project Comments:	LOGGED BY (Signature):				
REVIEWED BY (Signature):					
Relinquished By / Company Name	Date	Time	Received By / Company Name	Date	Time
1. KJG (Kris J. Gandy)	11/18/19	10:23	4	11/18/19	16:23
3	6				
5	8				
7					
9					

Project Comments:	LOGGED BY (Signature):				
REVIEWED BY (Signature):					
Relinquished By / Company Name	Date	Time	Received By / Company Name	Date	Time
1. KJG (Kris J. Gandy)	11/18/19	10:23	4	11/18/19	16:23
3	6				
5	8				
7					
9					

Project Comments:	LOGGED BY (Signature):				
REVIEWED BY (Signature):					
Relinquished By / Company Name	Date	Time	Received By / Company Name	Date	Time
1. KJG (Kris J. Gandy)	11/18/19	10:23	4	11/18/19	16:23
3	6				
5	8				
7					
9					

Project Comments:	LOGGED BY (Signature):				
REVIEWED BY (Signature):					
Relinquished By / Company Name	Date	Time	Received By / Company Name	Date	Time
1. KJG (Kris J. Gandy)	11/18/19	10:23	4	11/18/19	16:23
3	6				
5	8				
7					
9					

Project Comments:	LOGGED BY (Signature):				
REVIEWED BY (Signature):					
Relinquished By / Company Name	Date	Time	Received By / Company Name	Date	Time
1. KJG (Kris J. Gandy)	11/18/19	10:23	4	11/18/19	16:23
3	6				
5	8				
7					
9					

Project Comments:	LOGGED BY (Signature):				
REVIEWED BY (Signature):					
Relinquished By / Company Name	Date	Time	Received By / Company Name	Date	Time
1. KJG (Kris J. Gandy)	11/18/19	10:23	4	11/18/19	16:23
3	6				
5	8				
7					
9					

Project Comments:	LOGGED BY (Signature):				
REVIEWED BY (Signature):					
Relinquished By / Company Name	Date	Time	Received By / Company Name	Date	Time
1. KJG (Kris J. Gandy)	11/18/19	10:23	4	11/18/19	16:23
3	6				
5	8				
7					
9					

Project Comments:	LOGGED BY (Signature):				
REVIEWED BY (Signature):					
Relinquished By / Company Name	Date	Time	Received By / Company Name	Date	Time
1. KJG (Kris J. Gandy)	11/18/19	10:23	4	11/18/19	16:23
3	6				
5	8				
7					
9					

Project Comments:	LOGGED BY (Signature):				
REVIEWED BY (Signature):					
Relinquished By / Company Name	Date	Time	Received By / Company Name	Date	Time
1. KJG (Kris J. Gandy)	11/18/19	10:23	4	11/18/19	16:23
3	6				
5	8				
7					
9					

Project Comments:	LOGGED BY (Signature):				
REVIEWED BY (Signature):					
Relinquished By / Company Name	Date	Time	Received By / Company Name	Date	Time
1. KJG (Kris J. Gandy)	11/18/19	10:23	4	11/18/19	16:23
3	6				
5	8				
7					
9					

Project Comments:	LOGGED BY (Signature):				
REVIEWED BY (Signature):					
Relinquished By / Company Name	Date	Time	Received By / Company Name	Date	Time
1. KJG (Kris J. Gandy)	11/18/19	10:23	4	11/18/19	16:23
3	6				
5	8				
7					
9					

Project Comments:	LOGGED BY (Signature):				
REVIEWED BY (Signature):					
Relinquished By / Company Name	Date	Time	Received By / Company Name	Date	Time
1. KJG (Kris J. Gandy)	11/18/19	10:23	4	11/18/19	16:23
3	6				
5	8				
7					
9					

Project Comments:	LOGGED BY (Signature):				
REVIEWED BY (Signature):					
Relinquished By / Company Name	Date	Time	Received By / Company Name	Date	Time
1. KJG (Kris J. Gandy)	11/18/19	10:23	4	11/18/19	16:23
3	6				
5	8				
7					
9					

Project Comments:	LOGGED BY (Signature):				
REVIEWED BY (Signature):					
Relinquished By / Company Name	Date	Time	Received By / Company Name	Date	Time
1. KJG (Kris J. Gandy)	11/18/19	10:23	4	11/18/19	16:23
3	6				
5	8				
7					
9					

Project Comments:	LOGGED BY (Signature):				
REVIEWED BY (Signature):					
Relinquished By / Company Name	Date	Time	Received By / Company Name	Date	Time
1. KJG (Kris J. Gandy)	11/18/19	10:23	4	11/18/19	16:23
3	6				
5	8				
7					
9					

Project Comments:	LOGGED BY (Signature):				
REVIEWED BY (Signature):					
Relinquished By / Company Name	Date	Time	Received By / Company Name	Date	Time
1. KJG (Kris J. Gandy)	11/18/19	10:23	4	11/18/19	16:23
3	6				
5	8				
7					
9					

Project Comments:	LOGGED BY (Signature):				
REVIEWED BY (Signature):					
Relinquished By / Company Name	Date	Time	Received By / Company Name	Date	Time
1. KJG (Kris J. Gandy)	11/18/19	10:23	4	11/18/19	16:23
3	6				
5	8				
7					
9					

Project Comments:	LOGGED BY (Signature):				
REVIEWED BY (Signature):					
Relinquished By / Company Name	Date	Time	Received By / Company Name	Date	Time
1. KJG (Kris J. Gandy)	11/18/19	10:23	4	11/18/19	16:23
3	6				
5	8				
7					
9					

Project Comments:	LOGGED BY (Signature):				
REVIEWED BY (Signature):					
Relinquished By / Company Name	Date	Time	Received By / Company Name	Date	Time
1. KJG (Kris J. Gandy)	11/18/19	10:23	4	11/18/19	16:23
3	6				
5	8				
7					
9					

Project Comments:	LOGGED BY (Signature):				
REVIEWED BY (Signature):					
Relinquished By / Company Name	Date	Time	Received By / Company Name	Date	Time
1. KJG (Kris J. Gandy)	11/18/19	10:23	4	11/18/19	16:23
3	6				
5	8				
7					
9					

Project Comments:	LOGGED BY (Signature):
REVIEWED BY (Signature):	
Relinquished By / Company Name	Date



301 Fulling Mill Road
Middletown, PA 17057
P: (717) 944-5541
F: (717) 944-1430

Condition of Sample Receipt Form

Client:	Work Order #:	Initials:	Date:
Lancaster County SWMA 3070615 AD 11/18/18			
1. Were airbills / tracking numbers present and recorded?.....			
Tracking number: _____			
<input type="radio"/> NONE	<input type="radio"/> YES	<input type="radio"/> NO	
2. Are Custody Seals on shipping containers intact?.....			
<input type="radio"/> NONE	<input type="radio"/> YES	<input type="radio"/> NO	
3. Are Custody Seals on sample containers intact?.....			
<input type="radio"/> NONE	<input type="radio"/> YES	<input type="radio"/> NO	
4. Is there a COC (Chain-of-Custody) present?.....			
<input type="radio"/> YES	<input type="radio"/> NO		
5. Are the COC and bottle labels complete, legible and in agreement?.....			
<input type="radio"/> YES	<input type="radio"/> NO		
5a. Does the COC contain sample locations?.....			
<input type="radio"/> YES	<input type="radio"/> NO		
5b. Does the COC contain date and time of sample collection for all samples?.....			
<input type="radio"/> YES	<input type="radio"/> NO		
5c. Does the COC contain sample collectors name?.....			
<input type="radio"/> YES	<input type="radio"/> NO		
5d. Does the COC note the type(s) of preservation for all bottles?.....			
<input type="radio"/> YES	<input type="radio"/> NO		
5e. Does the COC note the number of bottles submitted for each sample?.....			
<input type="radio"/> YES	<input type="radio"/> NO		
5f. Does the COC note the type of sample, composite or grab?.....			
<input type="radio"/> YES	<input type="radio"/> NO		
5g. Does the COC note the matrix of the sample(s)?.....			
<input type="radio"/> YES	<input type="radio"/> NO		
6. Are all aqueous samples requiring preservation preserved correctly?.....			
<input type="radio"/> N/A	<input type="radio"/> YES	<input type="radio"/> NO	
7. Were all samples placed in the proper containers for the requested analyses, with sufficient volume?.....			
<input type="radio"/> YES	<input type="radio"/> NO		
8. Are all samples within holding times for the requested analyses?..... PH 12 out of Hold			
<input type="radio"/> YES	<input type="radio"/> NO		
9. Were all sample containers received intact and headspace free when required? (not broken, leaking, frozen, etc.).....			
<input type="radio"/> YES	<input type="radio"/> NO		
10. Did we receive trip blanks (applies only for methods EPA 504, EPA 524.2 and 1631E (LL Hg)?.....			
<input type="radio"/> N/A	<input type="radio"/> YES	<input type="radio"/> NO	
11. Were the samples received on ice?.....			
<input type="radio"/> YES	<input type="radio"/> NO		
12. Were sample temperatures measured at 0.0-6.0°C.....			
<input type="radio"/> YES	<input type="radio"/> NO		
13. Are the samples DW matrix ? If YES, fill out Reportable Drinking Water questions below.....			
<input type="radio"/> YES	<input type="radio"/> NO		
13a. Are the samples required for SDWA compliance reporting?.....			
<input type="radio"/> N/A	<input type="radio"/> YES	<input type="radio"/> NO	
13b. Did the client provide a SDWA PWS ID#?.....			
<input type="radio"/> N/A	<input type="radio"/> YES	<input type="radio"/> NO	
13c. Are all aqueous unpreserved SDWA samples pH 5-9?.....			
<input type="radio"/> N/A	<input type="radio"/> YES	<input type="radio"/> NO	
13d. Did the client provide the SDWA sample location ID/Description?.....			
<input type="radio"/> N/A	<input type="radio"/> YES	<input type="radio"/> NO	
13e. Did the client provide the SDWA sample type (D, E, R, C, P, S)?.....			
<input type="radio"/> N/A	<input type="radio"/> YES	<input type="radio"/> NO	

Cooler #: _____

Temperature (°C): 4 _____

Thermometer ID: 318 _____

Radiological (μ Ci): _____

COMMENTS (Required for all NO responses above and any sample non-conformance):

Rev. 4/29/2019